

# **Metastatic Adenocarcinoma :**

## **New enteries in Medicinal**

## **Plant Database by Pankaj**

## **Oudhia (September, 2018)**

### **Part-3b**



Purified (Shodhit) *Abbevillea* O.Berg -- *Linnaea* 27: 425. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea bullata* Barb.Rodr. -- Myrt. Paraguay 17. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea bullata* Barb.Rodr. -- Myrt. Paraguay 17. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea cerasoides* O.Berg -- Fl. Bras. (Martius) 14(1): 436. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea chrysophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 437. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea chrysophylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea chrysophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 437. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea eugenoides* O.Berg -- Fl. Bras. (Martius) 14(1): 436. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea eugenoides* (Cambess.) O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea feniziana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea fenzliana* O.Berg -- Fl. Bras. (Martius) 14(1): 433. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea fenzliana* var. *intermedia* O.Berg -- Fl. Bras. (Martius) 14(1): 433, t. 6, fig. 142. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea fenzliana* var. *longipes* O.Berg -- Fl. Bras. (Martius) 14(1): 433. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea gardneriana* O.Berg -- Fl. Bras. (Martius) 14(1): 436. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea gardneriana* O.Berg -- Fl. Bras. (Martius) 14(1): 436. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Abbevillea guaviroba* O.Berg -- Fl. Bras. (Martius) 14(1): 432. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea klotzschiana* O.Berg -- Fl. Bras. (Martius) 14(1): 434. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea klotzschiana* O.Berg -- Fl. Bras. (Martius) 14(1): 434. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea klotzschiana* O.Berg var. *intermedia* O.Berg -- Fl. Bras. (Martius) 14(1): 434. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea langsdorffiana* O.Berg -- Fl. Bras. (Martius) 14(1): 608. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea langsдорffii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea martiana* O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea maschalantha* O.Berg -- Fl. Bras. (Martius) 14(1): 432. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea maschalantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea maschalantha* O.Berg -- Fl. Bras. (Martius) 14(1): 432 (-433). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea maschalantha* O.Berg var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 433. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea maschalantha* O.Berg var. *recurvata* O.Berg -- Fl. Bras. (Martius) 14(1): 433. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea neriiflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea neriiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 431. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea neriiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 431. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea phaea* O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea phaea* ( ex Martius) O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea phaea* O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea phaea* O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea plana* O.Berg -- Linnaea 27: 427. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea punctulata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea punctulata* O.Berg -- Fl. Bras. (Martius) 14(1): 432. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea recurvata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea recurvata* O.Berg -- Fl. Bras. (Martius) 14(1): 438. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea recurvata* O.Berg -- Fl. Bras. (Martius) 14(1): 438. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea regeliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea regeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 608. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 437. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 437 (-438), t. 6, fig. 143. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rufa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 437. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rugosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 437. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea schlechtendahlia* O.Berg -- Fl. Bras. (Martius) 14(1): 435. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea schlechtendahlia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Abbevillea sellowiana* O.Berg -- Fl. Bras. (Martius) 14(1): 431. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea sellowiana* O.Berg -- Fl. Bras. (Martius) 14(1): 431. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Abbevillea widgreniana* O.Berg -- Linnaea 31: 260 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca* O.Berg -- Linnaea 27: 138. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca* subgen. *Feijoa* (O.Berg) Mattos -- Loefgrenia 99: 3 (1990):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca domingensis* O.Berg -- Linnaea 27: 138. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca domingensis* var. *angustifolia* O.Berg -- Linnaea 27: 139. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca domingensis* var. *latifolia* O.Berg -- Linnaea 27: 138. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca glazioviana* Kiaersk. in Warm. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca glazioviana* Kiaersk. -- Enum. Myrt. Bras. 115, t. 10, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca glazioviana* Kiaersk. -- Enum. Myrt. Bras. (1893) 115, t. 10 c. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca lanuginosa* (Ruiz & Pav. ex G.Don) McVaugh -- Taxon 5: 136. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca lanuginosa* (Ruiz & Pav. ex G.Don) McVaugh -- Taxon v. 136 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca macrostema* (Ruiz & Pav. ex G.Don) McVaugh -- Taxon v. 136 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca macrostema* (Ruiz & Pav. ex G.Don) McVaugh -- Taxon 5: 136. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca peruviana* O.Berg -- Linnaea 27: 139. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca sellowiana* (O.Berg) Burret -- Repert. Spec. Nov. Regni Veg. 50: 59. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca sellowiana* (O.Berg) Burret -- Repert. Spec. Nov. Regni Veg. 50: 59. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca sellowiana* (O.Berg) Burret var. *rugosa* (Mattos) Mattos -- Loeftgrenia 99: 3 (1990):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca velutina* Burret -- Repert. Spec. Nov. Regni Veg. 50: 58. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acca velutina* Burret -- Repert. Spec. Nov. Regni Veg. 50: 58. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Accara Landrum* -- Syst. Bot. 15(2): 221. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Accara elegans* (DC.) Landrum -- Syst. Bot. 15: 221. 1990 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Accara elegans* (DC.) Landrum -- Syst. Bot. 15(2): 221. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acialyptus* Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus* A.Gray -- Characters of some new Genera of plants mostly from Polynesia. 1854 = preprint, Proc. Amer. Acad. Arts & Sciences 3 (1857) 127 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus* A.Gray -- U.S. Expl. Exped., Phan. 15: 551, t. 67. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus elliptica* A.C.Sm. -- Bull. Bernice P. Bishop Mus. 141: 107. 1936 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus eugenioides* Drake -- Illustr. fl. Mor. Pacif. (1890) 168. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus eugenioides* (Seem.) F.Muell. -- Fragm. (Mueller) 8(59): 17. 1873 [Mar 1873] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus eugenioides* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1887) 86. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus fullagari* F.Muell. -- *Fragm. (Mueller)* 8(59): 15. 1873 [Mar 1873] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus longiflora* A.C.Sm. -- Bull. Bernice P. Bishop Mus. 141: 109. 1936 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus myrtoides* A.Gray -- Characters of some new Genera of plants mostly from Polynesia. 1854 = preprint, *Proc. Amer. Acad. Arts & Sciences* 3 (1857) 127 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus myrtoides* A.Gray -- U.S. Expl. Exped., Phan. 15: 551, t. 67. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for



Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus nitida* Brongn. & Gris -- Bull. Soc. Bot. France 12: 186. 1865 ; et in Ann. Sci. Nat., Bot., sér. 5, 3: 227 (1865) (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus pennellii* Guillaumin -- Bull. Soc. Bot. France 85: 653. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acicalyptus seemannii* A.Gray -- Proc. Amer. Acad. Arts 5: 317. 1862 [Jan 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena* DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena acuminata* Walp. -- Repert. Bot. Syst. (Walpers) 2(1): 181. 1843 [3-4 Apr 1843]

Purified (Shodhit) *Acmena acuminatissima* (Blume) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 12. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena australis* (C.Moore) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 100. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena australis* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena brachyandra* (Maiden & Betcher) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena brachyandra* Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena bracteolata* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena brassii* Craven -- Austral. Syst. Bot. 3(4): 727 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena caudata* Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena championii* Benth. -- Hooker's J. Bot. Kew Gard. Misc. 4: 118. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena chinensis* Planch. -- Hort. Donat. 84. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena claviflora* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena dielsii* Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena dispansa* (Ridl.) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena divaricata* Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena divaricata* Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena elliptica* G.Benn. -- Gatherings of a Naturalist in Australasia 1860 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena elliptica* G.Don ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 17. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena elliptica* Steud. -- Nomenclator Botanicus 1 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena floribunda* (Sm.) DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena floribunda* (Sm.) DC. -- Prodrumus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena floribunda* var. *elliptica* DC. -- Prodrumus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena floribunda* var. *floribunda* (Sm.) DC. -- Prodrumus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena fluvicola* T.G.Hartley & Craven -- J. Arnold Arbor. 58(3): 336. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena gerrardii* Harv. -- Gen. S. Afr. Pl. ed. 2, 112. 1868 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena grata* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena graveolens* (Bailey) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena graveolens* (F.M.Bailey) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 34. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena hemilampra* (F.Muell. ex F.M.Bailey) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena hemilampra* (F.Muell.) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Acmena hemilampra* subsp. *hemilampra* (F.Muell.) Merr. & L.M.Perry -- Australian Journal of Botany Supplementary Series 9 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena hemilampra* subsp. *orophila* B.Hyland -- Australian Journal of Botany Supplementary Series 9 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena hemilampra* (F.Muell. ex F.M.Bailey) Merr. & L.M.Perry subsp. *orophila* B.Hyland -- Austral. J. Bot. Suppl. 9: 13 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena ingens* (F.Muell. ex C.Moore) Guymer & B.Hyland -- Muelleria 6(6): 437. 1988 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena ingens* (C.Moore) Guymer & B.Hyland -- Muelleria 6(3,4) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena inophylla* Wight -- Icon. Pl. Ind. Orient. [Wight] ii. t. 623. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena kingii* G.Don -- Gen. Hist. 2: 851. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena kingii* G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena laevifolia* (Ridl.) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena lanceolata* (Lam.) Walp. -- Repert. Bot. Syst. (Walpers) 2(1): 181. 1843 [3-4 Apr 1843]

Purified (Shodhit) *Acmena lanceolata* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 119. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena leptantha* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena mackinnoniana* B.Hyland -- Austral. J. Bot. Suppl. 9: 14 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena mackinnoniana* B.Hyland -- Australian Journal of Botany Supplementary Series 9 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena macrocarpa* C.T.White -- Proceedings of the Royal Society of Queensland 53 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena macrocarpa* C.T.White -- Proc. Roy. Soc. Queensland 53: 217. 1942 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena melanosticta* (Miq.) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 12. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena montana* T.G.Hartley & Craven -- J. Arnold Arbor. 58(3): 338. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena oblata* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena parviflora* DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena pendula* G.Benn. -- Gather. Natural. 327, nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena pendula* G.Benn. -- Gatherings of a Naturalist in Australasia 1860 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena polyantha* (Lauterb. & K.Schum.) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena pulchella* (Roxb.) Mason -- Fl. Burma. 553. 1851

Purified (Shodhit) *Acmena resa* B.Hyland -- Austral. J. Bot. Suppl. 9: 16 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena resa* B.Hyland -- Australian Journal of Botany Supplementary Series 9 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena smithii* (Poir.) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena smithii* (Poir.) Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena smithii* var. *minor* (Maiden) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena smithii* var. *smithii* (Poir.) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 19 1938 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena sorongensis* T.G.Hartley & Craven -- J. Arnold Arbor. 58(3): 339. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena triphlebia* (Diels) T.G.Hartley & Craven -- J. Arnold Arbor. 58(3): 340. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena wightiana* Walp. -- Repert. Bot. Syst. (Walpers) ii. 181. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmena zeylanica* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 118. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma* Kausel -- Ark. Bot. ser. 2, 3: 609. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma* Kausel -- Arkiv f?r Botanik ser. 2, 3 1957 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it



Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma claviflorum* (Roxb.) Kausel -- Arkiv f?r Botanik ser. 2, 3 1957 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma claviflorum* (Roxb.) Kausel -- Ark. Bot. ser. 2, 3: 609. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma pringlei* B.Hyland -- Austral. J. Bot. Suppl. 9: 26 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acmenosperma pringlei* B.Hyland -- Australian Journal of Botany Supplementary Series 9 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra O.Berg* -- *Linnaea* 27: 435 (1856); et in *Mart. Fl. Bras.* 14(2): 459 (1857). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra glazioviana* (Kiaersk.) Burret -- *Repert. Spec. Nov. Regni Veg.* 50: 59. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra glazioviana* (Kiaersk.) Burret (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra glazioviana* (Kiaersk. ex Warm.) Burret -- *Repert. Spec. Nov. Regni Veg.* 50: 59. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra guianensis* Amshoff -- *Acta Bot. Neerl.* 5: 279. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra guianensis* Amshoff. -- Acta Bot. Neerl. v. 279 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra langsdorffii* O.Berg -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 74. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra langsdorffii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra laurifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 459. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra sellowiana* O.Berg -- Fl. Bras. (Martius) 14(1): 459 (-460), t. 51. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra sellowiana* O.Berg -- Fl. Bras. (Martius) 14(1): 459. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acrandra verrucosa* O.Berg -- Fl. Bras. (Martius) 14(1): 459. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia Kausel* -- Ark. Bot. n.s. 3: 510. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia Kausel* -- Ark. Bot. ser. 2, 3: 510. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia mato* (Griseb.) Kausel -- Lilloa xxxii. 343 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia mato* (Griseb.) Kausel -- Lilloa 32: 343. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia pungens* (O.Berg ex Mart.) Kausel -- Ark. Bot. (n. s.) 3: 510. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Acreugenia pungens* (O.Berg) Kausel -- Ark. Bot. ser. 2, 3: 510. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium Schauer* -- Linnaea 1836 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium Schauer* ex Schltdl. -- Linnaea 10: 311. 1836 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium cunninghamii* Schauer ex Lindl. -- Intr. Nat. Syst. Bot., ed. 2. 440. 1836 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium cunninghamii* Schauer -- A Natural System of Botany ed. 2 1836 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium proliferum* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Actinodium proliferum* Turcz. -- Bulletin de la Societe Imperiale des Naturalistes de Moscou 22(2) 1849 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agalmanthus* (Endl.) Hombr. & Jacquinot -- Voy. Pôle Sud Atlas (Dicot.): t. 1. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agalmanthus umbellata* Hombr. & Jacquinot ex Decne. -- Voy. Pôle Sud 78 (1845). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agasta Miers* -- Trans. Linn. Soc. London, Bot. 1(2): 59. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agasta asiatica* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 61. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agasta indica* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 63. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agasta splendida* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 60. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Agonis (DC.) Sweet -- Sweet's Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Agonis (DC.) Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 [Oct 1830 - Dec 1830] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Agonis Lindl. -- Sketch Veg. Swan R. 10 (1839). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Agonis (DC.) Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 [Oct-Dec 1830] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Agonis sect. Agonis (DC.) Sweet -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Agonis* sect. *Ataxandria* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis* sect. *Billotia* Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis* sect. *Taxandria* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis abnormis* C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis abnormis* C.T.White -- in Queensl. Dep. Agric., Bot. Bull. xxii. 20 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis angustifolia* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis angustifolia* Schauer -- *Pl. Preiss.* [J.G.C.Lehmann] 1(1): 118. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis baxteri* (Benth.) J.R.Wheeler & N.G.Marchant -- *Nuytsia* 16(2): 398. 2007 [23 Nov 2007]

Purified (Shodhit) *Agonis conspicua* Schauer -- *Pl. Preiss.* [J.G.C.Lehmann] 1(1): 118. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis conspicua* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis elliptica* Sweet -- *Sweet's Hortus Britannicus* 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis elliptica* C.T.White -- in Queensl. Dep. Agric., Bot. Bull. xxii. 16 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis elliptica* C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 Plate. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis elliptica* var. *angustifolia* C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis elliptica* var. *elliptica* C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis ericoides* F.M.Bailey -- in Dept. Agric. Bot. Bull. ii. (1891) 37. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis ericoides* F.M.Bailey -- Queensland Department of Agriculture and Stock. Botany Bulletin 2 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* Lindl. -- Sketch Veg. Swan R. 10. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* (Willd.) Sweet -- Sweet's Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* (Willd.) Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* var. *angustifolia* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* var. *flexuosa* (Willd.) Sweet -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis flexuosa* var. *latifolia* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis floribunda* Turcz. -- *Bulletin de la Societe Imperiale des Naturalistes de Moscou* 22(2) 1849 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis floribunda* Turcz. -- *Bull. Soc. Imp. Naturalistes Moscou* xxii. (1849) II. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis fragrans* J.R.Wheeler & N.G.Marchant -- Nuytsia 13(3): 567 (2001). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis glabra* Turcz. -- Bull. Acad. Imp. Sci. Saint-Pétersbourg x. (1852) 334. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis glabra* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 411 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis grandiflora* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis grandiflora* Benth. -- Fl. Austral. 3: 100. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis hypericifolia* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 117. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis hypericifolia* (Otto & A.Dietr.) Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis juniperina* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis juniperina* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 118. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis linearifolia* (DC.) Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 [Oct 1830 - Dec 1830] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis linearifolia* Lindl. -- Sketch Veg. Swan R. 10. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis linearifolia* (DC.) Sweet -- Sweet's Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis linearifolia* var. *conspicua* (Schauer) Domin -- - = M<sup>o</sup>moires de la Soci<sup>o</sup>t<sup>e</sup> Royale des Sciences de Boh<sup>e</sup>me. Prague] 1921-2, 2 (1923) 85. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis linearifolia* var. *linearifolia* (DC.) Sweet -- - = M<sup>o</sup>moires de la Soci<sup>o</sup>t<sup>e</sup> Royale des Sciences de Boh<sup>e</sup>me. Prague] 1921-2, 2 (1923) 85. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis longifolia* C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 Plate. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis longifolia* C.T.White -- in Queensl. Dep. Agric., Bot. Bull. xxii. 18 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis luehmannii* C.T.White -- in Queensl. Dep. Agric., Bot. Bull. xxii. 21 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis luehmannii* (Bailey) C.T.White & W.D.Francis -- Queensland Department of Agriculture and Stock. Botany Bulletin 22 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis lysicephala* F.M.Bailey -- Syn. Queensl. Fl. Suppl. ii. (1888) 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis lysicephala* (F.M.Bailey) F.M.Bailey -- A Synopsis of the Queensland Flora, Supplement 2 1888 (Medium duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis marginata* (Labill.) Sweet -- Sweet's Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis marginata* (Labill.) Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 [Oct 1830 - Dec 1830] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis marginata* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 117. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis obtusissima* F.Muell. -- Fragn. (Mueller) 11(93): 119. 1881 [Aug 1881] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis obtusissima* F.Muell. -- *Fragmenta Phytographiae Australiae* 11 1879 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis ovalifolia* Sweet -- *Hortus Britannicus* ed. 2 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis parviceps* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis parviceps* Schauer -- *Pl. Preiss. [J.G.C.Lehmann]* 1(1): 119. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis scortechiniana* F.Muell. -- *Fragm. (Mueller)* 11(93): 118. 1881 [Aug 1881] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis scortechiniana* F.Muell. -- *Fragmenta Phytographiae Australiae* 11 1879 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis spathulata* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis spathulata* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 119. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis spathulata* var. *angustifolia* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis spathulata* var. *spathulata* Schauer -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis speciosa* (Schauer) C.T.White -- Proc. Roy. Soc. Queensland 53: 218. 1942 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis speciosa* (Schauer) C.T.White -- Proceedings of the Royal Society of Queensland 53 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis theiformis* Schauer -- Plantae Preissianae 2(1) 1848 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis theiformis* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 2(2-3): 223. 1848 [2-5 Aug 1848] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis undulata* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonis undulata* Benth. -- Fl. Austral. 3: 100. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Agonomyrtus Schauer ex Rchb.* -- Handb. Nat. Pfl.-Syst. 253. 1837 [1-7 Oct 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aguava Raf.* -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aguava guianensis* Raf. -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aguava tomentosa* Raf. -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Algrizea Proença & NicLugh.* -- Syst. Bot. 31(2): 320 (-321). 2006 [9 Jun 2006]

Purified (Shodhit) *Algrizea macrochlamys* (DC.) Proença & NicLugh. -- Syst. Bot. 31(2): 321. 2006 [9 Jun 2006]

Purified (Shodhit) *Algrizea minor* Sobral, Faria & Proença -- Neodiversity 5: 1 (-6; figs. 1-3). 2010 [31 Dec 2010]

Purified (Shodhit) *Allostis* Raf. -- Sylva Tellur. 104. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Allosyncarpia* S.T.Blake -- *Austrobaileya* 1(3) 1981 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Allosyncarpia* S.T.Blake -- *Austrobaileya* 1(1): 43. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Allosyncarpia ternata* S.T.Blake -- *Austrobaileya* 1(1): 44. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Allosyncarpia ternata* S.T.Blake -- *Austrobaileya* 1(3) 1981 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta Rye & Trudgen* -- *Nuytsia* 13(2): 347 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta appressa* (C.R.P.Andrews) *Rye & Trudgen* -- *Nuytsia* 13(2): 351 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta aspera* (E.Pritz.) *Rye & Trudgen* -- *Nuytsia* 13(2): 353 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aluta aspera* (E.Pritz.) Rye & Trudgen subsp. *hesperia* Rye & Trudgen -- Nuytsia 13(2): 355 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta aspera* (E.Pritz.) Rye & Trudgen subsp. *localis* Rye & Trudgen -- Nuytsia 13(2): 357 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta maisonneuvei* (F.Muell.) Rye & Trudgen -- Nuytsia 13(2): 358 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta maisonneuvei* (F.Muell.) Rye & Trudgen subsp. *auriculata* (F.Muell.) Rye & Trudgen -- Nuytsia 13(2): 360 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta quadrata* Rye & Trudgen -- Nuytsia 13(2): 361 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aluta teres* Rye & Trudgen -- *Nuytsia* 13(2): 364 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis* O.Berg -- *Linnaea* 27: 416. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis acris* O.Berg -- *Linnaea* 27: 417. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis acris* var. *grandifolia* O.Berg -- *Linnaea* 27: 418. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis acris* var. *obtusata* O.Berg -- *Linnaea* 27: 418. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis acris* var. *obtusata* O.Berg -- Handb. Pharm. Bot. 339. 1855 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis acris* var. *parvifolia* O.Berg -- Linnaea 27: 418. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis anisomera* Urb. & Ekman -- Ark. Bot. 22A(10): 23. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis anisomera* Urb. & Ekman -- Ark. Bot. 22A(10): 23. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis anisomera* Urb. & Ekman -- Ark. Bot. 22A(10): 23. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis caryophyllata* Krug & Urb. -- Bot. Jahrb. Syst. 19(4): 573. 1894 [28 Dec 1894] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis caryophyllata* Krug & Urb. ex Urb. -- Bot. Jahrb. Syst. 19(4): 573. 1894 [28 Dec 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis caryophyllata* var. *grisea* Kiaersk. -- Bot. Jahrb. Syst. 19(4): 575. 1894 [28 Dec 1894] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis caryophyllata* Krug & Urb. var. *grisea* (Kiaersk.) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis grisea* Britton -- Sci. Surv. Porto Rico & Virgin Islands vi. 28 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis grisea* Britton -- Sci. Surv. Porto Rico & Virgin Islands 6: 28. 1925 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis grisea* (Kiaersk.) Britton (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis hispaniolensis* Urb. -- Ark. Bot. 20A(5): 21. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis hispaniolensis* Urb. -- Ark. Bot. 20A (5): 21. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis hispaniolensis* Urb. -- Ark. Bot. 20A, no. 5: 21. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis jamaicensis* Britton & Harris -- J. New York Bot. Gard. 21: 39. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis jamaicensis* Britton & Harris -- J. New York Bot. Gard. 1920, xxi. 39. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis oblongata* O.Berg -- Linnaea 27: 421. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis oblongata* O.Berg -- Handb. Pharm. Bot. 340. 1855 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis oblongata* var. *occidentalis* O.Berg -- Handb. Pharm. Bot. 340. 1855 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis oblongata* var. *occidentalis* O.Berg -- *Linnaea* 27: 421. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis odiolens* Urb. -- *Symb. Antill. (Urban)*. 9(4): 471. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis odiolens* Urb. -- *Symb. Antill. (Urban)*. 9(4): 471. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis odiolens* Urb. -- *Symb. Antill. (Urban)*. 9(4): 471. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis ozua* Urb. & Ekman -- *Ark. Bot.* 22A(10): 22. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis ozua* Urb. & Ekman -- Ark. Bot. 22A (10): 22. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis ozua* Urb. & Ekman -- Ark. Bot. 22A(10): 22. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pauciflora* Urb. -- Ark. Bot. 21A(5): 21. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pauciflora* Urb. -- Ark. Bot. 21A, no. 5: 21. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pauciflora* Urb. -- Ark. Bot. 21A(5): 21. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Amomis pilotoana* Urb. -- Symb. Antill. (Urban). 9(4): 471. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pilotoana* Urb. -- Symb. Antill. (Urban). 9(4): 471. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pilotoana* Urb. -- Symb. Antill. (Urban). 9(4): 471. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimento* O.Berg -- Handb. Pharm. Bot. 339. 1855 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimento* O.Berg -- Linnaea 27: 418. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimento* var. *jamaicensis* O.Berg -- Handb. Pharm. Bot. 340. 1855 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimento* var. *jamaicensis* O.Berg -- Linnaea 27: 419. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimento* O.Berg var. *surinamensis* O.Berg -- Linnaea 27: 419. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis pimentoides* O.Berg -- Linnaea 27: 420. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomis terebinthina* Urb. & Ekman (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtella Kausel* -- Ark. Bot. ser. 2, 3: 514. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtella Kausel* -- Ark. Bot. n.s. 3: 514. 1956 [10 Sep 1956] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtella guili* (Speg.) Kausel -- Ark. Bot. (n. s.) 3: 515. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtella guili* (Speg.) Kausel -- Ark. Bot. ser. 2, 3: 515. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtella irregularis* (McVaugh) Landrum & Morocho -- J. Bot. Res. Inst. Texas 5(1): 105 (-107; fig. 1). 2011 [5 Aug 2011]

Purified (Shodhit) *Amomyrtus* (Burret) D.Legrand & Kausel -- Lilloa xiii. 145. 1948 [dt. 1947; issued 1948] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtus* (Burret) D.Legrand & Kausel -- Lilloa 13: 145. 1948 [dt. 1947; issued 1948] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtus luma* (Molina) D.Legrand & Kausel -- Lilloa 13: 146. 1947 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtus luma* (Molina) D.Legrand & Kausel -- Lilloa xiii. 146 (1947). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtus meli* (Phil.) D.Legrand & Kausel -- Lilloa xiii. 146 (1947). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amomyrtus meli* (Phil.) D.Legrand & Kausel -- Lilloa 13: 146. 1947 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia Raf.* -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia compressa* (Kunth) Kausel (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia compressa* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia discolor* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia foliosa* (Kunth) Kausel (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia foliosa* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia hallii* (O.Berg) Kausel -- Ark. Bot. (n. s.) 3: 513. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia hallii* (O.Berg) Kausel -- Ark. Bot. ser. 2, 3: 513. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia limbata* (Kunth) Kausel -- Ark. Bot. (n. s.) 3: 513. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia limbata* (Kunth) Kausel -- Ark. Bot. ser. 2, 3: 513. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Amyrsia microphyla* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis Griseb.* -- *Fl. Brit. W.I.* [Grisebach] 240. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis bahamensis* Britton ex Small -- *Fl. Florida Keys* 104 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis bahamensis* Britton in Small -- *Fl. Florida Keys* 104, 155. 1913 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis bahamensis* Britton (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on

its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis dichotoma* Sarg. -- Gard. & Forest 6: 130. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis dichotoma* Sarg. -- Gard. & Forest vi. (1893) 130; et N. Am. Sylva, v. 32 t. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis dicrana* Britton -- N. Amer. Trees 728, fig. 668. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis dicrana* Britton -- N. Amer. Trees 728 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis esculenta* Griseb. -- Fl. Brit. W.I. [Grisebach] 240, in obs. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis ferruginea* Griseb. -- Cat. Pl. Cub. [Grisebach] 91. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis ferruginea* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis fragrans* Griseb. -- Fl. Brit. W.I. [Grisebach] 240. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis fragrans* (Sw.) Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis fragrans* (Sw.) Griseb. var. *brachyrhiza* (Krug & Urb.) Stehlé & Quentin (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis fragrans* var. *cuneata* Griseb. -- Fl. Brit. W.I. [Grisebach] 240. 1860 [late 1860] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis grandis* Britton -- Bull. Torrey Bot. Club 37: 355. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis grandis* Britton -- Bull. Torrey Bot. Club 1910, xxxvii. 355. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis guayabillo* Griseb. -- Cat. Pl. Cub. [Grisebach] 90. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis longipes* Britton in Small -- Fl. Miami [Small] 132, 200. 1913 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis longipes* (O.Berg) Britton ex Small (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis longipes* Britton ex Small -- Fl. Miami [Small] 132 (1913). [26 Apr 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis lucayana* Britton -- Britton & Millsp. Fl. Baham. 306 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis lucayana* Britton -- Bahama Fl. (Britton & Millspaugh) 306. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ananomis punctata* Griseb. -- Fl. Brit. W.I. [Grisebach] 240. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis punctata* var. *dichotoma* Kiaersk. -- Bot. Tidsskr. 17: 279. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis reticulata* Britton & P.Wilson -- Bull. Torrey Bot. Club 1923, 1. 45. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis reticulata* Britton & P.Wilson -- Bull. Torrey Bot. Club 50: 45. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis simpsonii* Small -- Torrey 17: 222. 1917 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis simpsonii* Small -- *Torreyia* 1917, xvii. 222 (1918). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis umbellifera* Britton -- *Sci. Surv. Porto Rico & Virgin Islands* vi. 42 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis umbellulifera* (Kunth) Britton (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anamomis umbellulifera* Britton -- *Sci. Surv. Porto Rico & Virgin Islands* 6: 42. 1925 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anetholea* Peter G. Wilson -- *Austral. Syst. Bot.* 13(3): 434 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anetholea anisata* (Vickery) Peter G.Wilson -- Austral. Syst. Bot. 13(3): 434 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angasomyrtus Trudgen & Keighery* -- Nuytsia 4(3) 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angasomyrtus Trudgen & Keighery* -- Nuytsia 4(3): 435 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angasomyrtus salina* Trudgen & Keighery -- Nuytsia 4(3): 435 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angasomyrtus salina* Trudgen & Keighery -- Nuytsia 4(3) 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora Cav.* -- *Icones et descriptiones Plantarum* 4 1797 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora Cav.* -- *Icon. [Cavanilles]* iv. 21. t. 338 (1797). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora ser. Bakerinae* K.R.Thiele & Ladiges -- *Cladistics, Int. J. Willi Hennig Soc.* 4(1): 42 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora subser. Costatitae* K.R.Thiele & Ladiges -- *Cladistics, Int. J. Willi Hennig Soc.* 4(1): 42 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora ser. Floribundinae* K.R.Thiele & Ladiges -- *Cladistics, Int. J. Willi Hennig Soc.* 4(1): 41 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora* ser. *Subvelutininae* K.R.Thiele & Ladiges -- *Cladistics*, Int. J. Willi Hennig Soc. 4(1): 42 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora bakeri* E.C.Hall -- *Journal and Proceedings of the Royal Society of New South Wales* 47 1913 Pl. II. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora bakeri* E.C.Hall -- *J. & Proc. Roy. Soc. New South Wales* 1913, xlvii. 101. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora bakeri* E.C.Hall subsp. *crassifolia* G.J.Leach -- *Telopea* 2(6): 766. 1986 [24 Apr 1986] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora bakeri* subsp. *crassifolia* G.J.Leach -- *Telopea* 2 1986 [24 Apr 1986] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Angophora bakeri* E.C.Hall subsp. *paludosa* G.J.Leach -- *Telopea* 2(6): 764. 1986 [24 Apr 1986] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora bakeri* subsp. *paludosa* G.J.Leach -- *Telopea* 2 1986 [24 Apr 1986] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora clelandi* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 175. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora clelandii* Maiden -- Journal and Proceedings of the Royal Society of New South Wales 54 1921 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

\* Purified (Shodhit) *Angophora* × *clelandii* Maiden -- J. Proc. Roy. Soc. New S. Wales 54: 175. 1920

Purified (Shodhit) *Angophora cordata* Vis. -- L'Orto Botanico di Padova 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora cordifolia* Cav. -- Icon. [Cavanilles] iv. 21. t. 338 (1797). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora cordifolia* Cav. -- Icones et descriptiones Plantarum 4 1797 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* Domin -- Biblioth. Bot. lxxxix. 459 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* Britten -- The Journal of Botany 54 1916 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* Britten -- J. Bot. 54: 62. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* subsp. *costata* Britten -- *Telopea* 2 1981 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* subsp. *euryphylla* G.J.Leach -- *Telopea* 2 1986 [24 Apr 1986] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* Domin subsp. *euryphylla* L.A.S.Johnson ex G.J.Leach -- *Telopea* 2(6): 759. 1986 [24 Apr 1986] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* Domin subsp. *leiocarpa* L.A.S.Johnson ex G.J.Leach -- *Telopea* 2(6): 760. 1986 [24 Apr 1986] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora costata* subsp. *leiocarpa* L.A.S.Johnson ex G.J.Leach -- *Telopea* 2 1986 [24 Apr 1986] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora crassifolia* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora crassifolia* (G.J.Leach) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 38. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora dichromophloia* Blakely -- *Contr. New South Wales Natl. Herb.* 1(3) 1951 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora dichromophloia* Blakely -- *Contr. New South Wales Natl. Herb.* 1: 34. 1939 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora euryphylla* (L.A.S.Johnson ex G.J.Leach) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 38. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora euryphylla* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora exul* K.D.Hill -- *Telopea* 7(2) 1997 [8 Jul 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora exul* K.D.Hill -- *Telopea* 7(2): 100. 1997 [8 Jul 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* (Sm.) Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 458 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* Domin -- Biblioth. Bot. lxxxix. 458 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* (Sm.) Sweet -- Sweet's Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* var. *floribunda* (Sm.) Sweet -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 459 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora floribunda* var. *woodsiana* (Bailey) Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 459 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora hispida* (Sm.) Blaxell -- Kew Bull. 31(2): 272. 1976 [11 Aug 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora hispida* (Sm.) Blaxell -- Kew Bulletin 31 1976 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora inopina* K.D.Hill -- Telopea 7(2) 1997 [8 Jul 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora inopina* K.D.Hill -- Telopea 7(2): 97. 1997 [8 Jul 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora intermedia* DC. -- Prodr. [A. P. de Candolle] 3: 222. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora intermedia* DC. -- Prodrum 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora intermedia* var. *intermedia* DC. -- The Queensland Flora 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora intermedia* var. *melanoxylon* Maiden & Betche -- A Census of New South Wales Plants 1916 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora intermedia* var. *woodsiana* (Bailey) F.M.Bailey -- The Queensland Flora 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora lanceolata* Cav. -- Icones et descriptiones Plantarum 4 1797 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Angophora lanceolata* Cav. -- Icon. [Cavanilles] iv. 22. I. 337. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora lanceolata* var. *angustifolia* A.Gray -- United States Exploring Expedition (Wilkes Expedition) Botany. Phanerogamia 1 1854 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora lanceolata* var. *hispida* A.Gray -- United States Exploring Expedition (Wilkes Expedition) Botany. Phanerogamia 1 1854 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora lanceolata* var. *lanceolata* Cav. -- United States Exploring Expedition (Wilkes Expedition) Botany. Phanerogamia 1 1854 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora lanceolata* var. *woodsiana* (Bailey) Maiden -- The Forest Flora of New South Wales 2(11) 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora leiocarpa* (L.A.S.Johnson ex G.J.Leach) K.R.Thiele & Ladiges -- Cladistics, Int. J. Willi Hennig Soc. 4(1): 41 (1988):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora melanoxylon* R.T.Baker -- Proceedings of the Linnean Society of New South Wales 25(1) 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora melanoxylon* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 85. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora ochrophylla* R.T.Baker -- Proceedings of the Linnean Society of New South Wales 38(2) 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora ochrophylla* R.T.Baker -- Proc. Linn. Soc. New South Wales 1913, xxxviii. 601 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora paludosa* (G.J.Leach) K.R.Thiele & Ladiges -- *Cladistics*, Int. J. Willi Hennig Soc. 4(1): 41 (1988):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora robur* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 40. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora robur* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora subvelutina* F.Muell. -- *Fragm. (Mueller)* 1(2): 31. 1858 [Jun 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora subvelutina* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora velutina* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora woodsiana* F.M.Bailey -- *Proc. Linn. Soc. New South Wales* vi. (1881) 143. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Angophora woodsiana* F.M.Bailey -- *Proceedings of the Linnean Society of New South Wales* 16 1890 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anticoryne Turcz.* -- *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 10: 332. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anticoryne Turcz.* -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia ...* (1852) 408 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anticoryne diosmoides Turcz.* -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 332. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anticoryne diosmoides Turcz.* -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia ...* (1852) 409 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Anticoryne melanosperma* Rye -- *Nuytsia* 28: 211. 2017 [8 Jun 2017] [epublished]

Purified (Shodhit) *Anticoryne ovalifolia* (F.Muell.) Rye -- *Nuytsia* 22(6): 393. 2012 [18 Dec 2012]

Purified (Shodhit) *Aphanomyrtus* Miq. -- *Fl. Ned. Ind. i. I.* 480 (1855). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus alata* Lauterb. -- Nova Guinea 8: 854. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus camphorata* Valetton -- Ann. Jard. Bot. Buitenzorg Suppl. II. 149. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus forbesii* Greves -- J. Bot. 62(Suppl.): 36. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus minima* (Blume) Merr. -- Blumea, Suppl. 1: 108. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus octandra* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus rostrata* Miq. -- Fl. Ned. Ind. i. I. 481 (1855). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus skiophila* Valetton -- Repert. Spec. Nov. Regni Veg. 4: 235. 1907 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus tenuifolia* (Ridl.) Merr. -- Blumea, Suppl. 1: 110. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aphanomyrtus tetraquetra* Valetton -- Repert. Spec. Nov. Regni Veg. 4: 235. 1907 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus* (Nied.) Burret -- Repertorium Specierum Novarum Regni Vegetabilis 50 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus* (Nied.) Burret -- Repert. Spec. Nov. Regni Veg. 50: 59. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus baladensis* (Brongn. & Gris) Burret -- Repert. Spec. Nov. Regni Veg. 50: 60. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus beckleri* (F.Muell.) A.J.Scott -- Kew Bulletin 33 1978 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus beckleri* (F.Muell.) A.J.Scott -- Kew Bull. 33(2): 326. 1978 [13 Nov 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Archirhodomirtus paitensis* (Schltr.) Burret -- Repert. Spec. Nov. Regni Veg. 50: 60. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus turbinata* (Schltr.) Burret -- Repert. Spec. Nov. Regni Veg. 50: 60. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Archirhodomirtus vieillardii* (Brongn. & Gris) Burret -- Repert. Spec. Nov. Regni Veg. 50: 60. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Arillastrum Pancher ex Baill.* -- Hist. Pl. (Baillon) 6: 363. 1877 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Arillastrum gummiferum* (Brongn. & Gris) Pancher ex Baill. -- Hist. Pl. (Baillon) 6: 364. 1877 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aromadendron* Andr. ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 134 et *AROMADENDRUM*, Andr. ex Steud. Nom. ed. 2, 1: 599, in syn. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aromadendrum* W.Anders. ex R.Br. -- Prodr. Fl. Nov. Holland. 553, in adnot. (1810). [27 Mar 1810] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aromadendrum* W.Anderson ex R.Br. -- Prodromus Florae Novae Hollandiae 1810 in obs, pro syn. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aspidogenia* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 521. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aspidogenia* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 521. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aspidogenia coquimbensis* (Barnéoud) Burret (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aspidogenia coquimbensis* (Barnéoud ex Gay) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 522. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aspidogenia coquimbensis* (Barnéoud) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 522. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea* DC. -- Prodr. [A. P. de Candolle] 3: 210. 1828 [mid Mar 1828]

Purified (Shodhit) *Astartea* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea* DC. -- Dict. Class. Hist. Nat. [Bory] 11: 400. 1827 [10 Feb 1827] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea affinis* (Endl.) Rye -- *Nuytsia* 16(1): 150. 2006 [20 Dec 2006]

Purified (Shodhit) *Astartea ambigua* F.Muell. -- *Fragm. (Mueller)* 2(12): 32. 1860 [May 1860]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea ambigua* F.Muell. -- *Fragmenta Phytographiae Australiae* 2 1861  
(Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea arbuscula* (R.Br. ex Benth.) Rye -- *Nuytsia* 16(1): 152. 2006 [20 Dec 2006]

Purified (Shodhit) *Astartea aspera* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea aspera* Schauer -- *Linnaea* 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea aspera* Schauer subsp. *riparia* Rye -- *Nuytsia* 23: 224. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea astarteoides* (Benth.) Rye -- *Nuytsia* 16(1): 153. 2006 [20 Dec 2006]

Purified (Shodhit) *Astartea cicatricosa* Rye & Trudgen -- *Nuytsia* 23: 226. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea clavifolia* C.A.Gardner -- *Journal of the Royal Society of Western Australia* 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea clavifolia* C.A.Gardner -- *Journ. Roy. Soc. W. Austral.* xxvii. 188 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea clavulata* Turcz. -- *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 10: 333. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea clavulata* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 411 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea corniculata* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 113. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea corniculata* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea decemcostata* Rye -- *Nuytsia* 23: 231. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea endlicheriana* Schauer -- *Linnaea* 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea endlicheriana* Schauer -- *Linnaea* 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea eobalta* Rye -- *Nuytsia* 23: 232. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea fascicularis* (Labill.) DC. -- *Prodr.* [A. P. de Candolle] 3: 210. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea fascicularis* (Labill.) DC. -- *Prodromus* 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea fascicularis* (Labill.) DC. var. *brachyphylla* Domin -- *Věstn. Král. České Společn. Nauk. Tř. Mat.-Přír.* 2(2): 84. 1923

Purified (Shodhit) *Astartea fascicularis* var. *brachyphylla* Domin -- *Mémoires de la Société Royale des Sciences de Bohême. Prague* 1921-2, 2 (1923) 84 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea fascicularis* var. *fascicularis* (Labill.) DC. -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 84, ib obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea glomerulosa* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea glomerulosa* Schauer -- *Linnaea* 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea granitica* Rye & Trudgen -- *Nuytsia* 23: 239. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea heteranthera* C.A.Gardner -- J. Roy. Soc. Western Australia xiii. 65 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea heteranthera* C.A.Gardner -- *Journal of the Royal Society of Western Australia* 13 1927 (Medium duration purification) as key ingredient in indigenous anti-cancer



Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea intratropica* F.Muell. -- *Fragm. (Mueller)* 1(4): 83. 1859 [Feb 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea intratropica* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea laricifolia* Schauer -- *Linnaea* 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea laricifolia* Schauer -- *Repertorium Botanices Systematicae* 2 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea leptophylla* Schauer -- Linnaea 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea leptophylla* Schauer -- Plantae Preissianae 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea middletonii* Rye -- Nuytsia 23: 245. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea montana* Rye -- Nuytsia 23: 247. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea muricata* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 334. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea muricata* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in Nova Hollandia ... (1852) 411 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea onycis* Rye & Trudgen -- Nuytsia 23: 252. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea pulchella* (DC.) Rye -- Nuytsia 25: 145. 2015 [1 May 2015] [epublished]

Purified (Shodhit) *Astartea reticulata* Rye -- Nuytsia 23: 253. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea schaueri* Rye & Trudgen -- Nuytsia 23: 256. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea scoparia* Schauer -- Linnaea 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea scoparia* Schauer -- Plantae Preissianae 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astartea transversa* Rye -- Nuytsia 23: 260. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Astartea zephyra* Rye & Trudgen -- Nuytsia 23: 262. 2013 [30 May 2013] [epublished]

Purified (Shodhit) *Asteromyrtus Schauer* -- *Linnaea* 17: 242. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus Schauer* -- *Linnaea* 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus angustifolia* Craven -- *Australian Systematic Botany* 1(4) 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus angustifolia* (Gaertner) Craven -- *Austral. Syst. Bot.* 1(4): 377. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus arnhemica* (Byrnes) Craven -- *Austral. Syst. Bot.* 1(4): 378. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus arnhemica* (Byrnes) Craven -- Australian Systematic Botany 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus brassii* (Byrnes) Craven -- Australian Systematic Botany 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus brassii* (Byrnes) Craven -- Austral. Syst. Bot. 1(4): 379. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus gaertneri* Schauer -- Linnaea 17: 243. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus gaertneri* Schauer -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus lysicephala* (F.Muell. & F.M.Bailey) Craven -- Austral. Syst. Bot. 1(4): 380. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus lysicephala* (Bailey) Craven -- Australian Systematic Botany 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus magnifica* (Specht) Craven -- Australian Systematic Botany 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus magnifica* (Specht) Craven -- Austral. Syst. Bot. 1(4): 381. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus symphyocarpa* (F.Muell.) Craven -- Australian Systematic Botany 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus symphyocarpa* (F.Muell.) Craven -- Austral. Syst. Bot. 1(4): 383. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Asteromyrtus tranganensis* Craven -- Austral. Syst. Bot. 1(4): 384. 1989 [1988 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astraea Schauer* -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astraea Schauer* -- Linnaea 17: 238. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astraea saxicola* (Hook.) Schauer -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astraea saxicola* Schauer -- *Linnaea* 17: 239. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Astus Trudgen & Rye* -- *Nuytsia* 15(3): 502 (498-503). 2005 [16 Dec 2005]

Purified (Shodhit) *Astus duomilius* Trudgen & Rye -- *Nuytsia* 15(3): 504 (501, 505, 510; fig. 3a). 2005 [16 Dec 2005]

Purified (Shodhit) *Astus subroseus* Trudgen & Rye -- *Nuytsia* 15(3): 505 (501, 506-507, 510; figs. 2a-f, 3a). 2005 [16 Dec 2005]

Purified (Shodhit) *Astus tetragonus* (F.Muell. ex Benth.) Trudgen & Rye -- *Nuytsia* 15(3): 508. 2005 [16 Dec 2005]

Purified (Shodhit) *Astus wittweri* Trudgen & Rye -- *Nuytsia* 15(3): 509 (501, 507, 510-511; figs. 2l-p, 3a). 2005 [16 Dec 2005]

Purified (Shodhit) *Aulomyrcia* O.Berg -- *Linnaea* 27: 35. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia abrantea* O.Berg -- *Linnaea* 30: 659. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acetosans* O.Berg -- *Linnaea* 30: 662. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acrantha* O.Berg -- *Fl. Bras. (Martius)* 14(1): 71. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acutata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 71. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acutifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 89. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acutifolia* var. *pubescens* O.Berg -- *Fl. Bras. (Martius)* 14(1): 90. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia acutifolia* var. *villosa* O.Berg -- Fl. Bras. (Martius) 14(1): 89. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia aethusa* O.Berg -- Fl. Bras. (Martius) 14(1): 112. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alagoensis* O.Berg -- Fl. Bras. (Martius) 14(1): 120. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albidotomentosa* Amshoff -- Bull. Torrey Bot. Club 75: 532. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albidotomentosa* Amshoff -- Bull. Torrey Bot. Club lxxv. 532 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg -- *Linnaea* 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg var. *humilis* (Cambess.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg var. *lutescens* O.Berg -- Fl. Bras. (Martius) 14(1): 105. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg var. *nivea* (Cambess.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg var. *rubescens* O.Berg -- Fl. Bras. (Martius) 14(1): 105. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia albotomentosa* O.Berg var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 549. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* O.Berg -- Linnaea 27: 54. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* O.Berg var. *cuneata* O.Berg -- Fl. Bras. (Martius) 14(1): 92, t. 2, fig. 28. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* var. *obovata* O.Berg -- Fl. Bras. (Martius) 14(1): 92. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 92. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* var. *pyramidalis* O.Berg -- Fl. Bras. (Martius) 14(1): 92. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alloiota* var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 92. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia alternifolia* O.Berg -- Linnaea 27: 72. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amazonica* O.Berg -- Linnaea 27: 41. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amethystina* O.Berg -- Fl. Bras. (Martius) 14(1): 108. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amethystina* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amethystina* var. *dealbata* O.Berg -- Fl. Bras. (Martius) 14(1): 108. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amethystina* O.Berg var. *pulchra* O.Berg -- Fl. Bras. (Martius) 14(1): 108. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amshoffiana* Steyerl. -- Fieldiana, Bot. 28: 1003. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia amshoffiana* Steyerl. -- Fieldiana, Bot. xxviii. 1003 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia andromedoides* O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia androsaemoides* O.Berg -- Linnaea 30: 661. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia androsaemoides* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia androsoemoides* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 135. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia angustifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia anomala* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia anomala* O.Berg -- Fl. Bras. (Martius) 14(1): 96. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia apiocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 64. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia assumptionis* (Morong) Kausel -- Lilloa xxxii. 350 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia assumptionis* (Morong) Kausel -- Lilloa 32: 350. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia atropilosa* O.Berg -- Fl. Bras. (Martius) 14(1): 101. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia atrovirens* O.Berg -- Fl. Bras. (Martius) 14(1): 121. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia aureolanata* O.Berg -- Linnaea 27: 52. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia badia* O.Berg -- Fl. Bras. (Martius) 14(1): 547. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bahiensis* O.Berg -- Fl. Bras. (Martius) 14(1): 113. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bella* O.Berg -- Fl. Bras. (Martius) 14(1): 71. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bicarinata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bicarinata* O.Berg -- Fl. Bras. (Martius) 14(1): 118. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bicudoensis* O.Berg -- Fl. Bras. (Martius) 14(1): 557. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia biformis* O.Berg -- Fl. Bras. (Martius) 14(1): 141. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia billardiana* O.Berg -- Linnaea 27: 51. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia billardiana* var. *grandifolia* O.Berg -- Linnaea 27: 51. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia billardiana* var. *parvifolia* O.Berg -- Linnaea 27: 51. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bimarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 115. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia blanchetiana* O.Berg -- Fl. Bras. (Martius) 14(1): 65. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bolivarensis* Steyer. -- Fieldiana, Bot. xxviii. 1004 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bolivarensis* Steyer. -- Fieldiana, Bot. 28: 1004. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bombycina* O.Berg -- Fl. Bras. (Martius) 14(1): 66. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bombycina* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia botrys* O.Berg -- Fl. Bras. (Martius) 14(1): 116. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bracteata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bracteata* O.Berg -- Fl. Bras. (Martius) 14(1): 554. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia breviramis* O.Berg -- Fl. Bras. (Martius) 14(1): 66. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bullata* O.Berg -- Fl. Bras. (Martius) 14(1): 96. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia bullata* var. *oblongata* O.Berg -- Fl. Bras. (Martius) 14(1): 547. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia buxifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 80. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia buxifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia buxifolia* O.Berg var. *elliptica* O.Berg -- Fl. Bras. (Martius) 14(1): 80. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia buxifolia* O.Berg var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 80, t. 2, fig. 32. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia buxizans* O.Berg -- Linnaea 30: 664. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia caerulescens* O.Berg -- Fl. Bras. (Martius) 14(1): 80. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia caerulescens* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia caesia* O.Berg -- Fl. Bras. (Martius) 14(1): 83. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia calyptranthoides* O.Berg -- Fl. Bras. (Martius) 14(1): 67. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia camaraeana* O.Berg -- Fl. Bras. (Martius) 14(1): 83. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cambessedeanana* O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia campestris* O.Berg -- Linnaea 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia campestris* var. *brunnea* O.Berg -- Fl. Bras. (Martius) 14(1): 128. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia campestris* var. *rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 128. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia capitata* O.Berg -- Fl. Bras. (Martius) 14(1): 554. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia capivarhyensis* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia caracasana* O.Berg -- Linnaea 27: 53. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cardiophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 103. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cardiophylla* var. *densiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 104. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cardiophylla* var. *laxiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 104. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cassinoides* O.Berg -- Linnaea 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cassinoides* var. *glabrata* O.Berg -- Fl. Bras. (Martius) 14(1): 129. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cassinoides* var. *velutina* O.Berg -- Fl. Bras. (Martius) 14(1): 129. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia castrensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia castrensis* O.Berg -- Fl. Bras. (Martius) 14(1): 111. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia chapadensis* O.Berg -- Fl. Bras. (Martius) 14(1): 554. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia chilensis* O.Berg -- Linnaea 27: 38. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia chilensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia chrysophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 125. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia citrifolia* (Aubl.) Amshoff -- Bull. Torrey Bot. Club lxxv. 531 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia citrifolia* (Aubl.) Amshoff -- Bull. Torrey Bot. Club 75: 531. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia clausseniana* O.Berg -- Fl. Bras. (Martius) 14(1): 118. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia collina* (DC.) O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia comosa* O.Berg -- Fl. Bras. (Martius) 14(1): 133. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia conduplicata* O.Berg -- Linnaea 27: 76. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia confusa* O.Berg -- Linnaea 27: 56. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia coriacea* O.Berg -- Linnaea 27: 70. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia coriacea* var. *parvifolia* O.Berg -- *Linnaea* 30: 662. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia corymbiflora* O.Berg -- *Linnaea* 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia corymbosa* O.Berg -- *Linnaea* 27: 41. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia costata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 79. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia coumeta* O.Berg -- *Linnaea* 27: 60. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crassicaulis* O.Berg -- Linnaea 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crassifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 128. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crassifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crenulata* O.Berg -- Fl. Bras. (Martius) 14(1): 141. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crenulata* var. *glabrata* O.Berg -- Fl. Bras. (Martius) 14(1): 141. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia crenulata* var. *hirta* O.Berg -- Fl. Bras. (Martius) 14(1): 141. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cuneata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cuneata* O.Berg -- Linnaea 27: 72. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cuneata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cuprea* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia cuprea* O.Berg -- Fl. Bras. (Martius) 14(1): 77. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curassavica* Amshoff -- Recueil Trav. Bot. Néerl. 42: 10. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curassavica* Amshoff -- Recueil Trav. Bot. Néerl. 42: 10. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curassavica* Amshoff var. *acutata* Amshoff -- Recueil Trav. Bot. Néerl. 42: 10. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curatellifolia* O.Berg -- Linnaea 27: 55. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curatellifolia* (DC.) O.Berg -- *Linnaea* 27(1): 55. 1855 [dt. 1854; issued in Nov 1855] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curatellifolia* (DC.) O.Berg var. *australis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 547. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curatellifolia* (DC.) O.Berg var. *grandifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 95. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia curatellifolia* (DC.) O.Berg var. *parvifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 95. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cymosa* O.Berg -- *Fl. Bras. (Martius)* 14(1): 552. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia cymosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia daphnoides* O.Berg -- *Linnaea* 27: 77. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia daphnoides* var. *ochracea* O.Berg -- *Linnaea* 30: 663. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dealbata* O.Berg -- *Linnaea* 27: 61. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dealbata* var. *glaucescens* O.Berg -- *Fl. Bras. (Martius)* 14(1): 102. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dealbata* var. *pallida* O.Berg -- Fl. Bras. (Martius) 14(1): 103. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia debilis* O.Berg -- Linnaea 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia decrescens* O.Berg -- Fl. Bras. (Martius) 14(1): 135. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia densa* O.Berg -- Linnaea 27: 37. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia desertorum* O.Berg -- Fl. Bras. (Martius) 14(1): 556. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia detergens* O.Berg -- Linnaea 27: 46. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia detergens* var. *depauperata* O.Berg -- Fl. Bras. (Martius) 14(1): 77. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia detergens* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 77. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia diaphana* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dichroma* O.Berg -- Linnaea 27: 65. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophleba* O.Berg -- Fl. Bras. (Martius) 14(1): 560. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophleba* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 72. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 72. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophylla* O.Berg var. *robustior* O.Berg -- Fl. Bras. (Martius) 14(1): 545. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dictyophylla* O.Berg var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 545. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dimorpha* O.Berg -- Fl. Bras. (Martius) 14(1): 101. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia divaricata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia divaricata* O.Berg -- Linnaea 27: 58. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia doniana* O.Berg -- Fl. Bras. (Martius) 14(1): 516. 1858 [1 Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dumosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia dumosa* O.Berg -- Linnaea 30: 656. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia edulis* O.Berg -- Linnaea 30: 657. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia edulis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia egensis* O.Berg -- Fl. Bras. (Martius) 14(1): 99. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ehrenbergiana* (O.Berg) Amshoff -- Recueil Trav. Bot. Néerl. 42: 8. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ehrenbergiana* (O.Berg) Amshoff -- Recueil Trav. Bot. Néerl. 42: 8. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia elaeodendra* O.Berg -- Linnaea 27: 75. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia emarginata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia emarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 134. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia eumecephylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia eumecophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 98. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia eumercephylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia exsucca* O.Berg -- Linnaea 27: 79. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia fenzliana* O.Berg -- Linnaea 27: 63. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia fenzliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ferruginea* O.Berg -- Fl. Bras. (Martius) 14(1): 552. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia fragilis* O.Berg -- Fl. Bras. (Martius) 14(1): 117. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gardneriana* O.Berg -- Fl. Bras. (Martius) 14(1): 129. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gardneriana* var. *caerulescens* O.Berg -- Fl. Bras. (Martius) 14(1): 130. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gardneriana* var. *virescens* O.Berg -- Fl. Bras. (Martius) 14(1): 130. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia garopabensis* O.Berg -- Linnaea 27: 47. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gaudichaudiana* O.Berg -- Fl. Bras. (Martius) 14(1): 88. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gigantea* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia gigantea* O.Berg -- Fl. Bras. (Martius) 14(1): 548. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glabra* O.Berg -- Fl. Bras. (Martius) 14(1): 119. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glabra* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glandulosa* O.Berg -- Linnaea 27: 79. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glandulosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glandulosa* O.Berg var. *elliptica* O.Berg -- Fl. Bras. (Martius) 14(1): 139. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glandulosa* O.Berg var. *longifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 139. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glandulosa* var. *obovata* O.Berg -- Fl. Bras. (Martius) 14(1): 139. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glauca* O.Berg -- Linnaea 27: 50. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glaucescens* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glaucescens* O.Berg -- Fl. Bras. (Martius) 14(1): 81. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glaucescens* O.Berg var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 81. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia glaucescens* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia goyazensis* O.Berg -- Fl. Bras. (Martius) 14(1): 85. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia grandiflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia grandiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 113. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 97. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hepatica* O.Berg -- Fl. Bras. (Martius) 14(1): 132. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hepatica* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hirtiflora* O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia holosericea* O.Berg -- Fl. Bras. (Martius) 14(1): 99. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hostmanniana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hostmanniana* O.Berg -- Linnaea 27: 42. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hostmanniana* O.Berg var. *gracilior* O.Berg -- Linnaea 27: 43. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia hypericoides* O.Berg -- Linnaea 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* O.Berg -- Linnaea 27: 61. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* var. *intermedia* O.Berg -- Fl. Bras. (Martius) 14(1): 100. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* var. *microphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 100. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* var. *rotundifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 100. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* var. *scutulifera* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 100. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia imbricata* var. *scutulifera* (DC.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia inaequiloba* (DC.) Amshoff -- Recueil Trav. Bot. Néerl. 42: 7. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia inaequiloba* (DC.) Amshoff -- Recueil Trav. Bot. Néerl. 42: 7. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia inaequiloba* var. *nitida* (Benth.) Amshoff -- Recueil Trav. Bot. Néerl. 42: 8. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia inaequiloba* var. *paniculata* (O.Berg) Amshoff -- Recueil Trav. Bot. Néerl. 42: 7. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia insularis* O.Berg -- Fl. Bras. (Martius) 14(1): 98. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia insularis* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 98. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia insularis* var. *punctata* O.Berg -- Fl. Bras. (Martius) 14(1): 98. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia intermedia* O.Berg -- Fl. Bras. (Martius) 14(1): 107. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia intermedia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jacquiniana* O.Berg -- *Linnaea* 27: 69. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jacquiniana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 137. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* [infrasp.unranked] *glaucula* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* var. *glauca* O.Berg -- Fl. Bras. (Martius) 14(1): 560. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* f. *grandifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* [infrasp.unranked] *parvifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia jequitinhonhensis* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia karuaiensis* Steyerm. -- Fieldiana, Bot. xxviii. 1005 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia karuaiensis* Steyerm. -- Fieldiana, Bot. 28: 1005. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia klotzschiana* O.Berg -- Fl. Bras. (Martius) 14(1): 111. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia klotzschiana* var. *depauperata* O.Berg -- Fl. Bras. (Martius) 14(1): 112, t. 2, fig. 35. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia klotzschiana* var. *itacolumensis* O.Berg -- Fl. Bras. (Martius) 14(1): 551. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia klotzschiana* var. *multiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 112. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lacunosa* O.Berg -- Fl. Bras. (Martius) 14(1): 545. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lancea* O.Berg -- Fl. Bras. (Martius) 14(1): 88. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lancifolia* O.Berg -- Linnaea 30: 658. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia langsdorffii* O.Berg -- Fl. Bras. (Martius) 14(1): 550. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia lanuginosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lanuginosa* O.Berg -- Fl. Bras. (Martius) 14(1): 102. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lanuginosa* O.Berg var. *pyramidata* O.Berg -- Fl. Bras. (Martius) 14(1): 548. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laricina* O.Berg -- Fl. Bras. (Martius) 14(1): 61. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia larutoteana* var. *glabriuscula* (Cambess.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *impunctata* (Cambess.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *membranacea* O.Berg -- Fl. Bras. (Martius) 14(1): 90. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 90. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *paraguayensis* O.Berg -- Linnaea 30: 661. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *peruviana* O.Berg -- Fl. Bras. (Martius) 14(1): 91. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruotteana* var. *punctata* O.Berg -- Fl. Bras. (Martius) 14(1): 90. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laruottiana* O.Berg -- Linnaea 27: 53. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laureola* O.Berg -- Fl. Bras. (Martius) 14(1): 110. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laureola* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lauriflora* O.Berg -- Linnaea 27: 64. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laurifolia* O.Berg -- Linnaea 27: 64. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laxiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 114. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laxiflora* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 114. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia laxiflora* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 114. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia leptoclada* O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia leucadendron* O.Berg -- *Linnaea* 27: 64. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia leucantha* O.Berg -- *Fl. Bras. (Martius)* 14(1): 93. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia linearifolia* O.Berg -- *Linnaea* 27: 35. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lineata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 68. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lineata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg -- Fl. Bras. (Martius) 14(1): 130. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg -- Linnaea 27: 77. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg var. *glabrata* O.Berg -- Fl. Bras. (Martius) 14(1): 130. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg var. *rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 130. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lingua* O.Berg var. *rufa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia linguiformis* O.Berg -- Fl. Bras. (Martius) 14(1): 125. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia longipes* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia longipes* O.Berg -- Linnaea 27: 55. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia longipes* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 94. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia longipes* var. *obovata* O.Berg -- Fl. Bras. (Martius) 14(1): 94. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia longipes* var. *spathulata* O.Berg -- Fl. Bras. (Martius) 14(1): 94, t. 2, fig. 24. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lucida* O.Berg -- Fl. Bras. (Martius) 14(1): 118. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lucida* O.Berg -- Fl. Bras. (Martius) 14(1): 118. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia lucida* var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 119. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia lucida* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 118. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia macrocarpa* O.Berg -- Linnaea 27: 41. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia macrophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 99. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia mansonii* O.Berg -- Fl. Bras. (Martius) 14(1): 121. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia maraguana* O.Berg -- Fl. Bras. (Martius) 14(1): 120. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia maritima* O.Berg -- Fl. Bras. (Martius) 14(1): 553. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia martiana* O.Berg -- Fl. Bras. (Martius) 14(1): 138. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia mathewsiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia mathewsiana* O.Berg -- Linnaea 27: 45. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia micrantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia micrantha* O.Berg -- Fl. Bras. (Martius) 14(1): 516. 1858 [1 Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia microcarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 81. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia micropetala* O.Berg -- Linnaea 27: 56. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia minutiflora* (Sagot) Amshoff -- Bull. Torrey Bot. Club lxxv. 532 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia montana* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia mugiensis* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia multiflora* O.Berg -- Linnaea 27: 47. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia multiflora* var. *grandifolia* O.Berg -- Linnaea 30: 660. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia mutabilis* O.Berg -- Fl. Bras. (Martius) 14(1): 70. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia myrtillifolia* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia neesiana* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigrescens* O.Berg -- Linnaea 27: 71. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigrescens* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 119. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigrescens* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 120. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigrescens* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 120. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigricans* O.Berg -- Fl. Bras. (Martius) 14(1): 101. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nigro-punctata* O.Berg -- Fl. Bras. (Martius) 14(1): 116. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nivea* O.Berg -- Linnaea 27: 61. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nivea* var. *andromedifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 103. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nivea* var. *rosmarinifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 103. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia nivea* var. *rosmarinifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia oblongata* O.Berg -- *Linnaea* 27: 37. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obovata* O.Berg -- *Linnaea* 27: 72. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obovata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obscura* O.Berg -- *Fl. Bras. (Martius)* 14(1): 132. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obscura* var. *longipes* O.Berg -- Fl. Bras. (Martius) 14(1): 556. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtecta* O.Berg -- Fl. Bras. (Martius) 14(1): 117. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtecta* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* O.Berg -- Linnaea 27: 66. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* var. *grandifolia* O.Berg -- Linnaea 27: 66. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia obtusa* var. *longipes* O.Berg -- Linnaea 27: 67. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* var. *panicularis* O.Berg -- Linnaea 27: 67. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* var. *pauciflora* O.Berg -- Linnaea 27: 67. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* var. *surinamensis* (Miq.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 154. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusa* var. *tenuifolia* O.Berg -- Linnaea 27: 67. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia obtusata* O.Berg -- Linnaea 27: 39. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia orthophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 549. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia orthophylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ottonis* O.Berg -- Linnaea 27: 55. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ovalifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ovalifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 81. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 107. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pachyclada* O.Berg -- Fl. Bras. (Martius) 14(1): 133. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pachyclada* var. *elliptica* O.Berg -- Fl. Bras. (Martius) 14(1): 134. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pachyclada* var. *prolifera* O.Berg -- Fl. Bras. (Martius) 14(1): 558. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pachyclada* var. *spathulata* O.Berg -- Fl. Bras. (Martius) 14(1): 133. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallens* O.Berg -- Linnaea 27: 73. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallens* var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 122. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallens* var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 123. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallens* var. *petiolaris* O.Berg -- Fl. Bras. (Martius) 14(1): 123. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallens* var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 553. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pallida* O.Berg -- Fl. Bras. (Martius) 14(1): 87. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia panicularis* O.Berg -- Fl. Bras. (Martius) 14(1): 84. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia paniculata* O.Berg -- Linnaea 27: 50. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia paniculata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia paraensis* O.Berg -- Fl. Bras. (Martius) 14(1): 76. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia paraensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* O.Berg -- Fl. Bras. (Martius) 14(1): 135. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* var. *acutifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 558. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* var. *imbricata* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* var. *verticillata* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parnahibensis* var. *acutifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parvifolia* Steyerl. -- Fieldiana, Bot. xxviii. 1006 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia parvifolia* Steyerl. -- Fieldiana, Bot. 28: 1006. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pauciflora* O.Berg -- Fl. Bras. (Martius) 14(1): 560. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia perforata* O.Berg -- Fl. Bras. (Martius) 14(1): 83. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pertusa* O.Berg -- Linnaea 27: 47. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia piauiensis* O.Berg -- Fl. Bras. (Martius) 14(1): 87. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia pilantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg -- Fl. Bras. (Martius) 14(1): 555. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg var. *grandiflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg var. *grandiflora* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 555. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg var. *longifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 555. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pilantha* O.Berg var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 555. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pinifolia* O.Berg -- Linnaea 27: 35. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pirarensis* O.Berg -- Linnaea 27: 41. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia platyclada* (DC.) Amshoff -- Bull. Torrey Bot. Club 75: 531. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia platyclada* (DC.) Amshoff -- Bull. Torrey Bot. Club lxxv. 531 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia platyclada* O.Berg -- Fl. Bras. (Martius) 14(1): 545. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia platyclada* var. *kaieteurensis* Amshoff -- Bull. Torrey Bot. Club 75: 532. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia plumbea* O.Berg -- Fl. Bras. (Martius) 14(1): 142. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia poeppigiana* O.Berg -- Fl. Bras. (Martius) 14(1): 123. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia poeppigiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pohliana* O.Berg -- Fl. Bras. (Martius) 14(1): 72. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pohliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polyantha* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polyantha* var. *coriacea* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polyantha* var. *membranacea* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polyantha* var. *parviflora* O.Berg -- Fl. Bras. (Martius) 14(1): 82. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* O.Berg -- Linnaea 27: 46. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. 36 O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *decorticans* (DC.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *decorticans* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 78. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *duriuscula* (Mart. ex DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 78. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *duriuscula* (Mart. & DC.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *lasiopus* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 78. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *lasiopus* (DC.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia polymorpha* var. *leucophloea* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 78. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pruinosa* O.Berg -- Fl. Bras. (Martius) 14(1): 114. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia prunifolia* O.Berg -- Linnaea 27: 55. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia prunifolia* var. *brevipes* O.Berg -- Fl. Bras. (Martius) 14(1): 95, t. 2, fig. 25. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia prunifolia* var. *longipes* O.Berg -- Fl. Bras. (Martius) 14(1): 96. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ptariensis* Steyerm. -- Fieldiana, Bot. 28: 1006. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ptariensis* Steyerm. -- Fieldiana, Bot. xxviii. 1006 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia puberula* (Cambess.) O.Berg -- Linnaea 27: 54. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pubiflora* O.Berg -- Linnaea 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pulchra* O.Berg -- Fl. Bras. (Martius) 14(1): 68. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia pulchra* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia punctata* O.Berg -- Fl. Bras. (Martius) 14(1): 546. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pusilla* O.Berg -- Fl. Bras. (Martius) 14(1): 140. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pyrifolia* O.Berg -- Linnaea 27: 44. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pyrifolia* var. *gracilis* O.Berg -- Linnaea 27: 45. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia pyrifolia* var. *robusta* O.Berg -- Linnaea 27: 44. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia racemosa* O.Berg -- Linnaea 27: 52. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia racemosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramuliflora* O.Berg -- Fl. Bras. (Martius) 14(1): 64. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* O.Berg -- Linnaea 27: 36. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *acutata* O.Berg -- Fl. Bras. (Martius) 14(1): 62. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *acutata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *australis* O.Berg -- Fl. Bras. (Martius) 14(1): 544. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *colorata* O.Berg -- Fl. Bras. (Martius) 14(1): 62. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *panicularis* O.Berg -- Fl. Bras. (Martius) 14(1): 63. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *pauciflora* O.Berg -- Fl. Bras. (Martius) 14(1): 62. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 62. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *triflora* (Cambess.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ramulosa* var. *triflora* (Cambess.) O.Berg -- Fl. Bras. (Martius) 14(1): 62. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia regeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 557. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia regeliana* var. *oppositifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 557. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia regeliana* var. *sparsifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 557. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia reticulata* O.Berg -- Fl. Bras. (Martius) 14(1): 108. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia reticulata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia reticulata* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 109. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia reticulata* var. *pauciflora* O.Berg -- Fl. Bras. (Martius) 14(1): 109. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia reticulosa* O.Berg -- Linnaea 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia retusa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia retusa* O.Berg -- Fl. Bras. (Martius) 14(1): 142. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia richardiana* O.Berg -- Linnaea 30: 664. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia richardiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia riedeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 551. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia roraimae* (Oliv.) Steyerl. -- Fieldiana, Bot. 28: 1007. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia roraimae* (Oliv.) Steyerl. -- Fieldiana, Bot. xxviii. 1007 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia roraimensis* O.Berg -- Linnaea 27: 68. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rorida* O.Berg -- Fl. Bras. (Martius) 14(1): 552. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rorida* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rostrata* O.Berg -- Fl. Bras. (Martius) 14(1): 544. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rosulans* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rosulans* O.Berg -- Linnaea 27: 54. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia rosulans* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rotundata* Amshoff -- Recueil Trav. Bot. Néerl. 42: 8. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rotundata* Amshoff -- Recueil Trav. Bot. Néerl. 42: 8. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rotundifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rotundifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 123. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rubella* O.Berg -- *Linnaea* 27: 40. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rubella* var. *glabra* O.Berg -- *Fl. Bras. (Martius)* 14(1): 74. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rubella* var. *puberula* O.Berg -- *Fl. Bras. (Martius)* 14(1): 74. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufa* O.Berg -- *Fl. Bras. (Martius)* 14(1): 65. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* O.Berg -- *Linnaea* 27: 77. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 131. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* var. *bracteata* O.Berg -- Fl. Bras. (Martius) 14(1): 131. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 131. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* var. *grandiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 131. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rufipes* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 131. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rugosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 110. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sagraea* O.Berg -- Linnaea 30: 655. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia salicifolia* O.Berg -- Linnaea 27: 78. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia salticola* Steyerm. -- Fieldiana, Bot. 28: 1007. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia salticola* Steyerm. -- Fieldiana, Bot. xxviii. 1007 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia salzmannii* O.Berg -- Fl. Bras. (Martius) 14(1): 116. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia saxatilis* Amshoff -- Recueil Trav. Bot. Néerl. 39: 154. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia saxatilis* Amshoff -- Recueil Trav. Bot. Néerl. 39: 154. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 86, 154 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia schaueriana* (Miq.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 155. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia schaueriana* (Miq.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 155. 1942; et in Meded. Bot. Mus. Herb. Rijks Univ. Utrecht, No. 86, 155 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia schomburgkiana* O.Berg -- Linnaea 27: 75. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia schrankiana* O.Berg -- Linnaea 27: 79. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia scrobiculata* O.Berg -- Fl. Bras. (Martius) 14(1): 137. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia seloi* (Spreng.) Kausel -- Lilloa xxxii. 350 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia selloi* (Spreng.) Kausel -- Lilloa 32: 350. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sonderiana* O.Berg -- Fl. Bras. (Martius) 14(1): 110. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sonderiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia spathulata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia spathulata* O.Berg -- Fl. Bras. (Martius) 14(1): 91. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia speciosa* Amshoff -- Recueil Trav. Bot. Néerl. 42: 5. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia speciosa* Amshoff -- Recueil Trav. Bot. Néerl. 42: 5. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* O.Berg -- Linnaea 27: 51. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *arborescens* O.Berg -- Fl. Bras. (Martius) 14(1): 85. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *complicata* O.Berg -- Fl. Bras. (Martius) 14(1): 86. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *gracilis* O.Berg -- Fl. Bras. (Martius) 14(1): 85. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *intermedia* O.Berg -- Fl. Bras. (Martius) 14(1): 85, t. 2, fig. 40. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *obtusata* O.Berg -- Fl. Bras. (Martius) 14(1): 86. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 86. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphaerocarpa* var. *pauciflora* O.Berg -- Fl. Bras. (Martius) 14(1): 86. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia sphenoides* O.Berg -- Fl. Bras. (Martius) 14(1): 63. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia spruceana* O.Berg -- Fl. Bras. (Martius) 14(1): 76. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia stenophylla* O.Berg -- Linnaea 30: 654. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia stictophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 67. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia stricta* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia stricta* O.Berg -- Fl. Bras. (Martius) 14(1): 548 (-549). 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia stricta* O.Berg -- Fl. Bras. (Martius) 14(1): 548. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suaveolens* O.Berg -- Linnaea 27: 78. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subalpestris* O.Berg -- Linnaea 27: 73. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subavenia* O.Berg -- Fl. Bras. (Martius) 14(1): 69. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subcordata* O.Berg -- Linnaea 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subobliqua* O.Berg -- Linnaea 27: 57. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subverticillaris* O.Berg -- Linnaea 27: 73. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subverticillaris* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subverticillaris* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 124. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subverticillaris* var. *incanescens* O.Berg -- Fl. Bras. (Martius) 14(1): 124. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia subverticillaris* O.Berg var. *rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 124. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suffruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 136. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suffruticosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suffruticosa* var. *arenaria* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suffruticosa* O.Berg var. *venosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia suffruticosa* O.Berg var. *venosa* O.Berg -- Fl. Bras. (Martius) 14(1): 559. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia supraaxillaris* O.Berg -- Fl. Bras. (Martius) 14(1): 69. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia surinamensis* O.Berg -- Linnaea 27: 64. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tenuifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 68. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia ternifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 134. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tetramera* Amshoff -- Recueil Trav. Bot. Néerl. 42: 9. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tetramera* Amshoff -- Recueil Trav. Bot. Néerl. 42: 9. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia thyrsoflora* O.Berg -- Linnaea 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia thyrsoflora* var. *lateriflora* O.Berg -- Fl. Bras. (Martius) 14(1): 126. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia thyrsoflora* var. *obtusifolia* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 126. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia thyrsoflora* var. *petiolaris* O.Berg -- Fl. Bras. (Martius) 14(1): 126. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tobagensis* (Krug & Urb.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 155. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 86, 155 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tobagensis* (Krug & Urb.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 155. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tomentosa* (Aubl.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 153. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Aulomyrcia tomentosa* (Aubl.) Amshoff -- Recueil Trav. Bot. Néerl. 39: 153. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 153 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia torta* O.Berg -- Linnaea 27: 78. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia tortuosa* O.Berg -- Fl. Bras. (Martius) 14(1): 558. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia trichantha* Wawra -- Oesterr. Bot. Z. 29: 215. 1879 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia triflora* O.Berg -- Linnaea 27: 79. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia trifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 107. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia undulata* O.Berg -- Fl. Bras. (Martius) 14(1): 89. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia undulata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vacciniifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vacciniifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 140. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vacciniifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 140. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vaciniifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia variabilis* O.Berg -- Linnaea 27: 62. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia variabilis* var. *intermedia* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 106. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia variabilis* var. *nummulaira* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 106. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia variabilis* var. *ovatifolia* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 106. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia variabilis* var. *suffruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 550. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vauthieriana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vauthieriana* O.Berg -- *Linnaea* 30: 655. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia velhensis* O.Berg -- Fl. Bras. (Martius) 14(1): 560. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia venulosa* O.Berg -- Linnaea 27: 63. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia venulosa* var. *capoeirensis* (DC.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia venulosa* var. *capoeirensis* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 109. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia venulosa* var. *ochracea* O.Berg -- Fl. Bras. (Martius) 14(1): 550. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia venulosa* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 109. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Aulomyrcia venulosa var. rufa O.Berg -- Fl. Bras. (Martius) 14(1): 109. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Aulomyrcia venulosa var. rufa O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Aulomyrcia vestita O.Berg -- Linnaea 27: 74. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Aulomyrcia vestita var. grandifolia O.Berg -- Fl. Bras. (Martius) 14(1): 127. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Aulomyrcia vestita var. parvifolia O.Berg -- Fl. Bras. (Martius) 14(1): 127. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vinacea* Steyerl. -- *Fieldiana*, Bot. 28: 1008. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia vinacea* Steyerl. -- *Fieldiana*, Bot. xxviii. 1008 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia virgata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 136. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia widgreniana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 70. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia wulfschlaegelianae* O.Berg -- *Linnaea* 27: 48. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia zetekiana* (Standl.) Amshoff -- Ann. Missouri Bot. Gard. 45: 170. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Aulomyrcia zetekiana* (Standl.) Amshoff -- Ann. Missouri Bot. Gard. xlv. 170 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus* (Nied.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 500. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus* (Nied.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Austromyrtus acmenioides* (F.Muell.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus acmenioides* (F.Muell.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus acutiuscula* Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus acutiuscula* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 502. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus alaternoides* (Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus aneityensis* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 506. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus aphthosa* (Vieill. ex Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus bidwillii* (Benth.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus bidwillii* (Benth.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus cataractarum* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus clusioides* (Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus conspicua* (Vieill. ex Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus dallachiana* (F.Muell. ex Benth.) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus dallachiana* (Benth.) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus decaspermoides* (Domin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 502. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus decaspermoides* (Domin) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus diversifolia* (Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus dulcis* (C.T.White) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus dulcis* (C.T.White) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus exaltata* (F.M.Bailey) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus exaltata* (Bailey) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus floribunda* (A.J.Scott) Guyer -- *Austrobaileya* 2(5): 569 (1988):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus floribunda* (A.J.Scott) Guyer -- *Austrobaileya* 2(5) 1988 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus fragrantissima* (Benth.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus fragrantissima* (F.Muell. ex Benth.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus gatopensis* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus glabra* N.Snow & Guymer -- Syst. Bot. Monogr. 65: 23 (2003).

Purified (Shodhit) *Austromyrtus gomonenensis* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 493, nomen alternativ. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus gonoclada* (Benth.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus gonoclada* (F.Muell. ex Benth.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus gyrosepala* (Baker f.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 506. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus hillii* (Benth.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus hillii* (Benth.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus horizontalis* (Panch. ex Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus inophloia* Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus inophloia* (J.F.Bailey & C.T.White) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 502. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus kanalaensis* (Hochr.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus kuakuensis* (Baker f.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503, in adnot. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus lasioclada* (F.Muell.) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus lasioclada* (F.Muell.) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus lotoides* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer



Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus lucida* (Gaertn.) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus lucida* L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus luteoviridis* (Baker f.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus mendute* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus metrosideros* (F.M.Bailey) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus metrosideros* (Bailey) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus minutiflora* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 502. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus minutiflora* Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus nigripes* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus opaca* (C.T.White) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus opaca* (C.T.White) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus pancheri* (Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus ploumensis* (Däniker) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus poimbailensis* (Guillaumin) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus prolixa* (Baker f.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus pubiflora* (C.T.White) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus pubiflora* (C.T.White) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus racemulosa* (Benth.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus racemulosa* Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus shepherdii* (F.Muell.) L.S.Sm. -- Proceedings of the Royal Society of Queensland 67 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus shepherdii* (F.Muell.) L.S.Sm. -- Proc. Roy. Soc. Queensland 67: 35. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus stricta* (Panch. ex Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 505. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus styphelioides* (Schltr.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 504. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus tenuifolia* (Sm.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 501. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus tenuifolia* (Sm.) Burret -- Notizblatt des Botanischen Gartens und Museums zu Berlin-Dahlem 15 15(3) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Austromyrtus vieillardii* (Brongn. & Gris) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 503. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia* Lindl. -- Edwards's Bot. Reg. 28: t. 10. 1842 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia* Lindl. -- Edwards's Botanical Register 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia angusta* A.R.Bean -- *Austrobaileya* 5(2): 163 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia behrii* (Schltdl.) A.R.Bean -- *Austrobaileya* 4(4): 637 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia bidwillii* A.R.Bean -- *Austrobaileya* 5(2): 161 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia bidwillii* A.R.Bean -- *Austrobaileya* 5(2) 1999 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia brachypoda* A.R.Bean -- *Austrobaileya* 5(2): 168 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia camphorosmae* (Endl.) Lindl. -- Edwards's Botanical Register 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia camphorosmae* Lindl. -- Edwards's Bot. Reg. 28: t. 10. 1842 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia collina* A.R.Bean -- *Austrobaileya* 5(2): 167 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia corynophylla* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia corynophylla* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia corynophylla* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Babingtonia crassa* A.R.Bean -- *Austrobaileya* 5(2): 166 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia crenulata* (F.Muell.) A.R.Bean -- *Austrobaileya* 4(4): 635 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia crenulata* (F.Muell.) A.R.Bean -- *Austrobaileya* 4(4) 1997 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia crispiflora* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia crispiflora* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia crispiflora* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia cunninghamii* (Schauer) A.R.Bean -- *Austrobaileya* 4(4): 638 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia densifolia* (Sm.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia densifolia* (Sm.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia densifolia* (Sm.) F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia gracilis* (Schauer) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia gracilis* F.Muell. -- Fragma. (Mueller) 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia gracilis* (Schauer) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia granitica* A.R.Bean -- *Austrobaileya* 4(4): 642 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia jucunda* (S.T.Blake) A.R.Bean -- *Austrobaileya* 4(4): 639 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia leratii* (Schltr.) A.R.Bean -- *Austrobaileya* 4(4): 633 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia nova-anglica* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia nova-anglica* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia novo-anglica* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia odontocalyx* A.R.Bean -- *Austrobaileya* 4(4): 644 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia ovalifolia* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia ovalifolia* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia ovalifolia* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia papillosa* A.R.Bean -- *Austrobaileya* 5(2): 169 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentagonantha* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentagonantha* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentagonantha* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentandra* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentandra* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pentandra* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pinifolia* (Labill.) A.R.Bean -- *Austrobaileya* 4(4): 633 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia pluriflora* (F.Muell.) A.R.Bean -- *Austrobaileya* 5(2): 165 (1999), without basionym page:. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia preissiana* (Schauer) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia preissiana* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia preissiana* (Schauer) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia procera* (J.W.Dawson) A.R.Bean -- *Austrobaileya* 4(4): 633 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia prominens* A.R.Bean -- *Austrobaileya* 4(4): 639 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia robusta* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia robusta* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia robusta* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Babingtonia silvestris* A.R.Bean -- *Austrobaileya* 4(4): 641 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia similis* A.R.Bean -- *Austrobaileya* 5(2): 162 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia squarrulosa* (Domin) A.R.Bean -- *Austrobaileya* 4(4): 642 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia subcuneata* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia subcuneata* F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia subcuneata* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia taxifolia* (Merr.) A.R.Bean -- *Austrobaileya* 4(4): 632 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia tozerensis* A.R.Bean -- *Austrobaileya* 4(4): 634 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia virgata* (J.R. Forst. & G. Forst.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia virgata* (J.R.Forst. & G.Forst.) F.Muell. -- *Fragm. (Mueller)* 4(26): 74. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Babingtonia virgata* (J.R. Forst. & G. Forst.) F.Muell. -- (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousea Kuntze* -- *Lexicon Generum Phanerogamarum* &RO&T; 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia* Hook. & Harv. -- *Curtis's Botanical Magazine* 71 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia* Hook. & Harv. -- *Bot. Mag.* 71: t. 4133. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia angustifolia* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia angustifolia* F.Muell. -- *Fragm. (Mueller)* 1(4): 79. 1859 [Feb 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia anisata* Vickery -- *Contr. New South Wales Natl. Herb.* 1(3) 1951 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia anisata* Vickery -- *Contr. New South Wales Natl. Herb.* 1: 129. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia arfakensis* Gibbs -- *Fl. Arfak Mts. [Gibbs]* 153. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia aurea* Ridl. -- *Trans. Linn. Soc. London, Bot.* 9(1): 43. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia australis* G.Benn. -- Gatherings of a Naturalist in Australasia 1860 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia bancroftii* F.M.Bailey & F.Muell. ex F.M.Bailey -- Syn. Queensl. Fl. Suppl. I. (1886) 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia bancroftii* F.M.Bailey -- A Synopsis of the Queensland Flora, Supplement 1 1886 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia citriodora* F.Muell. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia citriodora* F.Muell. -- Fragm. (Mueller) 1(4): 78. 1859 [Feb 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia enata* A.J.Ford, Craven & J.Holmes -- *Austrobaileya* 7(1): 121 (-127; fig. 1, map 1). 2005 [21 Dec 2005]

Purified (Shodhit) *Backhousia floribunda* A.J.Scott -- *Kew Bull.* 39(3): 659. 1984 [15 Aug 1984] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia floribunda* A.J.Scott -- *Kew Bulletin* 39 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia gundarara* M.D.Barrett, Craven & R.L.Barrett -- *Austral. Syst. Bot.* 25(6): 409. 2012 [14 Dec 2012]

Purified (Shodhit) *Backhousia hughesii* C.T.White -- *Proceedings of the Royal Society of Queensland* 47 1936 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia hughesii* C.T.White -- *Proc. Roy. Soc. Queensland* 47: 61. 1936 [1935 publ. 1936] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia kingii* Guymer -- *Austrobaileya* 2(3) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia kingii* Guymer -- *Austrobaileya* 2(5): 567 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia leptopetala* (F.Muell.) M.G.Harr. -- *Austral. Syst. Bot.* 25(6): 414. 2012 [14 Dec 2012]

Purified (Shodhit) *Backhousia myrtifolia* Hook. & Harv. -- *Bot. Mag.* 71: t. 4133. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia myrtifolia* Hook. -- *Curtis's Botanical Magazine* 71 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia oligantha* A.R.Bean -- *Austrobaileya* 6(3): 533 (2003).

Purified (Shodhit) *Backhousia riparia* Hook. & Harv. -- Bot. Mag. 71: sub t. 4133. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia riparia* Hook. -- Curtis's Botanical Magazine 71 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia sciadophora* F.Muell. -- Fragm. (Mueller) 2(12): 26. 1860; 2(Addit.): 171. 1861. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia sciadophora* F.Muell. -- Fragmenta Phytographiae Australiae 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Backhousia sciadophora* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Backhousia subargentea* (C.T.White) M.G.Harr. -- Austral. Syst. Bot. 25(6): 414. 2012 [14 Dec 2012]

Purified (Shodhit) *Backhousia tetraptera* Jackes -- Austral. Syst. Bot. 25(6): 412. 2012 [14 Dec 2012]

Purified (Shodhit) *Baechea Colla* -- Hortus Ripulensis 1824 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baecka Cothen*. -- Dispositio Vegetabilium Methodica a Staminum Numero Desumta 1790 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* L. -- Species Plantarum 2 1753 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* L. -- Sp. Pl. 1: 358. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* L. -- *Genera Plantarum* ed. 5 1754 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* subgen. *Archibaeckea* Nied. -- *Die Nat?rlichen Pflanzenfamilien* 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Astartea* (DC.) Nied. -- *Die Nat?rlichen Pflanzenfamilien* 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Astrocalymma* (Schauer) Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Babingtonia* (Lindl.) Benth. & Hook.f. -- *Genera Plantarum* 1 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* subgen. *Baeckea* L. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Baeckea* L. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Camphoromyrtus* F.Muell. -- Fragmenta Phytographiae Australiae 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Cyathostemon* (Turcz.) F.Muell. -- Fragmenta Phytographiae Australiae 8 1874 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Euryomyrtus* (Schauer) Benth. & Hook.f. -- Genera Plantarum 1 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Harmogia* (Schauer) Benth. & Hook.f. -- *Genera Plantarum* 1 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Hypocalymma* (Endl.) Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* subgen. *Hysterobaeckea* Nied. -- *Die Nat?rlichen Pflanzenfamilien* 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Imbricaria* Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Jungia* Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Oxymyrrhine* (Schauer) Benth. & Hook.f. -- *Genera Plantarum* 1 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Pausomyrtus* Radlk. -- *Berichte der Deutschen Botanischen Gesellschaft* 2 1884 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Rinzia* (Schauer) Benth. & Hook.f. -- *Genera Plantarum* 1 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Schidiomyrtus* (Schauer) F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Scholtzia* (Schauer) Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea* sect. *Tjongina* Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea affinis* Hook. -- *Icon. Pl.* 3: t. 284c. 1840 [6 Jan-6 Feb 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea affinis* Hook.f. -- *Hooker's Icones Plantarum* 3 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea affinis* Endl. -- *Enum. Pl.* [Endlicher] 51. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea affinis* Endl. -- *Enumeratio Plantarum ... Huegel* 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea alpina* Lindl. -- Three Exped. Australia [Mitchell] 2: 177, in adnot. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea alpina* Lindl. -- in Mitch. Three Exped. ii. 178. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea alpina* Lindl. -- Three Expeditions into the interior of Eastern Australia 2 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ambigua* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892) 99. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ambigua* (F.Muell.) Nied. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea arbuscula* R.Br. ex Benth. -- Fl. Austral. 3: 79. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea arbuscula* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea astarteoides* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea astarteoides* Benth. -- Fl. Austral. 3: 80. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea baileyana* C.A.Gardner -- J. Roy. Soc. Western Australia 1932-3, xix. 89 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea baileyana* C.A.Gardner -- Journal of the Royal Society of Western Australia 19 1933 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea behrii* (Schltdl.) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea behrii* F.Muell. -- Fragn. (Mueller) 4(26): 68. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea behrii* var. *brevifolia* F.Muell. -- The Journal of Botany 15 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea blackettii* F.Muell. -- Fragn. (Mueller) 8(67): 181. 1874 [Jul 1874] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea blackettii* F.Muell. -- *Fragmenta Phytographiae Australiae* 8 1874 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea brevifolia* DC. -- *Prodr.* [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea brevifolia* (Rudge) DC. -- *Prodromus* 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea calycina* Lindl. -- in *Mitch. Three Exped.* ii. 190. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea calycina* Lindl. -- *Three Exped. Australia* [Mitchell] 2: 189, in adnot. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea calycina* Lindl. -- Three Expeditions into the interior of Eastern Australia 2 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea camphorata* Sims -- Curtis's Botanical Magazine 53 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea camphorata* R.Br. -- Bot. Mag. 53: t. 2694. 1826 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea camphorosma* Endl. -- Enumeratio Plantarum ... Huegel 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea camphorosma* Endl. -- Enum. Pl. [Endlicher] 51. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea capitata* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea capitata* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea carnososa* S.Moore -- Journal of the Linnean Society of London 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea carnososa* S.Moore -- J. Linn. Soc., Bot. xlv. 175 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea carnosula* Spreng. -- Systema Vegetabilium 1827 Curae . Curae . Posteriores 149. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea carnulosa* Sieber -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 149. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea chinensis* Gaertn. -- Fruct. Sem. Pl. i. 157. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ciliata* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ciliata* (F.Muell.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea citriodora* A.R.Penfold & J.L.Willis -- Journal and Proceedings of the Royal Society of New South Wales 89 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea citriodora* Penfold & J.L. Willis -- Journ. Roy. Soc. N. S. Wales lxxxix. 186 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea clavifolia* S. Moore -- J. Linn. Soc., Bot. xlv. 176 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea clavifolia* S. Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cochinchinensis* Blume -- Mus. Bot. 1(5): 69. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea corymbulosa* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea corymbulosa* Benth. -- Fl. Austral. 3: 87. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea corynophylla* F.Muell. -- Fragm. (Mueller) 4(26): 72. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea corynophylla* (F.Muell.) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* Lindl. -- Three Exped. Australia [Mitchell] 2: 114, in adnot. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* Lindl. -- in Mitch. Three Exped. ii. 115. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* Lindl. -- Three Expeditions into the interior of Eastern Australia 2 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* var. *crassifolia* Lindl. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* var. *icosandra* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crassifolia* var. *pentamera* J.M.Black -- Transactions and Proceedings of the Royal Society of South Australia 59 1935 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenatifolia* F.Muell. -- Fragm. (Mueller) 4(26): 70. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea crenatifolia* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* (F.Muell.) Druce -- The Botanical Exchange Club and Society of the British Isles Report for 1916, Suppl. 2 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* Druce -- Rep. Bot. Soc. Exch. Club Brit. Isles 4(Suppl. 2): 608. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* DC. -- Prodr. [A. P. de Candolle] 3: 239. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* (Sm.) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* var. *crenulata* (Sm.) DC. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crenulata* var. *tenella* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crispiflora* F.Muell. -- *Fragm. (Mueller)* 4(26): 72. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crispiflora* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crispiflora* var. *crispiflora* (F.Muell.) F.Muell. -- *Proceedings of the Royal Society of Victoria* Series 2 20 1907 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea crispiflora* var. *tenuior* Ewart -- Proceedings of the Royal Society of Victoria Series 2 20 1907 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cryptandroides* F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cryptandroides* F.Muell. -- Fragm. (Mueller) 10(82): 29. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cumingiana* Schauer -- Repert. Bot. Syst. (Walpers) ii. 920. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cunninghamii* (Schauer) Benth. -- Fl. Austral. 3: 82. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea cunninghamii* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea decipiens* Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea decipiens* W.Fitzg. -- Journal of the West Australian Natural History Society 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea densifolia* Sm. -- Transactions of the Linnean Society of London 3 1797 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea densifolia* Sm. -- Trans. Linn. Soc. London 3: 260. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea denticulata* Maiden & Betche -- Proc. Linn. Soc. New South Wales 1909, xxxiv. 361. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea denticulata* Maiden & Betche -- Proceedings of the Linnean Society of New South Wales 34(2) 1909 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diffusa* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diffusa* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diffusa* var. *striata* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diffusa* var. *thymefolia* Meredith -- Bush Friends in Tasmania, last edition 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea dimorphandra* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea dimorphandra* F.Muell. ex Benth. -- *Fl. Austral.* 3: 74. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmifolia* Rudge -- *Trans. Linn. Soc. London* 8: 298, t. 13. 1807 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmifolia* Rudge -- *Transactions of the Linnean Society of London, Botany* 8 1807 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmoides* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 83 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmoides* (Turcz.) Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 83. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmoides* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea diosmoides* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea drummondii* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea drummondii* Benth. -- Fl. Austral. 3: 75. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea eatoniana* Ewart & Jean White -- Proc. Roy. Soc. Victoria n.s., xxi. 540 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea eatoniana* Ewart & Jean White -- Proceedings of the Royal Society of Victoria Series 2 21(2) 1909 Pl. 30, figs 1-2. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea elderiana* E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 418. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea elderiana* E.Pritz. -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea ericaea* F.Muell. -- *Fragm. (Mueller)* 1(2): 31. 1858 [Jun 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ericaea* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ericoides* Schlecht. -- *Bot. Zeitung (Berlin)* 4: 724. 1846 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ericoides* Schltdl. -- *Botanische Zeitung* 4 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ericoides* Brongn. & Gris -- *Bull. Soc. Bot. France* 11: 184. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea exserta* S.Moore -- J. Linn. Soc., Bot. xlv. 177 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea exserta* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fascicularis* (Labill.) Nied. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fascicularis* (Labill.) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(Abt. 7, Lief. 88): 99. 1893 [Aug 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fasciculata* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 149. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fasciculata* Spreng. -- *Systema Vegetabilium* 1827 Curae . Curae . Posteriores 149. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea floribunda* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea floribunda* Benth. -- *Fl. Austral.* 3: 87. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea frutescens* L. -- *Sp. Pl.* 1: 358. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea frutescens* L. -- *Species Plantarum* 2 1753 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fumana* (Schauer) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea fumana* F.Muell. -- *Fragm. (Mueller)* 4(26): 68. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gracilis* (Schauer) C.A.Gardner -- *Enum. Pl. Austral. Occ.* 94. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gracilis* A.Cunn. -- *Geographical Memoires on New South Wales* 1825 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gracilis* A.Cunn. -- *Geogr. Mem. New South Wales [Field]* 349. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gracilis* (Schauer) C.A.Gardner -- Enumeratio Plantarum Australiae Occidentalis 1930 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandibracteata* E.Pritz. -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandibracteata* E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 417. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandiflora* Benth. -- Fl. Austral. 3: 89. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandiflora* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandis* E.Pritz. -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea grandis* E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 417. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gunniana* Schauer ex Walp. -- Repert. Bot. Syst. (Walpers) ii. 920. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gunniana* Schauer -- Repertorium Botanices Systematicae 2 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gunniana* var. *gunniana* Schauer -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea gunniana* var. *latifolia* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* S.Moore -- J. Linn. Soc., Bot. xlv. 178 (1920), non B. *imbricata* Druce. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* Druce -- The Botanical Exchange Club and Society of the British Isles Report for 1916, Suppl. 2 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* Hochr. -- *Candollea* ii. 467 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* S.Moore -- *Journal of the Linnean Society, Botany* 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* Druce -- Rep. Bot. Soc. Exch. Club Brit. Isles 4(Suppl. 2): 608. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* var. *imbricata* Druce -- Candollea 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* var. *tenella* Hochr. -- Candollea 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea imbricata* var. *typica* Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (1928) 450 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea intratropica* (F.Muell.) Nied. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baekkea intratropica* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892) 99. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baekkea involucrata* Endl. -- Enum. Pl. [Endlicher] 170. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baekkea involucrata* Endl. -- Enumeratio Plantarum ... Huegel 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baekkea jucunda* S.T.Blake -- Proceedings of the Royal Society of Queensland 69 1958 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baekkea jucunda* S.T.Blake -- Proc. Roy. Soc. Queensland 69: 75. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea kandos* A.R.Bean -- *Telopea* 7(3) 1997 [17 Dec 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea kandos* A.R.Bean -- *Telopea* 7(3): 260. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea latens* C.R.P.Andrews -- *Journ. W. Austral. Nat. Hist. Soc.* i. 41. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea latens* C.R.P.Andrews -- *Journal of the West Australian Natural History Society* 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea latifolia* (Benth.) A.R.Bean -- *Telopea* 7(3): 263. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea laxiflora* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea laxiflora* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptantha* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptantha* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptocalyx* F.Muell. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptocalyx* F.Muell. -- *Fragm. (Mueller)* 1(2): 30. 1858 [Jun 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptocaulis* Hook.f. -- *Hooker's Icones Plantarum* 3 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptocaulis* Hook.f. -- *Icon. Pl.* 3: t. 298. 1840 [6 Jan-6 Feb 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptophylla* (Turcz.) Domin -- - = *M?moires de la Soci?t? Royale des Sciences de Boh?me*. Prague] 1921-2, 2 (1923) 82. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptophylla* Domin -- *Mem. Soc. Sci. Boheme* 1921-22, No. 2, 82 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptospermoides* C.A.Gardner -- Journal and Proceedings of the Royal Society of Western Australia 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leptospermoides* C.A.Gardner -- Journ. Roy. Soc. W. Austral. xxvii. 188 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea leratii* Schltr. -- Bot. Jahrb. Syst. 40(3, Beibl. 92): 32. 1908 [24 Jan 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linearis* C.T.White -- Proceedings of the Royal Society of Queensland 55 1944 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linearis* C.T.White -- Proc. Roy. Soc. Queensland 55: 65. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* Rudge -- Transactions of the Linnean Society of London, Botany 8 1807 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* Rudge -- Trans. Linn. Soc. London 8: 297. 1807 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* var. *brevifolia* Ewart -- Flora of Victoria 1931 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* forma *linifolia* Rudge -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 450 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* var. *linifolia* Rudge -- Flora of Victoria 1931 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea linifolia* forma *trichophylla* (Spreng.) Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 450 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea maidenii* Ewart & Jean White -- J. & Proc. Roy. Soc. New South Wales 1908, xlii. 184 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea maidenii* Ewart & Jean White -- Journal and Proceedings of the Royal Society of New South Wales 42 1908 Pl. 30. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea micrantha* DC. -- Prodr. [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea micrantha* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea micrantha* Hook.f. -- Icon. Pl. 4: t. 309. 1840 [May-Dec 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea microphylla* A.Cunn. ex Schauer -- Linnaea 17: 238. 1843 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea microphylla* Spreng. -- Systema Vegetabilium 1827 Curae . Curae . Posteriores 149. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea microphylla* Schauer -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea microphylla* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 149. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea minutifolia* Cheel -- Journal and Proceedings of the Royal Society of Western Australia 10 1923 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea minutifolia* Cheel -- J. Proc. Roy. Soc. Western Australia 10: 5. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea muricata* C.A.Gardner -- Journal of the Royal Society of Western Australia 13 1927 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea muricata* C.A.Gardner -- J. Roy. Soc. Western Australia xiii. 64 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea neglecta* Vieill. ex Guillaumin -- Ann. Mus. Colon. Marseille sér. 2, 9: 143, nomen. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea nelitrioides* Seem. -- J. Bot. 2: 74. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea nova-anglica* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea nova-anglica* F.Muell. -- Fragm. (Mueller) 4(26): 71. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea obligomera* "Radlk." Niedenzu -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892) 99, sphalm. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea obovata* DC. -- Prodr. [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea obovata* DC. -- Prodrumus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea obtusifolia* Brongn. & Gris -- Bull. Soc. Bot. France 11: 185. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ochropetala* F.Muell. -- Fragm. (Mueller) 10(82): 29. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ochropetala* F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oligandra* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oligandra* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oligomera* Radlk. -- Ber. Deutsch. Bot. Ges. ii. (1884) 264. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oligomera* Radlk. -- Berichte der Deutschen Botanischen Gesellschaft 2 1884 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea omissa* A.R.Bean -- Telopea 7(3): 256. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ovalifolia* F.Muell. -- Fragm. (Mueller) 4(26): 72. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ovalifolia* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oxycoccoides* Benth. -- *Fl. Austral.* 3: 75. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea oxycoccoides* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pachyphylla* Benth. -- *Fl. Austral.* 3: 85. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pachyphylla* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea parviflora* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea parviflora* (F.Muell.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea parvula* (Labill.) DC. -- Prodr. [A. P. de Candolle] 3: 229. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pentagonantha* F.Muell. ex E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 418. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pentagonantha* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pentagonantha* F.Muell. -- *Fragm. (Mueller)* 4(26): 73. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pentandra* F.Muell. -- *Fragm. (Mueller)* 2(12): 31. 1860; 4(26): 72. 1864. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pentandra* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea phylicoides* A.Cunn. ex Schauer -- *Repert. Bot. Syst. (Walpers)* ii. 921. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea phylicoides* Schauer -- *Repertorium Botanices Systematicae* 2 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pinifolia* (Labill.) DC. -- Prodr. [A. P. de Candolle] 3: 229. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea platycephala* E.Pritz. -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea platycephala* E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 419. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea platystemona* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea platystemona* Benth. -- Fl. Austral. 3: 74. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea plicata* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea plicata* F.Muell. -- *Fragm. (Mueller)* 1(2): 30. 1858 [Jun 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea polyandra* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea polyandra* F.Muell. -- *Fragm. (Mueller)* 4(26): 72. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea polystemonea* F.Muell. -- *Fragmenta Phytographiae Australiae* 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea polystemonea* F.Muell. -- *Fragm. (Mueller)* 2(15): 124. 1861 [Feb 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea preissiana* Druce -- *Rep. Bot. Soc. Exch. Club Brit. Isles* 4(Suppl. 2): 608. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea preissiana* Domin -- *Mem. Soc. Sci. Boheme* 1921-22, No. 2, 82 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea preissiana* (Schauer) Druce -- *The Botanical Exchange Club and Society of the British Isles Report for 1916, Suppl. 2* 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea procera* J.W.Dawson -- *Fl. Nouv.-Calédonie & Dépend.* 18: 22. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea prostrata* Hook.f. -- Icon. Pl. 3: t. 284b. 1840 [6 Jan-6 Feb 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea prostrata* Hook.f. -- Hooker's Icones Plantarum 3 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pulchella* DC. -- Prodr. [A. P. de Candolle] 3: 230. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pulchella* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pygmaea* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea pygmaea* R.Br. ex Benth. -- Fl. Austral. 3: 86. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ramosissima* A.Cunn. -- Geogr. Mem. New South Wales [Field] 249. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ramosissima* A.Cunn. -- Geographical Memoires on New South Wales 1825 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ramosissima* subsp. *prostrata* (Hook.f.) G.W.Carr -- Telopea 1 1980 [14 Mar 1980] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea ramosissima* A.Cunn. subsp. *prostrata* (Hook.f.) G.W.Carr -- Telopea 1(6): 416. 1980 [14 Mar 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea robusta* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea robusta* F.Muell. -- *Fragm. (Mueller)* 4(26): 72. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea saxicola* A.Cunn. ex Hook. -- *Bot. Mag.* 59: t. 3160. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea saxicola* Hook. -- *Curtis's Botanical Magazine* 59 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea schollerifolia* Lehm. -- *Plantae Preissianae* 2(1) 1848 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea schollerifolia* Lehm. -- Pl. Preiss. [J.G.C.Lehmann] 2(2-3): 369. 1848 [2-5 Aug 1848] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea serpyllifolia* F.Muell. -- Fragn. (Mueller) 10(82): 30. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea serpyllifolia* (Turcz.) F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea sinensis* Gaertn. -- Fruct. Sem. Pl. i. t. 31. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea spathulata* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea spatulata* (Turcz.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea speciosa* A.Cunn. ex Schauer -- Linnaea 17: 241. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea speciosa* A.Cunn. -- Hooker's Journal of Botany 4 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea spinosa* Spreng. -- Systema Vegetabilium 1827 Curae . Curae . Posteriores 149. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea spinosa* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 149. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea squarrosa* Domin -- Biblioth. Bot. lxxxix. 450 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea squarrosa* Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 450 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea staminosa* E.Pritz. -- Bot. Jahrb. Syst. 35(2-3): 417. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea staminosa* E.Pritz. -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea stenophylla* F.Muell. -- Fragm. (Mueller) 1(1): 13. 1858 [Mar 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea stenophylla* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea stowardii* S.Moore -- *J. Linn. Soc., Bot.* xlv. 176 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea stowardii* S.Moore -- *Journal of the Linnean Society of London* 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea subcuneata* F.Muell. -- *Fragm. (Mueller)* 4(26): 73. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea subcuneata* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea sumatrana* Blume -- Mus. Bot. 1(5): 69. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea taxifolia* Merr. -- in Sarawak Mus. Journ. iii. 534 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tenuifolia* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 82 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tenuifolia* (Turcz.) Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 82. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tenuiramea* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tenuiramea* S.Moore -- J. Linn. Soc., Bot. xlv. 177 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea teretifolia* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea teretifolia* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tetragona* F.Muell. ex Benth. -- Fl. Austral. 3: 77. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tetragona* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea thymifolia* Hook.f. -- Icon. Pl. 3: t. 284a. 1840 [6 Jan-6 Feb 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea thymifolia* Hook.f. -- Hooker's Icones Plantarum 3 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea thymoides* S.Moore -- J. Linn. Soc., Bot. xlv. 177 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea thymoides* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea trapeza* A.R.Bean -- Telopea 7(3): 255. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea trichophylla* Spreng. -- *Systema Vegetabilium* 1827 Curae . Curae . Posteriores 149. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea trichophylla* Sieber ex Spreng. -- *Syst. Veg.*, ed. 16 [Sprengel] 4(2, Cur. Post.): 149. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tuberculata* Trudgen -- *Nuytsia* 5(3): 441 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea tuberculata* Trudgen -- *Nuytsia* 5(3) 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea uberiflora* (F.Muell.) F.Muell. -- *Systematic Census of Australian Plants* 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea uberiflora* F.Muell. -- Syst. Census Austral. Pl. 53. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea umbellata* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea umbellata* F.Muell. -- Fragm. (Mueller) 4(26): 69. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea umbellifera* (F.Muell.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea umbellifera* F.Muell. -- Syst. Census Austral. Pl. 54. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea uncinella* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea uncinella* Benth. -- *Fl. Austral.* 3: 84. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea utilis* F.Muell. ex Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 150. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea utilis* F.Muell. ex Miq. -- *Nederlandsch Kruidkundig Archief* 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea utilis* var. *latifolia* (Benth.) J.H.Willis -- *Muelleria* 1(3) 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea utilis* var. *utilis* Miq. -- *Muelleria* 1(3) 1956 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea virgata* (J.R.Forst. & G.Forst.) Andrews -- *Bot. Repos.* 10: pl. 598. 1810 [before Sep 1810] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea virgata* Loisel. -- *Herb. Gén. Amat.* 4: t. 278. 1820 ; nom. illeg. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea virgata* (J.R.Forst. & G.Forst.) Andrews -- *Bot. Repos.* 10: pl. 598. 1810 [before Sep 1810] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea virgata* Loisel. var. *parvula* F.M.Bailey -- *The Queensland Flora* 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Baeckea virgata* Loisel. var. *polyandra* Maiden & Betche -- Proceedings of the Linnean Society of New South Wales 23(1) 1898 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckea virgata* Loisel. var. *virgata* Andrews -- Proceedings of the Linnean Society of New South Wales 23(1) 1898 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baeckia* Andrews -- The Botanists Repository 9 1810 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion* Hook. -- Hooker's Icones Plantarum 9 1851 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion* Hook. -- Icon. Pl. 9: t. 852. 1851 [Apr-Dec 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion microphyllum* C.A.Gardner -- J. Roy. Soc. Western Australia xiii. 66 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion microphyllum* C.A.Gardner -- Journal of the Royal Society of Western Australia 13 1927 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion pulcherrimum* Hook. -- Hooker's *Icones Plantarum* 9 1851 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Balaustion pulcherrimum* Hook. -- *Icon. Pl.* 9: t. 852. 1851 [1852 publ. Apr-Dec 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ballardia Montrouz.* -- *Mém. Acad. Roy. Sci. Lyon, Sect. Sci.* ser. 2, 10: 204. 1860 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ballardia elegans* Montrouz. -- Mem. Acad. Lyon x. (1860) 205. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baranda Llanos* -- Mem. Acad. Cienc. Madr. ii. (1859) 502. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baranda angatensis Llanos* -- Mem. Acad. Cienc. Madr. ii. (1859) 502. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Barongia* Peter G.Wilson & B.Hyland -- *Telopea* 3(2): 257. 1988 [26 May 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Barongia* Peter G.Wilson & B.Hyland -- *Telopea* 3(2) 1988 [26 May 1988] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Barongia lophandra* Peter G.Wilson & B.Hyland -- *Telopea* 3(2) 1988 [26 May 1988] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Barongia lophandra* Peter G.Wilson & B.Hyland -- *Telopea* 3(2): 258. 1988 [26 May 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Basisperma* C.T.White -- J. Arnold Arbor. xxiii. 84 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Basisperma lanceolata* C.T.White -- J. Arnold Arbor. xxiii. 84 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baudinia* Lesch. ex DC. -- *Prodromus* 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Baudinia Lesch. ex DC.* -- Prodr. [A. P. de Candolle] 3: 211. 1828 [mid Mar 1828] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia R.Br.* -- Hortus Kewensis 4 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia R.Br.* -- Hort. Kew., ed. 2 [W.T. Aiton] 4: 418. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Beaufortia R.Br.* -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Eubeaufortia Schauer* -- Dissertatio Phytographica de Regelia, *Beaufortia* et *Calothamno* 1843 = Nov. Act. Acad. Leopoldino-Carolina Caesarea Naturae Curiosorum 21 (Jul.-Aug. 1845) 9 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Phymatocarpus* (F.Muell.) Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Regelia* (Schauer) Baill. -- *Histoire des Plantes* 6 1876 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Schizopleura* Lindl. -- *Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839* (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia* sect. *Stromnothamnus* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia aestiva* K.J.Brooks -- *Nuytsia* 12(2): 164 (1998). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia aestiva* K.J.Brooks -- *Nuytsia* 12(2) 1998 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia anisandra* Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 17. 1843 [Aug-Oct 1843] ; *Nov. Actum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 13, t. 1. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia anisandra* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = *Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur.* 21 (Jul.-Aug. 1845) 13, t. 1 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia bicolor* Strid -- *Plant Systematics and Evolution* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia bicolor* Strid -- Pl. Syst. Evol. 155(1-4): 339. 1987 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia bracteosa* Diels -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia bracteosa* Diels -- Bot. Jahrb. Syst. 35(2-3): 431. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia burbridgeae* A.A.Burb. -- Nuytsia 27: 177. 2016 [1 Jul 2016] [epublished]

Purified (Shodhit) *Beaufortia carinata* A.Cunn. ex Loudon -- Hort. Brit. [Loudon] 319. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia carinata* Loudon -- Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and



*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia cymbifolia* Diels -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia cymbifolia* Diels -- Bot. Jahrb. Syst. 35(2-3): 431. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia cyrtodonta* Benth. -- Fl. Austral. 3: 167. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia cyrtodonta* (Turcz.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia dampieri* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration

purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia dampieri* A.Cunn. -- Bot. Mag. 60: t. 3272. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia dampieri* A.Cunn. -- Curtis's Botanical Magazine 60 1833 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia decussata* R.Br. -- Hort. Kew., ed. 2 [W.T. Aiton] 4: 418. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia decussata* Ker Gawl. -- Edwards's Botanical Register 1 1815 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia decussata* R.Br. -- Hortus Kewensis 4 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia elegans* Schauer -- Dissertatio Phytographica de Regelia, *Beaufortia et Calothamno* 1843 = Nov. Acat. Acad. Caes. Leop.-Carol. Nat. Cur. 21 (1845) 16 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia elegans* Schauer -- Regelia, *Beaufortia*, *Caloth.* 20. 1843 [Aug-Oct 1843] ; Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 16. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia elegans* var. *elegans* Schauer -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia elegans* var. *minor* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia empetrifolia* (Rchb.) Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur. 21 (1845) 17 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia empetrifolia* Schauer -- *Regelia, Beaufortia, Caloth.* 21. 1843 [Aug-Oct 1843] ; Nov. Actum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 17. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia eriocephala* W.Fitzg. -- *Journal of the West Australian Natural History Society* 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia eriocephala* Fitzg. -- *Journ. W. Austral. Nat. Hist. Soc.* ii. 23. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia heterophylla* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 427 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia heterophylla* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 345. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia incana* (Benth.) A.S.George -- Nuytsia 1(4) 1971 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia incana* (Benth.) A.S.George -- Nuytsia 1(3): 290. 1972 [14 Nov 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia inops* Schauer -- Dissertatio Phytographica de Regelia, *Beaufortia* et *Calothamno* 1843 = Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur. 21 (1845) 17 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia inops* Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 21. 1843 [Aug-Oct 1843] ; Nov. *Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 17. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia interstans* F.Muell. -- *Fragmenta Phytographiae Australiae* 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia interstans* F.Muell. -- *Fragm. (Mueller)* 10(82): 30. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia kwongkanicola* A.A.Burb. -- *Nuytsia* 27: 187. 2016 [1 Jul 2016] [epublished]

Purified (Shodhit) *Beaufortia macrostemon* Lindl. -- *Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839* (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia macrostemon* Lindl. -- Sketch Veg. Swan R. 10. n. 31. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia macrostemon* Lindl. var. *incana* Benth. -- Fl. Austral. 3: 167. 1867

Purified (Shodhit) *Beaufortia macrostemon* var. *incana* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia macrostemon* var. *macrostemon* Lindl. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* Schauer -- Dissertatio Phytographica de Regelia, *Beaufortia* et *Calothamno* 1843 = Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur. 21 (1845) 18 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 22. 1843 [Aug-Oct 1843] ; *Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 18. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* var. *empetrifolia* (Rchb.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* var. *micrantha* Schauer -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* var. *puberula* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia micrantha* Schauer var. *puberula* Benth. -- *Fl. Austral.* 3: 170. 1867

Purified (Shodhit) *Beaufortia microphylla* Turcz. -- *Bulletin de la Societe Imperiale des Naturalistes de Moscou* 22(2) 1849 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its



compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia microphylla* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia orbifolia* F.Muell. -- Fragmenta Phytographiae Australiae 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia orbifolia* F.Muell. -- Fragm. (Mueller) 3(21): 110. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia pinifolia* Cels -- Cat. (1817) 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia pinifolia* F.Cels -- Catalogue des Arbres, Arbustes, et autres plantes 1817 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia puberula* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 427 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia puberula* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 345. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia purpurea* Lindl. -- Sketch Veg. Swan R. 10. n. 30. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia purpurea* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia raggedensis* A.A.Burb. -- *Nuytsia* 27: 194. 2016 [1 Jul 2016]  
[epublished]

Purified (Shodhit) *Beaufortia schaueri* Preiss ex Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 18 ("14"). 1843 [Aug-Oct 1843] ; Nov. *Actum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 14. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia schaueri* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. *Acat. Acad. Caes. Leop.-Carol. Nat. Cur.* 21 (1845) 14. as 14) (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia schaueri* var. *atrorubens* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia schaueri* var. *schaueri* Schauer -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia sparsa* R.Br. -- Hort. Kew., ed. 2 [W.T. Aiton] 4: 418. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia sparsa* R.Br. -- Hortus Kewensis 4 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia splendens* A.Dietr. -- Allgemeine Gartenzeitung 2 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia splendens* Baxter -- Hort. Brit. [Loudon], ed. 2. 582. 1832 ; first additional supplement (cited in IK as 'Hort. Brit. Suppl. i.') (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia sprengelioides* (DC.) Craven -- Taxon 48(1): 54 (1999):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia squarrosa* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = *Nov. Act. Acad. Leopoldino-Carolina Caesarea Naturae Curiosorum* 21 (Jul.-Aug. 1845) 11. as 19) (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia squarrosa* Schauer -- *Regelia, Beaufortia, Caloth.* 15 ("19"). 1843 [Aug-Oct 1843] ; *Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 11. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia velutina* Turcz. -- *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 10: 345. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beaufortia velutina* Turcz. -- *Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg* 10 1852 = Purified (Shodhit) *Xerocarpicae in Nova Hollandia ...* (1852) 427 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beckea J.St.-Hil.* -- *Dict. Sci. Nat. [F. Cuvier]* 4: 208. 1806 [8 Jan 1806] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Beckea* Pers. -- Synopsis Plantarum 1 1805 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Bertholetia* Brongn. -- Enum. Pl. Mus. Paris 123. 1843 [12 Aug 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billiotia* Endl. -- Enumeratio Plantarum ... H?gel 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billiotia* Rchb. -- Deut. Bot. Herb.-Buch 176. 1841 [Jul 1841] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billiotia* Endl. -- Genera Plantarum 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billiottia* Endl. -- Gen. Pl. [Endlicher] 1229. 1840 [Aug 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia* G.Don -- Gen. Hist. 2: 810, 827. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia* Colla -- Hortus Ripulensis 1824 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia* R.Br. ex G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia elliptica* Sweet -- Sweet's Hortus Britannicus ed. 3 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia flexuosa* (Willd.) G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia flexuosa* var. *angustifolia* Otto & A.Dietr. -- Allgemeine Gartenzeitung 9 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia flexuosa* var. *flexuosa* (Willd.) G.Don -- Allgemeine Gartenzeitung 9 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia flexuosa* var. *latifolia* Otto & A.Dietr. -- Allgemeine Gartenzeitung 9 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia hypericifolia* (Otto & A.Dietr.) Heynh. -- Nomenclator Botanicus Hortensis 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with



Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Billotia linearifolia (DC.) G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Billotia marginata (Labill.) G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Billotia marginata var. angustifolia (Otto) Heynh. -- Nomenclator Botanicus Hortensis 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Billotia marginata var. glabrata (DC.) G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Billotia marginata var. marginata (Labill.) G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous

anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia ovalifolia* Sweet -- Sweet's Hortus Britannicus ed. 3 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia saligna* Sweet -- Sweet's Hortus Britannicus ed. 3 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billotia theiformis* (Schauer) G.Don ex Loudon -- An Encyclopedia of Plants, Suppl. 2 1855 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia Colla* -- Linnaea 4 1829 Ltt. . Ltt. . Ber. 52. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia Colla* -- Hort. Ripul. 20. t. 23 (1824). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia R.Br.* -- Journ. Roy. Geogr. Soc. i. (1832) 19. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia acerosa Colla* -- Hort. Ripul. 20. t. 23 (1824). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia acerosa Colla* -- Hortus Ripulensis 1824 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia elliptica Sweet* -- Hort. Brit. [Sweet], ed. 3. 249. 1839 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia flexuosa* R.Br. -- Journ. Roy. Geogr. Soc. i. (1832) 19. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia hypericifolia* Heynh. -- Alph. Aufz. Gew. 69. 1846 ; Zweiter Band of Nomencl. Bot. Hort. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia linearifolia* R.Br. -- Journ. Roy. Geogr. Soc. i. (1832) 19. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia marginata* R.Br. -- Journ. Roy. Geogr. Soc. i. (1832) 19. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia ovatifolia* Sweet -- Hort. Brit. [Sweet], ed. 3. 249. 1839 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia saligna* Sweet -- Hort. Brit. [Sweet], ed. 3. 249. 1839 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Billottia theiformis* G.Don ex Loudon -- Encyc. Pl. Suppl. ii. 1380. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx* O.Berg -- Linnaea 27: 412. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx* O.Berg -- Linnaea 27(2-3): 348. 1856 [Jan 1856] ; addit. publ. 27(4): 412. Feb 1856. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx acuminatissimus* O.Berg -- Linnaea 27: 413 (1856); et in Mart. Fl. Bras. 14(2): 421. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx acuminatus* O.Berg -- *Linnaea* 27: 413 (1856); et in *Mart. Fl. Bras.* 14(2): 414, 426. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx acuminatus* O.Berg -- *Fl. Bras. (Martius)* 14(1): 426 (-427), t. 6, fig. 132. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx acuminatus* O.Berg var. *adamantium* (Cambess.) Mattos -- *Loefgrenia* no. 64: 2. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx acuminatus* O.Berg var. *adamantium* (Cambess.) Mattos -- *Loefgrenia* 64: 2. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx affinis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 605. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx amarus* O.Berg -- Fl. Bras. (Martius) 14(1): 422. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx amarus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx amarus* O.Berg -- Fl. Bras. (Martius) 14(1): 422. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 421. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustifolius* O.Berg -- Linnaea 27: 421. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 421. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustifolius* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 421. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustissimus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx angustissimus* O.Berg -- Fl. Bras. (Martius) 14(1): 421. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Blepharocalyx angustissimus* O.Berg -- Fl. Bras. (Martius) 14(1): 421. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* O.Berg -- Fl. Bras. (Martius) 14(1): 425, t. 47. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* var. *rubellus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* O.Berg var. *rubellus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx apiculatus* O.Berg var. *strictus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx aromaticus* Durand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx aromaticus* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892)71. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx brunneus* O.Berg -- Fl. Bras. (Martius) 14(1): 427. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx brunneus* O.Berg -- Fl. Bras. (Martius) 14(1): 427. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx brunneus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx canescens* O.Berg -- Fl. Bras. (Martius) 14(1): 426. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx canescens* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cisplatensis* (Cambess.) Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 24: 126. 1879 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cruckshanksii* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 71. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cruckshanksii* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892)71. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cruckshanksii* (Hook. & Arn.) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cuspidatus* O.Berg -- Fl. Bras. (Martius) 14(1): 424. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx cuspidatus* O.Berg -- Fl. Bras. (Martius) 14(1): 424. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx depauperatus* O.Berg -- Linnaea 27: 415 (1856); et in Mart. Fl. Bras. 14(2): 428. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx deserti* (Cambess. ex St.Hil.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx deserti* (Cambess.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 71. 1893 Anal. Univ. Chile, 98: 707. 1897<sup>2</sup>Reiche, Flora de Chile, 2: 291. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *obovatus* (O.Berg) Reiche (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *obovatus* Reiche -- Anales Univ. Chile 98: 707. 1897 Reiche, Flora de Chile, 2: 291. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *ovalis* Reiche -- Anales Univ. Chile 98: 707. 1897 Reiche, Flora de Chile, 2: 291. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *ovalis* (O.Berg) Reiche (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *pauciflorus* Reiche -- *Anales Univ. Chile* 98: 707. 1897 Reiche, *Flora de Chile*, 2: 291. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx divaricatus* Nied. var. *pauciflorus* (O.Berg) Reiche (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx eggersii* (Kiaersk.) Landrum -- *Syst. Bot.* 11(1): 159. 1986 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx eggersii* (Kiaersk.) Landrum -- *Fl. Neotrop. Monogr.* 45: 121. 1986 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx eggersii* (Kiaersk.) Landrum -- *Syst. Bot.* 11: 159. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ellipticus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ellipticus* O.Berg -- *Linnaea* 27: 415 (1856); et in *Mart. Fl. Bras.* 14(2): 429. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx giganteus* Lillo -- *Contrib. Conoc. Arb. Argent.* 67, No. 219 (1910), nomen; et in *An. Soc. Ci Argent.* lxxxii. 175 (1911), descr.; Fedde, *Repert.* xii. 383. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx giganteus* Lillo var. *montanus* Lillo -- *Anales Soc. Ci. Argent.* 72: 174. 1911 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx lanceolatus* O.Berg -- *Fl. Bras. (Martius)* 14(1): 422. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Blepharocalyx lanceolatus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx lanceolatus* O.Berg var. *arborescens* O.Berg -- Fl. Bras. (Martius) 14(1): 423. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx lanceolatus* O.Berg var. *frutescens* O.Berg -- Fl. Bras. (Martius) 14(1): 423. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx longipes* O.Berg -- Fl. Bras. (Martius) 14(1): 423. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx longipes* O.Berg -- Fl. Bras. (Martius) 14(1): 423. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx minutiflorus* Mattos & D.Legrand -- *Loefgrenia* 67: 31. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx minutiflorus* Mattos & D.Legrand -- *Loefgrenia* no. 67: 31 (-32). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx montanus* Lillo -- *Contr. Conoc. Arb. Argent.* 67. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx montanus* Lillo -- *Contrib. Conoc. Arb. Argent.* 67 (1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx mugiensis* (Cambess.) Burret (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx mugiensis* (Cambess. ex St.Hil.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx mugiensis* (Cambess.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx myrcianthoides* Mattos -- Loefgrenia 64: 2. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx myrcianthoides* Mattos -- Loefgrenia no. 64: 2 (-3). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx myriophyllus* (Casar.) P.O.Morais & Sobral -- Lundiana 7(1): 5. 2006 [Dec 2006]

Purified (Shodhit) *Blepharocalyx parvifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 606. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx picrocarpus* O.Berg -- Fl. Bras. (Martius) 14(1): 427. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx picrocarpus* O.Berg -- Fl. Bras. (Martius) 14(1): 427 (-428). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx pilosus* O.Berg -- Fl. Bras. (Martius) 14(1): 422. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx pilosus* O.Berg -- Fl. Bras. (Martius) 14(1): 422. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ramosissimus* O.Berg -- Fl. Bras. (Martius) 14(1): 424. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ramosissimus* O.Berg -- Fl. Bras. (Martius) 14(1): 424. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ramosissimus* O.Berg var. *latifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 606. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ramosissimus* O.Berg var. *nanus* O.Berg -- Fl. Bras. (Martius) 14(1): 606. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx ramosissimus* O.Berg var. *obovatus* O.Berg -- Fl. Bras. (Martius) 14(1): 606. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg -- *Linnaea* 27(4): 413. 1856 [Feb 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg -- *Linnaea* 27: 413. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg f. *catharinae* D.Legrand in Reitz -- Fl. Illustr. Catarin. fasc. MIRT: 787. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg var. *longipes* (O.Berg) D.Legrand in Reitz -- Fl. Illustr. Catarin. fasc. MIRT: 785. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg var. *longipes* (O.Berg) D.Legrand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg var. *tweediei* (Hook. & Arn.) D.Legrand in Reitz -- Fl. Ilustr. Catarin. fasc. MIRT: 784. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx salicifolius* (Kunth) O.Berg var. *tweediei* (Hook. & Arn.) D.Legrand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx serra* O.Berg -- Fl. Bras. (Martius) 14(1): 605. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx sessilifolius* O.Berg -- Fl. Bras. (Martius) 14(1): 428. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx sessilifolius* O.Berg var. *pauciflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 428. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx sessilifolius* O.Berg var. *pluriflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 428, t. 6, fig. 138. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx spiraeoides* Stapf -- Bot. Mag. 132: t. 8123. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx spiraeoides* Stapf -- Bot. Mag. 133: t. 8123. 1907 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx strictus* O.Berg -- Fl. Bras. (Martius) 14(1): 423. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx strictus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Blepharocalyx suaveolens* (Cambess.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx suaveolens* (Cambess. ex St.Hil.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx suaveolens* (Cambess. ex St.Hil.) Burret var. *abrupticulmeus* D.Legrand in Reitz -- Fl. Illustr. Catarin. MIRT: 795. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx suaveolens* (Cambess. ex St.Hil.) Burret var. *cuneatus* D.Legrand in Reitz -- Fl. Illustr. Catarin. MIRT: 797. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx suaveolens* (Cambess. ex St.Hil.) Burret var. *umbilicatus* (Cambess.) D.Legrand -- Notul. Syst. (Paris) 15: 272. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* (Hook. & Arn.) O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* O.Berg -- *Linnaea* 27: 415 (1856); et in *Mart. Fl. Bras.* 14(2): 429. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* (Hook. & Arn.) O.Berg -- *Linnaea* 27(4): 415. 1856 [Feb 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* (Hook. & Arn.) O.Berg var. *angustifolius* (O.Berg) D.Legrand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* O.Berg f. *catharinae* (D.Legrand) Mattos -- *Loefgrenia* 76: 2 (1981):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* O.Berg var. *longipes* (O.Berg) Mattos -- Loefgrenia 64: 2. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* (Hook. & Arn.) O.Berg var. *longipes* (O.Berg) Mattos -- Loefgrenia no. 64: 2. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* (Hook. & Arn.) O.Berg var. *septrionalis* Mattos -- Loefgrenia no. 64: 2. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx tweediei* O.Berg var. *septrionalis* Mattos -- Loefgrenia 64: 2. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* (Cambess. ex St.Hil.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* (Cambess.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 535. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* (Cambess.) Burret (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* (Cambess. ex St.Hil.) Burret var. *mugiensis* (Cambess.) Mattos -- Loefgrenia no. 64: 2. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* (Cambess.) Burret var. *mugiensis* (Cambess.) Mattos -- Loefgrenia 64: 2. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* var. *paranaensis* Mattos -- Loefgrenia 66: 6. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx umbilicatus* var. *paranaensis* Mattos -- Loefgrenia no. 66: 6. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx villosus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx villosus* O.Berg -- Fl. Bras. (Martius) 14(1): 425 (-426). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx villosus* O.Berg var. *triflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx villosus* O.Berg var. *triflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 425. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx villosus* O.Berg var. *uniflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 426. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx widgrenii* O.Berg -- Fl. Bras. (Martius) 14(1): 427. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Blepharocalyx widgrenii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Botryorhiza C. Presl* -- Epimel. Bot. 220. 1851 [Oct 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Botryorhiza luzonensis* C. Presl -- Epimel. Bot. 220. 1851 [Oct 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa O.Berg* -- *Linnaea* 27: 435. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa acida* O.Berg -- *Linnaea* 27: 436 (1856); et in *Mart. Fl. Bras.* 14(2): 461. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa dichotoma* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa dichotoma* O.Berg -- *Linnaea* 27: 436 (1856); et in *Mart. Fl. Bras.* 14(2): 463. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa eriantha* O.Berg -- *Linnaea* 27: 436 (1856); et in *Mart. Fl. Bras.* 14(2): 463. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa glazioviana* Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa glazioviana* Kiaersk. in Warm. -- Enum. Myrt. Bras. no. 39: 6 tab. 1, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa glazioviana* Kiaersk. in Warm. -- Enum. Myrt. Bras. no. 39: 6. 1893 Enum. myrt. bras (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa glazioviana* Kiaersk. -- Enum. Myrt. Bras. (1893) 6. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa guazumifolia* (Cambess.) D.Legrand -- Notul. Syst. (Paris) 15: 274. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Britoa guazumifolia* (Cambess.) D.Legrand -- Notul. Syst. (Paris) 15: 274. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa hassleriana* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 801 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa hassleriana* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 801. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa hassleriana* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier ser. 2, 7: 801. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa kiaerskovviana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 205, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa kiaerskowiana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 205. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa langsdorffii* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 74. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa langsdorffii* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1892) 74. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa langsdorffii* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa lundiana* Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa lundiana* Kiaersk. -- Enum. Myrt. Bras. (1893) 7. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa lundiana* Kiaersk. in Warm. -- Enum. Myrt. Bras. no. 39: 7, tab. 1, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa psidioides* O.Berg -- Linnaea 27: 436 (1856); et in Mart. Fl. Bras. 14(2): 462. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 613. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 613. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa rugosa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa sellowiana* O.Berg -- *Linnaea* 27: 437 (1856); et in *Mart. Fl. Bras.* 14(2): 463. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa sellowiana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 463 (-464), t. 53. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa sessiliflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa sessiliflora* O.Berg -- *Linnaea* 27: 436 (1856); et in *Mart. Fl. Bras.* 14(2): 461. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa triflora* O.Berg -- *Linnaea* 27: 436 (1856); et in *Mart. Fl. Bras.* 14(2): 462. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Britoa triflora* var. *ilhensis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 613. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Bucheria Heynh.* -- *Alph. Aufz. Gew.* 80. 1846 ; Zweiter Band of *Nomencl. Bot. Hort.* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Bucheria Heynh.* -- *Nomenclator Botanicus Hortensis* 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Bucheria saxicola* Heynh. -- *Alph. Aufz. Gew.* 80. 1846 ; Zweiter Band of *Nomencl. Bot. Hort.* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Bucheria saxicola* (Hook.) Heynh. -- *Nomenclator Botanicus Hortensis* 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burcardia Neck. ex Raf.* -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burcardia aromatica* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burcardia aromatica* (Aubl.) Raf. -- *Sylva Tellur.* 106 (1838); vide Merrill, *Index Rafinesq.* 173 (1949). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burcardia grandiflora* (Aubl.) Raf. -- *Sylva Tellur.* 106 (1838); vide Merrill, *Index Rafinesq.* 174 (1949). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burcardia grandiflora* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Burchardia* Neck. -- *Elem. Bot. (Necker)* 2: 76. 1790 ; nom. inval.

Purified (Shodhit) *Caju puti* Adans. -- *Fam. Pl. (Adanson)* 2: 84. 1763 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caju puti* Adans. -- *Familles des Plantes* 2 1763 ; nom. inval. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi* Adans. ex A.Lyons -- *Pl. Nam.* 74. 1900 ; nom. illeg.

Purified (Shodhit) *Cajuputi cuticularis* Skeels -- *Bull. Bur. Pl. Industr. U.S.D.A.* 282, 60 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi cuticularis* (Labill.) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 282 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi ericifolia* (Sm.) A.Lyons -- Pl. Nam. 74. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi ericifolia* (Sm.) A.Lyons -- Plant Names Scientific and Popular 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi hypericifolia* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 242, 39 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi hypericifolia* (Salisb.) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 242 1912 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Cajuputi leucadendron* Rusby -- Bull. Bur. Pl. Industr. U.S.D.A. 248, 42 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi leucadendron* (L.) A.Lyons -- Plant Names Scientific and Popular 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi pubescens* (Schauer) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 242 1912 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi pubescens* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 41 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi pulchella* (R.Br.) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 282 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi pulchella* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 282, 60 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi viridiflora* A.Lyons -- Plant Names Scientific and Popular 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi viridiflora* (Sol.) A.Lyons -- Pl. Nam. 74. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi wilsonii* (F.Muell.) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 282 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cajuputi wilsonii* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 282, 60 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon R.Br.* -- Voyage to Terra Australis 2 1814 App. III, 547. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon R.Br.* -- App. Flind. Voy. ii. 547 (1814). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon acerosus* Miq. -- Ned. Kruidk. Arch. iv. (1859) 141. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon acerosus* Tausch -- Flora oder Allgemeine Botanische Zeitung 19 1836 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon acerosus* Tausch -- Flora 19(2): 411. 1836 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon acuminatus* Cheel -- in Maiden, Illustr. N. S. Wales Pl. 63 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon acuminatus* Cheel -- Illustrations of New South Wales Plants 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon amoenus* Lemaire -- L'Illustration Horticole 7 1860 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon amoenus* Lem. -- Ill. Hort. vii. t. 247. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon arborescens* F.Muell. -- Linnaea 25: 388. 1853 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon arborescens* F.Muell. -- *Linnaea* 25 1853 in textu. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon brachyandrus* Lindl. -- *The Journal of the Horticultural Society of London* 4 1849 with plate. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon brachyandrus* Lindl. -- *J. Hort. Soc. London* iv. (1849) 112. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon brachyandrus* var. *acerosus* (Tausch) Cheel -- *The Forest Flora of New South Wales* 7 1922 Pl. 235 L-Q. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon brachyandrus* var. *brachyandrus* Lindl. -- *The Forest Flora of New South Wales* 7 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon brevisepalus* J.W.Dawson -- Fl. Nouv.-Calédonie & Dépend. 18: 242. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon buseanus* Guillaumin -- Bull. Mus. Natl. Hist. Nat. 1939, Ser. II. xi. 414. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon capitatus* Rchb. -- Iconogr. Bot. Exot. 1: 59, t. 84. 1827 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon capitatus* (Sm.) Rchb. -- Iconographia Botanica Exotica 1825 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon chisholmii* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon chisholmii* Cheel -- Proc. Linn. Soc. New South Wales 50: 260. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* Stapf -- Bot. Mag. 150: t. 9050. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 282, 49 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* (Curtis) Skeels -- United States Department of Agriculture, Bureau of Plant Industry - Bulletin No. 282 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* Domin -- Biblioth. Bot. lxxxix. 454 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* var. *citrinus* Skeels -- Curtis's Botanical Magazine 150 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon citrinus* var. *splendens* Stapf -- Curtis's Botanical Magazine 150 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon coccineus* F.Muell. -- *Fragm. (Mueller)* 1(1): 13. 1858 [Mar 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon coccineus* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon coccineus* var. *coccineus* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Callistemon coccineus* var. *laevifolius* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon comboynensis* Cheel -- *Proceedings of the Linnean Society of New South Wales* 68 1943 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon comboynensis* Cheel -- *Proc. Linn. Soc. New South Wales* lxxviii. 184 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon crassifolius* Ettingsh. -- *Die Blatt-Skelete der Dikotyledonen* 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon cunninghamii* Hort.Berol. ex K.Koch -- *Wochenschr. Vereines Beförd. Gartenbaues Konigl. Preuss. Staaten* 6: 294. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon cunninghamii* K.Koch -- Wochenschrift des Vereines zur Beforderung des Gartenbaues in den Koniglich Preussischen Staaten f?r Gaertneri und Pflanzenkunde 6 1863 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon flavescens* Regel -- Gartenflora (1861) 51. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon flavescens* Regel -- Gartenflora 10 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon flavovirens* (Cheel) Cheel -- Proc. Linn. Soc. New South Wales 1925, 1. 263. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon flavovirens* (Cheel) Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon formosus* Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon formosus* S.T.Blake -- Proceedings of the Royal Society of Queensland 69 1958 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon formosus* S.T.Blake -- Proc. Roy. Soc. Queensland 69: 83. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon forresteriae* Molyneux -- Muelleria 8(1) 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon forresteriae* Molyneux -- Muelleria 8(1): 61. 1993 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon genofluvialis* Molyneux -- *Muelleria* 10: 57. 1997 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon glaucus* Sweet -- *Fl. Australas.* (Sweet) sub t. 29. 1828 [1 Jun 1828] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon glaucus* (DC.) Sweet -- *Hort. Brit.* [Sweet], ed. 2. 2: 209. 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon gnidioides* (Brongn. & Gris) Guillaumin -- *Bull. Soc. Bot. France* 81: 6, in obs. 1934 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hainesii* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hainesii* F.Muell. -- *Fragm. (Mueller)* 3(23): 153. 1863 [Apr 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon heleogiton* Domin -- *Biblioth. Bot.* lxxxix. 454 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon heliogiton* Domin -- *Bibliotheca Botanica* 89(4) 1928 = *Bibliotheca Botanica* Heft 89 (Apr. 1928) 454 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hemistictus* (S.T.Blake ex Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon hortensis* Cheel -- *Proc. Linn. Soc. New South Wales* lxxviii. 184 (1943), hybr. ?. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hortensis* Cheel -- Proceedings of the Linnean Society of New South Wales 68 1943 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hybridus* (Otto) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon hybridus* DC. -- Prodr. [A. P. de Candolle] 3: 224. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon intermedius* Steud. -- Nomenclator Botanicus 1 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon intermedius* Hort.Berol. ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 259. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon juniperinus* Heynh. -- Nomencl. Bot. Hort. 1: 148. 1840 [27 Sep-3 Oct 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon juniperinus* (Spreng.) Heynh. -- Nomenclator Botanicus Hortensis 1 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon kenmorrisonii* Molyneux -- Muelleria 8(3): 379. 1995 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon laevifolius* (Miq.) Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon laevifolius* (F.Muell.) Cheel -- Proc. Linn. Soc. New South Wales 1925, 1. 262. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon laevis* Anon. -- Hand-List of Tender Dicotyledons, cultivated in the Royal Gardens, Kew 1899 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon laevis* -- ex Kew Hand-List Tender Dicot. 117 (1900), nomen; Stapf in Bot. Mag. t. 9050(1925), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* (Sm.) Sweet -- Hort. Brit. [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826]

Purified (Shodhit) *Callistemon lanceolatus* (Sm.) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* Sweet -- Fl. Australas. (Sweet) sub t. 29; DC. Prod. iii. 223. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* forma *lanceolatus* (Sm.) Sweet -- Vilmorin's Blumengartneri 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility



with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* var. *lanceolatus* (Sm.) Sweet -- Nomenclator Botanicus Hortensis 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* var. *lophanthus* (Vent.) Heynh. -- Nomenclator Botanicus Hortensis 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* var. *pendulus* Regel -- Index Seminum, quae hortus Botanicus Imperialis Petropolitanus pro mutua commutatione offert ... for 1865 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* forma *semperflorens* (Lodd.) Siebert & Voss -- Vilmorin's Blumengartneri 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* var. *semperflorens* (Lodd.) Heynh. -- *Nomenclator Botanicus Hortensis* 2 1846 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lanceolatus* var. *sparsus* Regel -- *Index Seminum quae Hortus Botanicus Imperialis Petropolitanus* 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lazaridis* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon leptostachyus* Sweet -- *Fl. Australas. (Sweet)* sub t. 29. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon leptostachyus* Sweet -- *Flora Australasica* 1827 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus* Cheel -- *Proc. Linn. Soc. New South Wales* 1931, lvi. Abstr. p. xxxix. (1932), in obs., nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus* Cheel -- Proc. Linn. Soc. New South Wales 1925, 1. 263. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus forma albus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus forma carminus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lilacinus forma lilacinus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon linearifolius* (Link) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon linearifolius* DC. -- Prodr. [A. P. de Candolle] 3: 223. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon linearis* (J.C.Wendl. & Schrad.) Colvill ex Sweet -- Hort. Brit. [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826] (as "lineare") (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon linearis* Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon linearis* (J.C.Wendl. & Schrad.) DC. -- Prodr. [A. P. de Candolle] 3: 223. 1828 [mid Mar 1828] ; isonym (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon longifolius* Anon. -- Index Seminum Hortus Botanicus Cracovianus 1867 1868 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lophanthus* (Vent.) Sweet -- Flora Australasica 1827 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon lophanthus* Sweet -- Fl. Australas. (Sweet) t. 29. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macropunctatus* (Dum.Cours.) Court -- Vict. Naturalist 73: 175. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macropunctatus* Court -- Vict. Naturalist 73(11) 1957 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macropunctatus* var. *laevifolius* (Miq.) H.Eichler -- Taxon 12 1963 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macropunctatus* var. *macropunctatus* Court -- Taxon 12 1963 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macrostachyus* Lindl. -- Edwards's Bot. Reg. 24: t. 7. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon macrostachyus* Lindl. -- Edwards's Bot. Reg. 24: t. 7. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon marginatus* (Cav.) Sweet -- Hort. Brit. [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon marginatus* (Cav.) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon megalongensis* (Craven & S.M.Douglas) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon microphyllus* Sweet -- Hort. Brit. [Sweet] 2: 486. 1826 [Sep-Oct 1826] (as "*microphyllum*") ; nom. inval.

Purified (Shodhit) *Callistemon microphyllus* Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon microstachyus* Lindl. -- Edwards's Botanical Register 24 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon montanus* S.T.Blake -- Proceedings of the Royal Society of Queensland 69 1958 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon montanus* C.T.White ex S.T.Blake -- Proc. Roy. Soc. Queensland 69: 84. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon montis-zamiae* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon nervosus* Lindl. -- J. Exped. Trop. Australia [Mitchell] 235. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon nervosus* Lindl. -- Journal of an Expedition into the Interior of Tropical Australia 1848 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon nyallingensis* Molyneux -- *Muelleria* 21: 101 (-104; fig. 1). 2005



Purified (Shodhit) *Callistemon pachyphyllus* Cheel -- Illustrations of New South Wales Plants 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pachyphyllus* Cheel -- in Maiden, Illustr. N. S. Wales Pl. 61 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pachyphyllus* var. *angustifolius* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pachyphyllus* var. *pachyphyllus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pachyphyllus* var. *rubro-lilacinus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pachyphyllus* var. *viridis* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pallidus* (Bonpl.) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pallidus* DC. -- Prodr. [A. P. de Candolle] 3: 223. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon paludosus* F.Muell. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon paludosus* F.Muell. -- Fragn. (Mueller) 1(1): 14. 1858 [Mar 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pancheri* Brongn. & Gris -- Bull. Soc. Bot. France 11: 183. 1864 ; et in Ann. Sci. Nat., Bot., sér. 5, 2: 138 (1864) (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pauciflorus* R.D.Spencer & Lumley -- *Muelleria* 6(3,4) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pauciflorus* R.D.Spencer & Lumley -- *Muelleria* 6(3-4): 295. 1986 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pearsonii* R.D.Spencer & Lumley -- *Muelleria* 6(3-4): 293. 1986 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pearsonii* R.D.Spencer & Lumley -- *Muelleria* 6(3,4) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* Regel -- Gartenflora (1859) 288. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* Regel -- Gartenflora 8 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* var. *confertus* Regel -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus for 1866 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* var. *genuinus* Regel -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus for 1866 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* var. *pendulus* Regel -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pendulus* var. *rigidus* Regel -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus for 1866 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon phoeniceus* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon phoeniceus* Lindl. -- Sketch Veg. Swan R. 10. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon phratra* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon pinifolius* Sweet -- Hort. Brit. [Sweet] 155; DC. Prod. 3: 223. 1826 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pinifolius* (Wendl.) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pithyoides* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pithyoides* Miq. -- Ned. Kruidk. Arch. iv. (1859) 142 (sp. dub.). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pityoides* F.Muell. -- The Chemist and Druggist, Australasian Supplement 5 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon polandii* F.M.Bailey -- The Queensland Flora 6 1902 Pl. 88. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon polandii* F.M.Bailey -- Queensl. Fl. 2003. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pungens* G.Don ex Loudon -- Hort. Brit. [Loudon] 197. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pungens* Lumley & R.D.Spencer -- Muelleria 7(2) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pungens* Sweet ex G.Don -- Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pungens* Lumley & R.D.Spencer -- Muelleria 7(2): 253. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon pungens* Lumley & R.D.Spencer subsp. *fletcheri* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon pungens* Lumley & R.D.Spencer subsp. *synoriensis* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 24. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon purpurascens* S.M.Douglas & S.David -- *Telopea* 18: 266. 2015 [9 Sep 2015] [epublished]

Purified (Shodhit) *Callistemon pyramidalis* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 25. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon quercinus* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 25. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon recurvus* R.D.Spencer & Lumley -- *Muelleria* 7(2) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon recurvus* R.D.Spencer & Lumley -- *Muelleria* 7(2): 255. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rigidus* R.Br. -- Edwards's Botanical Register 5 1820 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.



and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rigidus* R.Br. -- Bot. Reg. 5: t. 393. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon roseus* (Guilfoyle) Cheel -- Proc. Linn. Soc. New South Wales lxxiii. 185 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon roseus* Cheel -- Proceedings of the Linnean Society of New South Wales 68 1943 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* (Link) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* Miq. -- Ned. Kruidk. Arch. iv. (1859) 141. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* (Link) DC. -- Prodr. [A. P. de Candolle] 3: 223. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* var. *flavo-virens* Cheel -- Illustrations of New South Wales Plants 3 1911 in key]. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* (Link) DC. var. *flavovirens* Cheel -- Ill. N.S.W. Pl. 3: iv. 1911

Purified (Shodhit) *Callistemon rugulosus* var. *laevifolius* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* var. *rugulosus* (Link) DC. -- Nomenclator Botanicus Hortensis 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon rugulosus* var. *scaber* (Lodd.) Heynh. -- *Nomenclator Botanicus Hortensis* 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon sabrina* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 25. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon salicifolius* Schnizl. -- *Iconographia Familiarum Naturalium Regni Vegetabilis* 4 1870 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* (Sm.) Colvill ex Sweet -- *Hort. Brit.* [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* Sweet -- *Fl. Australas.* (Sweet) sub t. 29; *DC. Prod.* iii. 223. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* (Sm.) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *angustifolius* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *angustifolius* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* forma *angustifolius* Siebert & Voss -- Vilmorin's Blumengartneri 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *australis* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* forma *hebestachys* Siebert & Voss -- Vilmorin's *Blumengartneri* 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *hebestachys* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *paludosus* (R.Br.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *roseus* Guilf. -- *Australian Plants suitable for Gardens, Parks, Timber Reserves etc.* 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *roseus* C.T.White -- *Proceedings of the Royal Society of Queensland* 55 1944 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *salignus* (Sm.) Sweet -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* forma *salignus* (Sm.) Sweet -- Vilmorin's Blumengartneri 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* forma *sieberi* Siebert & Voss -- Vilmorin's Blumengartneri 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *sieberi* (DC.) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *typicus* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* var. *viridiflorus* (Sims) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon salignus* forma *viridiflorus* (Sims) Siebert & Voss -- *Vilmorin's Blumengartneri* 1 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon scaber* Lodd. -- *Loddiges' Botanical Cabinet* 13 1827 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon scaber* G.Lodd. -- *Bot. Cab.* 13(9): t. 1288. 1828 [Jan 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon semperflorens* Lodd. -- *Loddiges' Botanical Cabinet* 6 1821 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon semperflorens* G.Lodd. -- Bot. Cab. 6(3): t. 523. 1821 [Sep 1821] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon serpentinus* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 25. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon shiressii* Blakely -- Austral. Naturalist 10: 257. 1941 [Apr 1941] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon shiressii* Blakely -- The Australian Naturalist 10: 257. 1941 [Apr 1941] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon sieberi* DC. -- Prodr. [A. P. de Candolle] 3: 223. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon sieberi* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and



*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon sieberi* var. *pityoides* (F.Muell.) Cheel -- The Forest Flora of New South Wales 7 1922 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon sieberi* var. *sieberi* DC. -- The Forest Flora of New South Wales 7 1922 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon speciosus* (Sims) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon speciosus* DC. -- Prodr. [A. P. de Candolle] 3: 224. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon speciosus* (Sims) Colvill ex Sweet -- Hort. Brit. [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826] (as "speciosum")

Purified (Shodhit) *Callistemon speciosus* DC. var. *glaucus* DC. -- Prodr. [A. P. de Candolle] 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon speciosus* var. *speciosus* (Sims) Sweet -- Prodromus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon suberosus* Brongn. & Gris -- Bull. Soc. Bot. France 11: 183. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon subulatus* Cheel -- Proc. Linn. Soc. New South Wales 1. 259, an *C. subulatus* Cheel (1923)?, 1. 259, an *C. subulatus* Cheel (1923)?, 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon subulatus* Cheel -- Proceedings of the Linnean Society of New South Wales 50(4) 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon subulatus* Cheel -- in Census Pl. Vict. 49 (1923), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon teretifolius* F.Muell. -- Hooker's Journal of Botany & Kew Garden Miscellany 1853 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon teretifolius* F.Muell. -- Linnaea 25: 387. 1853 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon teretifolius* F.Muell. -- Linnaea 25 1853 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viminalis* (Gaertn.) G.Don -- Hortus Britannicus 1830 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viminalis* Cheel -- Kungl. Svenska Vetenskapsakad. Handl. n. s. lii. No. 10, 16 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viminalis* (Sol. ex Gaertn.) G.Don -- Hort. Brit. [Loudon] 197. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viminalis* (Sol. ex Gaertn.) G.Don subsp. *rhododendron* (Craven) Udovicic & R.D.Spencer -- *Muelleria* 30(1): 25. 2012 [16 Mar 2012]

Purified (Shodhit) *Callistemon viridiflorus* (Sims) Sweet -- Sweet's Hortus Britannicus 1826 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viridiflorus* (Sims) Sweet -- Hort. Brit. [Sweet] pt. 1: 155. 1826 [Aug-Sep 1826] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viridiflorus* var. *violaceus* Kunze -- *Linnaea* 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon viridiflorus* var. *viridiflorus* (Sims) Sweet -- *Linnaea* 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Callistemon wimmerensis* Marriott & G.W.Carr -- *Muelleria* 26(2): 57 (-60; fig. 1). 2008 [1 Jul 2008]

Purified (Shodhit) *Callobuxus Pancher ex Brogn. & Gris* -- *Bull. Soc. Bot. France* 10: 372. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calomyrtus* Blume -- *Mus. Bot.* 1(5): 76, in obs. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calomyrtus excelsa* Blume -- *Mus. Bot.* 1(5): 76,. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calomyrtus ovalifolia* Blume -- Mus. Bot. 1(5): 76,. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calophylloides Smeathman* ex DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calophylloides lucida* Smeathman -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calostemon* T.Post & Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* Labill. -- Nov. Holl. Pl. 2: 25, t. 164. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* Labill. -- *Novae Hollandiae Plantarum Specimen* 2 1806 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Baudinia* Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Callithamnus* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Leopoldino-Carolina Caesarea Naturae Curiosorum 21 (Jul.-Aug. 1845) 20 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Calothamnus* Labill. -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Leopoldino-Carolina Caesarea Naturae Curiosorum 21 (Jul.-Aug. 1845) 20 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Calothamnus* Labill. -- Nuytsia 6(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* subgen. *Pentacalothamnus* Hawkeswood -- Nuytsia 6(1): 71 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* subgen. *Pentacalothamnus* Hawkeswood -- Nuytsia 6(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Pentaphalanx* Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus* sect. *Stromnothamnus* Schauer -- Dissertatio Phytographica de Regelia, Beaufortia et *Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 27. (Medium duration purification) as key ingredient in



indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus accedens* Hawkeswood -- *Nuytsia* 5(2) 1985 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus accedens* Hawkeswood -- *Nuytsia* 5(2): 305. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus affinis* Turcz. -- *Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg* 10 1852 = *Myrtacearum Xerocarpicae in Nova Hollandiae ...* (1852) 428 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus affinis* Turcz. -- *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg* 10: 346. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus affinis* var. *affinis* Turcz. -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 92. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus affinis* var. *longistamineus* Domin -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 92. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus arcuatus* A.S.George -- Nuytsia 20: 183 (-184; fig. 1). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus aridus* Hawkeswood -- Nuytsia 5(1): 145 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus aridus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus asper* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 25. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus asper* Turcz. -- Bulletin de la Societe Imperiale des Naturalistes de Moscou 22(2) 1849 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus asper* var. *lasiocalyx* F.Muell. -- The Journal of Botany 15 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus baxteri* Hort.Angl. ex Klotzsch -- Allg. Gartenzeitung (Otto & Dietrich) 4: 115. 1836 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus baxteri* Klotzsch -- Allg. Gartenzeit. 1836 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharanthus* F.Muell. -- Fragmenta Phytographiae Australiae 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharanthus* F.Muell. -- *Fragm. (Mueller)* 3(21): 112. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharospermus* F.Muell. -- *Fragm. (Mueller)* 3(21): 111. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharospermus* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharospermus* var. *blepharospermus* F.Muell. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus blepharospermus* F.Muell. var. *glaber* Benth. -- Fl. Austral. 3: 175. 1867 [5 Jan 1867]

Purified (Shodhit) *Calothamnus blepharospermus* var. *glaber* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus borealis* Hawkeswood -- Nuytsia 5(1): 150 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus borealis* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus borealis* Hawkeswood subsp. *cinereus* A.S.George -- Nuytsia 20: 186 (fig. 2). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus brevifolius* Hawkeswood -- Nuytsia 5(1): 141 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus brevifolius* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus chrysanthereus* F.Muell. -- Fragn. (Mueller) 3(21): 112. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus chrysanthereus* F.Muell. -- Fragmenta Phytographiae Australiae 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus clavatus* J.B.Mackay ex G.Lodd. -- Bot. Cab. 15(5): t. 1447. 1829 [May 1829] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus clavatus* Schauer -- Dissertatio Phytographica de Regelia, Beaufortia et Calothamno 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum (Jul.-Aug. 1845) 24 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus crassus* (Benth.) Hawkeswood -- Nuytsia 6(1): 86 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus crassus* (Benth.) Hawkeswood -- Nuytsia 6(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus cupularis* A.S.George -- Nuytsia 20: 188 (-190; fig. 3). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus eriocarpus* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A sketch of the vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus eriocarpus* Lindl. -- Sketch Veg. Swan R. 9. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus formosus* Hawkeswood -- Nuytsia 5(1): 135 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus formosus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus formosus* subsp. *formosus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus formosus* Hawkeswood subsp. *rigidus* Hawkeswood -- Nuytsia 5(1): 137 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus formosus* subsp. *rigidus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calothamnus gibbosus* Benth. -- Fl. Austral. 3: 175. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus gibbosus* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus gilesii* F.Muell. -- Fragm. (Mueller) 10(82): 31. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus gilesii* F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus glaber* (Benth.) Hawkeswood ex A.S.George -- Nuytsia 20: 190. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus glaber* (Benth.) Hawkeswood -- Calodema 123: 1. 2010 [4 Oct 2010]

Purified (Shodhit) *Calothamnus gracilis* R.Br. -- Hort. Kew., ed. 2 [W.T. Aiton] 4: 418. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus gracilis* R.Br. -- Hortus Kewensis 4 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus graniticus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus graniticus* Hawkeswood -- Nuytsia 5(1): 127 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus graniticus* subsp. *graniticus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus graniticus* subsp. *leptophyllus* (Benth.) Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus graniticus* Hawkeswood subsp. *leptophyllus* (Benth.) Hawkeswood -- Nuytsia 5(1): 129 (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus hirsutus* Hawkeswood -- Nuytsia 5(1): 139 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus hirsutus* Hawkeswood -- Nuytsia 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus homalophyllus* F.Muell. -- Fragmenta Phytographiae Australiae 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus homalophyllus* F.Muell. -- *Fragm. (Mueller)* 3(21): 111. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus homalophyllus* var. *angustifolius* Ewart -- *Proceedings of the Royal Society of Victoria Series 2* 24(1) 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus homalophyllus* var. *homalophyllus* F.Muell. -- *Proceedings of the Royal Society of Victoria Series 2* 24(1) 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus huegelii* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = *Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum* 21 (Jul.-Aug. 1845) 30 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus huegelii* Schauer -- *Regelia, Beaufortia, Caloth.* 34. 1843 [Aug-Oct 1843] ; *Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 30. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus kalbarriensis* Hawkeswood -- *Nuytsia* 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus kalbarriensis* Hawkeswood -- *Nuytsia* 5(1): 147 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus knightii* hort. ex Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 27. 1843 [Aug-Oct 1843] ; Nov. *Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 23. 1845 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus knightii* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. *Act. Acad. Caesarea Leopoldino-Carolina Naturae Curiosorum* 21 (Jul.-Aug. 1845) 23 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus laevigatus* Schauer -- *Regelia*, *Beaufortia*, *Caloth.* 30. 1843 [Aug-Oct 1843] ; Nov. *Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 26. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus laevigatus* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. *Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum* 21 (Jul.-Aug. 1845) 26 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* Lindl. -- *Sketch Veg. Swan R.* 9. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* Lindl. -- *Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony* 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* Lindl. var. *crassus* (Benth.) A.S.George -- *Nuytsia* 20: 190. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus lateralis* Lindl. f. *crassus* Benth. -- Fl. Austral. 3: 177. 1867 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* forma *crassus* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* forma *lateralis* Lindl. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* forma *longifolius* (Lehm.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lateralis* forma *rigidus* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus laxus* Kunze -- Linnaea 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus laxus* Kunze -- Linnaea 20: 58. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lehmannii* Schauer -- Regelia, Beaufortia, Caloth. 31. 1843 [Aug-Oct 1843] ; Nov. Actum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 27. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus lehmannii* Schauer -- Dissertatio Phytographica de Regelia, Beaufortia et Calothamno 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 27 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus longifolius* Lehm. -- Del. Sem. Hort. Hamburg (1842) 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus longifolius* Lehm. -- *Delectus Seminum quae in horto Hamburgensium botanico e collectione anni 1842 mutuae commutatione offeruntur* 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus longissimus* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus longissimus* F.Muell. -- *Fragm. (Mueller)* 3(21): 112. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus macrocarpus* Hawkeswood -- *Nuytsia* 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus macrocarpus* Hawkeswood -- *Nuytsia* 5(1): 146 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus microcarpus* F.Muell. -- *Fragm. (Mueller)* 3(21): 113. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus microcarpus* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus microcarpus* var. *microcarpus* F.Muell. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus microcarpus* var. *teres* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus montanus* A.S.George -- Nuytsia 20: 191 (fig. 4). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus nodosus* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 168. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus nodosus* Turcz. -- Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus oldfieldii* F.Muell. -- Fragm. (Mueller) 3(21): 113. 1862 [Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus oldfieldii* F.Muell. -- Fragmenta Phytographiae Australiae 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus pachystachyus* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus pachystachyus* Benth. -- Fl. Austral. 3: 173. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus pallidifolius* (Benth.) Hawkeswood -- Nuytsia 6(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus pallidifolius* (Benth.) Hawkeswood -- Nuytsia 6(1): 100 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus phellosus* A.S.George -- Nuytsia 20: 193 (-195; fig. 5). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus pinifolius* F.Muell. -- Fragm. (Mueller) 3(23): 153. 1863 [Apr 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus pinifolius* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* Lehm. -- *Del. Sem. Hort. Hamburg* (1842) 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* Lehm. -- *Delectus Seminum quae in horto Hamburgensium botanico e collectione Anni 1842 mutuae commutatione offeruntur* 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* forma *angustifolius* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 31 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* var. *latifolius* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* forma *latifolius* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 32. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* Lehm. var. *pallidifolius* Benth. -- *Fl. Austral.* 3: 177. 1867 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* var. *pallidifolius* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* forma *planifolius* Lehm. -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 31 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus planifolius* var. *planifolius* Lehm. -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus plumosus* Turcz. -- *Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou* 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus plumosus* Turcz. -- *Bull. Soc. Imp. Naturalistes Moscou* xx. (1847) I. 168. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus preissii* Schauer -- *Regelia, Beaufortia, Caloth.* 31. 1843 [Aug-Oct 1843] ; *Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 21(1): 27. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus preissii* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = *Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum* 21 (Jul.-Aug. 1845) 27 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus purpureus* Endl. -- Enumeratio Plantarum ... Huegel 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus purpureus* Endl. -- Enum. Pl. [Endlicher] 48. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. -- Bot. Mag. 37: t. 1506. 1812 [1 Nov 1812] ; and in Hortus Kew. (W.T. Aiton), ed. 2, 4: 418. Dec 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. -- Curtis's Botanical Magazine 37 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* forma *acerosus* (Colla) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *angustifolius* (Ewart) A.S.George & N.Gibson -- *Nuytsia* 20: 66. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *asper* (Turcz.) A.S.George & N.Gibson -- *Nuytsia* 20: 70. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* var. *hirsutus* Regel -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *homalophyllus* (F.Muell.) A.S.George & N.Gibson -- *Nuytsia* 20: 68. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* forma *normalis* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *obtusus* (Benth.) A.S.George & N.Gibson -- *Nuytsia* 20: 70. 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* forma *obtusus* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *petraeus* A.S.George & N.Gibson -- *Nuytsia* 20: 72 (75; fig. 9, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* var. *quadrifidus* R.Br. -- Index Seminum quae Hortus Botanicus Imperialis Petropolitanus 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* forma *quadrifidus* R.Br. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *seminudus* A.S.George & N.Gibson -- *Nuytsia* 20: 75 (fig. 10, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus quadrifidus* R.Br. subsp. *teretifolius* A.S.George & N.Gibson -- *Nuytsia* 20: 59 (-62; fig. 2, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus robustus* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 22 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus robustus* Schauer -- Regelia, Beaufortia, Caloth. 26. 1843 [Aug-Oct 1843] ; Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 22. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus roseus* A.S.George -- Nuytsia 20: 195 (-196; fig. 6). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus rupestris* Schauer -- Dissertatio Phytographica de Regelia, Beaufortia et Calothamno 1843 = Nov. Act. Acad. Leopoldino-Carolina Caesarea Naturae Curiosorum 21 (Jul.-Aug. 1845) 22 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus rupestris* Schauer -- Regelia, Beaufortia, Caloth. 26. 1843 [Aug-Oct 1843] ; Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 22. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus sanguineus* Labill. -- Novae Hollandiae Plantarum Specimen 2 1806 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus sanguineus* Labill. -- Nov. Holl. Pl. 2: 25, t. 164. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus scabridus* A.S.George -- Nuytsia 20: 196 (198; fig. 7). 2010 [29 Sep 2010]

Purified (Shodhit) *Calothamnus schaueri* Lehm. -- Del. Sem. Hort. Hamburg (1842) 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus schaueri* Lehm. -- Delectus Seminum quae in horto Hamburgensium botanico e collectione anni 1842 mutuae commutatione offeruntur 1842 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus schoenophyllus* Schauer -- Regelia, Beaufortia, Caloth. 33. 1843 [Aug-Oct 1843] ; Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 29. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus schoenophyllus* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leopoldino-Carolina Naturae Curiosorum 21 (Jul.-Aug. 1845) 29 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus spathulata* Steud. -- *Nomenclator Botanicus* 1 1840 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus spathulatus hort. ex Steud.* -- *Nomencl. Bot. [Steudel]*, ed. 2. 1: 261. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus suberosus* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus suberosus* Schauer -- *Pl. Preiss. [J.G.C.Lehmann]* 1(1): 156. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus superbus* Hawkeswood & Mollemans -- *Nuytsia* 8(3): 311. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus superbus* Hawkeswood & Mollemans -- *Nuytsia* 8(3) 1992 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus torulosus* Schauer -- *Dissertatio Phytographica de Regelia, Beaufortia et Calothamno* 1843 = Nov. Act. Acad. Caes. Leop.-Carol. Nat. Cur. 21 (Jul.-Aug. 1845) 21 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus torulosus* Schauer -- *Regelia, Beaufortia, Caloth.* 25. 1843 [Aug-Oct 1843] ; Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 21(1): 21. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus torulosus* var. *leptophyllus* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus torulosus* Schauer var. *leptophyllus* Benth. -- *Fl. Austral.* 3: 175. 1867

Purified (Shodhit) *Calothamnus torulosus* var. *torulosus* Schauer -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus tuberosus* Hawkeswood -- *Nuytsia* 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus tuberosus* Hawkeswood -- *Nuytsia* 5(1): 133 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus validus* S.Moore -- *J. Linn. Soc., Bot.* xlv. 205 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus validus* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus villosus* R.Br. -- Hort. Kew., ed. 2 [W.T. Aiton] 4: 418. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus villosus* R.Br. -- Hortus Kewensis 4 1812 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calothamnus villosus* var. *ericifolius* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calothamnus villosus* var. *villosus* R.Br. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycampe* O.Berg -- *Linnaea* 27: 129. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycampe angustifolia* O.Berg -- *Linnaea* 27: 131. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycampe latifolia* O.Berg -- *Linnaea* 27: 130. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycampe latifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycampe latifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus* O.Berg -- *Linnaea* 27: 378. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus* O.Berg -- *Linnaea* 27: 348 (378). 1856 [Jan 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus aequatorialis* Landrum -- *Novon* 15(3): 442 (-444; fig. 1). 2005 [21 Sep 2005]

Purified (Shodhit) *Calycolpus alternifolius* (Gleason) Landrum -- *Madroño* 36(1): 10. 1989 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus alternifolius* (Gleason) Landrum -- *Madroño* 36: 10. 1989 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus andersonii* Landrum -- *Brittonia* 60(3): 252 (-254; fig. 1). 2008 [30 Sep 2008]

Purified (Shodhit) *Calycolpus angustifolius* L.Riley -- *Bull. Misc. Inform. Kew* 1926(4): 151. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus angustifolius* L.Riley -- *Bull. Misc. Inform. Kew* 1926(4): 151. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus australis* Landrum -- *Novon* 8(3): 244. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus australis* Landrum -- *Novon* 8: 244, fig. 1998 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus beyeri* (Urb.) Urquiola -- Bissea 2(núm. espec.): 57. 2008 [Nov 2008]

Purified (Shodhit) *Calycolpus bolivarensis* Landrum -- Ann. Missouri Bot. Gard. 76: 930, fig. 1989 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus bolivarensis* Landrum -- Ann. Missouri Bot. Gard. 76(3): 930 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus calophyllus* O.Berg -- Fl. Bras. (Martius) 14(1): 412. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus calophyllus* (Kunth) O.Berg -- Linnaea 27: 381. 1854 [Jan 1856] in Mart., Fl. Bras. 14(1): 412. May 1857 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus calophyllus* var. *angustifolius* Steyerm. -- Ann. Missouri Bot. Gard. 71: 330. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus calophyllus* O.Berg var. *angustifolius* Steyerl. -- Ann. Missouri Bot. Gard. 71(1): 330 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus campomanesioides* (O.Berg) Mattos -- Arq. Bot. Estado Sao Paulo 4(2): 56 (1966). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus chnoiophyllus* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 148. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus chnoiophyllus* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 148. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus cochleatus* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 241 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus cochleatus* McVaugh -- Mem. New York Bot. Gard. 18 (2): 241. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus cordatus* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 152. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus cordatus* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 152. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus cristalense* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 5 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus excisus* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus excisus* (Urb.) Bisse (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus glaber* O.Berg -- Fl. Bras. (Martius) 14(1): 411. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus glaber* var. *angustilobus* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 153. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus goetheanus* O.Berg -- Fl. Bras. (Martius) 14(1): 412. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus gracilis* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 150. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus gracilis* (O.Berg) L.Riley (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus gracilis* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 150. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus kegelianus* O.Berg -- Linnaea 27: 381. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus kegelianus* var. *gracilis* O.Berg -- Linnaea 27: 382. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calycolpus kegelianus* var. *robustus* O.Berg -- Linnaea 27: 381. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus legrandii* Mattos -- Loefgrenia No. 5, 1 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus legrandii* Mattos -- Loefgrenia no. 5: [1]. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus lucens* (Alain) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus lucens* (Alain) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6. 1983 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus megalodon* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 149. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus megalodon* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 149. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus moritzianus* (O.Berg) Burret -- Repert. Spec. Nov. Regni Veg. 50: 57. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus moritzianus* (O.Berg) Burret -- Repert. Spec. Nov. Regni Veg. 50: 57. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus nipense* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus nipensis* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6. 1983 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus ovalifolius* O.Berg -- Linnaea 27: 379. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus parviflorus* Sagot -- Ann. Sci. Nat., Bot. sér. 4, 20: 181. 1885 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus parviflorus* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 181. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus piresianus* Mattos -- Loefgrenia 116: 1. 2001 [Sep 2001] ; nom. illeg.

Purified (Shodhit) *Calycolpus pyrifer* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 149. [20 Apr 1926] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus pyrifer* L.Riley -- Bull. Misc. Inform. Kew 1926(4): 149. [20 Apr 1926] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus reversus* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6. 1983 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus reversus* (Urb.) Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(1): 6 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus revolutus* O.Berg -- Linnaea 27: 383. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus roraimense* Kausel -- Lilloa 33: 98 (fig.). 1972 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus roraimensis* Steyerl. -- Fieldiana, Bot. 28: 1009. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus roraimensis* Kausel -- Lilloa 33(6): 98. 1972 [1971 publ. 1972] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus roraimensis* Steyerl. -- Fieldiana, Bot. xxviii. 1009 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus schomburgkianus* O.Berg -- Linnaea 27: 380. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus schomburgkianus* var. *recurvatus* O.Berg -- Linnaea 27: 380. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus schomburgkianus* var. *speciosus* O.Berg -- Linnaea 27: 380. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus sessiliflorus* Landrum -- Brittonia 60(3): 254 (-255; fig. 2). 2008 [30 Sep 2008]

Purified (Shodhit) *Calycolpus surinamensis* McVaugh -- Mem. New York Bot. Gard. 18(2): 245. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus surinamensis* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 245 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycolpus vitis-idaea* Greuter & R.Rankin -- Espermat. Cuba Invent. Prelim. XII. 2016 [5 Apr 2016]

Purified (Shodhit) *Calycolpus warscewiczianus* O.Berg -- Linnaea 27: 382. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes* O.Berg -- Linnaea 27: 136 (317). 1856 ["1854" publ. Jan 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes* O.Berg -- Linnaea 27: 317. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes* subgen. *Schizocalomyrtus* (Kausel) Mattos -- Loeftgrenia 99: 3 (1990):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes* subsect. *Subpaniculatae* Mattos -- Loeftgrenia 99: 4 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes* sect. *Tetrapetalae* Mattos -- *Loefgrenia* 99: 3 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes acutatus* (Miq.) Toledo -- *Rel. An. Inst. Bot. Sao Paulo* 1945: 40. [*Eugenia acutata*] Miq (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes acutatus* (Miq.) Toledo -- *Rel. An. Inst. Bot. S. Paulo* 1945, 40 (1945); cf. *Gray Herb. Card Cat.* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ambivalens* Sobral -- *Daphne* 3(4): 5 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes australis* D.Legrand -- *Sellowia* 13: 333. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calycorectes australis* D.Legrand -- Sellowia no. 13: 333. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes australis* D.Legrand var. *impresso-venosus* D.Legrand -- Sellowia no. 13: 334. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes batavorum* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 22: (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes batavorum* McVaugh -- Mem. New York Bot. Gard. 18(2): 221. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes belemii* Mattos -- Loefgrenia 106: 1 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes bergii* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 212. [27 Jun 1932] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes bergii* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 212. [27 Jun 1932] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes beruttii* Mattos -- Loefgrenia 94: 9 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes costatus* Mattos & D.Legrand -- Loefgrenia 67: 8. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes costatus* Mattos & D.Legrand -- Loefgrenia no. 67: 8 (-9). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes cubensis* Griseb. -- Cat. Pl. Cub. [Grisebach] 90. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes cubensis* Griseb. -- Cat. Pl. Cub. [Grisebach] 90. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes cucullatus* Mattos -- Loefgrenia 94: 10 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

\* Purified (Shodhit) *Calycorectes dardanoi* Mattos -- Loefgrenia 99: 1. 1990

Purified (Shodhit) *Calycorectes densiflorus* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes densiflorus* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes dominicanus* Mattos -- Loefgrenia 112: 1 (1998). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes duarteanus* D.Legrand -- Comun. Bot. Mus. Hist. Nat. Montevideo no. 51: 2, figs. 1,2. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes duarteanus* D.Legrand -- Comun. Bot. Mus. Hist. Nat. Montevideo 4(51): 2. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ekmanii* Urb. -- Symb. Antill. (Urban). 9(1): 110. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ekmanii* Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ekmanii* Urb. -- Symb. Antill. (Urban). 9(1): 110. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes enormis* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 223 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes enormis* McVaugh -- Mem. New York Bot. Gard. 18(2): 223. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ferrugineus* Mattos -- Loefgrenia 106: 2 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes fluminensis* Mattos -- Loefgrenia no. 62: [1], fig. 2. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes fluminensis* Mattos -- Loefgrenia 62: 1 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes grandifolius* O.Berg -- Linnaea 27: 317. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes guyanensis* Mattos -- Loefgrenia 108: 1 (1996). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes heringerianus* Mattos -- Loefgrenia 101: 1 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes langsdorffii* O.Berg -- Fl. Bras. (Martius) 14(1): 597. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes latifolius* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes latifolius* (Aubl.) O.Berg -- *Linnaea* 30: 701. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes legrandii* Mattos -- *Loefgrenia* no. 62: [1] (-2), fig. 3. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes legrandii* Mattos -- *Loefgrenia* 62: 1 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes lourteigiae* Mattos & D.Legrand -- *Loefgrenia* 67: 8. 1975 , as 'lourteigii' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes lourteigiae* Mattos & D.Legrand -- *Loefgrenia* 67: 8. 1975 , as 'lourteigii' (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes macrocalyx* Rusby -- *Mem. New York Bot. Gard.* vii. 313 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes macrocalyx* Rusby -- *Mem. New York Bot. Gard.* 7: 313. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes maracayuensis* Barb.Rodr. -- *Bull. Herb. Boissier* ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calycorectes maracayuensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes martianus* O.Berg -- Fl. Bras. (Martius) 14(1): 596. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes maximus* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 224 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes maximus* McVaugh -- Mem. New York Bot. Gard. 18(2): 224. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes mexicanus* O.Berg -- Linnaea 27: 318. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes minutifolius* Mattos -- *Loefgrenia* 113: 1 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes moana* Borhidi & O.Muñiz -- *Acta Bot. Acad. Sci. Hung.* 21(3-4): 225. 1976 [1975 publ. 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes moanus* Borhidi & O.Muñiz -- *Acta Bot. Acad. Sci. Hung.* 21: 225. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes moanus* Borhidi & O.Muñiz -- *Acta Bot. Acad. Sci. Hung.* 21: 225. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes orlandoi* Mattos -- *Loefgrenia* 102: 1 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes ovigerus* (Brongn. & Gris) Guillaumin -- Bull. Mus. Natl. Hist. Nat. 25: 503. 1919 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes paraguayensis* Mattos -- Loefgrenia no. 62: 2, fig. 1. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes paraguayensis* Mattos -- Loefgrenia 62: 2 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes paranaensis* Mattos -- Loefgrenia 102: 2 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes pirataquinensis* Mattos -- Loefgrenia 107: 1 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes pohlianus* (O.Berg) Benth. ex Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes pohlianus* Kiaersk. -- Enum. Myrt. Bras. 117. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes pohlianus* Kiaersk. -- Enum. Myrt. Bras. (1893) 117. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes protractus* Griseb. -- Cat. Pl. Cub. [Grisebach] 284. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes protractus* Griseb. -- Cat. Pl. Cub. [Grisebach] 284. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes psidiiflorus* (O.Berg) Sobral -- Candollea 40: 636. 1985 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes psidiiflorus* (O.Berg) Sobral -- Candollea 40(2): 636 (1985):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes psidiiflorus* (O.Berg) Sobral var. *legrandii* (Mattos) Mattos -- Loefergrenia 102: 3 (1993):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes psidiiflorus* (O.Berg) Sobral var. *schultzeanus* (Mattos) Mattos -- Loefergrenia 108: 2 (1996):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes psidiiflorus* (O.Berg) Sobral var. *triflorus* Mattos -- Loefergrenia 102: 3. 1993 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes riedelianus* O.Berg -- Fl. Bras. (Martius) 14(1): 596. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes riedelianus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes rodriguesii* Mattos & D.Legrand -- Loefgrenia 67: 9. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes rodriguesii* Mattos & D.Legrand -- Loefgrenia no. 67: 9. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes rogersianus* Mattos -- Loefgrenia 112: 2 (1998). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes rubiginosus* Guillaumin -- Notul. Syst. (Paris) 2: 131. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes schottianus* O.Berg -- Fl. Bras. (Martius) 14(1): 357. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes schultzeanus* Mattos -- Loeftgrenia 101: 2 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes sellowianus* O.Berg -- Fl. Bras. (Martius) 14(1): 356. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes striatulus* Mattos -- Loeftgrenia 94: 9 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes teixeireanus* Mattos -- *Loefgrenia* 109: 1 (1996). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes widgrenianus* Nied. -- *Nat. Pflanzenfam.* [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes widgrenianus* Nied. -- *Nat. Pflanzenfam.* [Engler & Prantl] iii. 7. (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes wurdackii* McVaugh -- *Mem. New York Bot. Gard.* xviii. No. 2, 225 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes wurdackii* McVaugh -- *Mem. New York Bot. Gard.* 18(2): 225. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calycorectes yatuae* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 226 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycorectes yatuae* McVaugh -- Mem. New York Bot. Gard. 18(2): 226. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix* Meisn. -- 2 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix* Meisn. -- Plantarum Vascularium Genera 1 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix* Meisn. -- Pl. Vasc. Gen. [Meisner] 107 (1837). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Brachychaetae* Nied. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Calycotrix* Meisn. -- Transactions of the Philosophical Institute of Victoria 3 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Coilosiphon* F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Lhotskya* (Schauer) F.Muell. -- Transactions of the Philosophical Institute of Victoria 3 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Macrochaetae* Nied. -- Die Nat?rlichen Pflanzenfamilien 3(7) 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* sect. *Pterosiphon* F.Muell. -- *Fragmenta Phytographiae Australiae* 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* *achaeta* F.Muell. -- *Transactions of the Philosophical Institute of Victoria* 3 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* *angulata* (Lindl.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Mytacearum Xerocarpicarum* (Feb.-Nov. 1843) 104 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* *arborescens* F.Muell. -- *Transactions of the Philosophical Institute of Victoria* 3 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix* *asperula* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix aurea* (Lindl.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 106 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix baueri* Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 109 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix behriana* Schltdl. -- *Linnaea* 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix billardiarei* Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 93 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix birdii* F.Muell. -- *Fragmenta Phytographiae Australiae* 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix brachychaeta* F.Muell. -- Transactions of the Philosophical Institute of Victoria 3 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix brachyphylla* Turcz. -- Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix brevifolia* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix breviseta* (Lindl.) Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19 Suppl. 2 1841 = Monographia Myrtacearum Xerocarpicarum (Feb.-Nov. 1843) 99 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix brownii* Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 108 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix brownii* Schauer -- *Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur.* 19(Suppl. 2): 260. 1841

Purified (Shodhit) *Calycothrix brunioides* (A.Cunn.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 97 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix candolleana* Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 92 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix ciliata* Turcz. -- *Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou* 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix conanthera* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix conferta* (A.Cunn.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 88 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix creswellii* F.Muell. -- *Fragmenta Phytographiae Australiae* 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix cupressifolia* (A.Rich.) Stapf -- *Index Londinensis* 1 1929 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix cupressoides* (A.Rich.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 118 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix curtophylla* (A.Cunn.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 90 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix cuspidata* Turcz. -- *Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou* 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix decandra* (DC.) F.Muell. -- *Systematic Census of Australian Plants* 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix depressa* Turcz. -- *Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou* 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix diversifolia* Turcz. -- *Bulletin de la Classe Physico-Math?matique de l'Acad?mie Imp?riale des Sciences de Saint-P?tersbourg* 10 1852 = *Myrtacearum*



Xerocarpicae in Nova Hollandiae ... (1852) 403 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix drummondii* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix empetroides* Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19 Suppl. 2 1841 = Monographia Myrtacearum Xerocarpicarum (Feb.-Nov. 1843) 102 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix flavescens* (A.Cunn.) Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19 Suppl. 2 1841 = Monographia Myrtacearum Xerocarpicarum (Feb.-Nov. 1843) 105 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix fraseri* (A.Cunn.) Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19 Suppl. 2 1841 = Monographia Myrtacearum Xerocarpicarum (Feb.-Nov. 1843) 98 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glabra* (R.Br.) Hook.f. -- Flora Tasmaniae 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glabra* var. *ciliata* Hook.f. -- Flora Tasmaniae 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glabra* var. *glaberrima* Hook.f. -- Flora Tasmaniae 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glabra* var. *glabra* (R.Br.) Hook.f. -- Flora Tasmaniae 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glabra* var. *virgata* (A.Cunn.) Hook.f. -- Flora Tasmaniae 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix glutinosa* (Lindl.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 91 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix gracilis* (Benth.) F.Muell. -- *Systematic Census of Australian Plants* 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix granulosa* (Benth.) F.Muell. -- *Systematic Census of Australian Plants* 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix laricina* (Benth.) F.Muell. -- *Second Systematic Census of Australian Plants* 1889 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix lasiantha* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix lasiostachya* F.Muell. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix leptophylla* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix leschenaultii* Schauer -- Plantae Preissianae 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix leucantha* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix longifolia* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix luteola* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix megaphylla* F.Muell. -- 1 1859 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix megaphylla* F.Muell. -- *Fragmenta Phytographiae Australiae* 1 1858 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix microphylla* Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 89 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix monticola* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix muelleri* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix muricata* F.Muell. -- Fragmenta Phytographiae Australiae 1 1858 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix oldfieldii* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix plumulosa* F.Muell. -- Fragmenta Phytographiae Australiae 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix puberula* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix pulchella* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 403 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix rosea* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix rosea* Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix sapphirina* (Lindl.) Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19 Suppl. 2 1841 = Monographia Myrtacearum *Xerocarpicarum* (Feb.-Nov. 1843) 103 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix scabra* (DC.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 96 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix scabra* var. *minor* Schltdl. -- *Linnaea* 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix scabra* var. *scabra* (DC.) Schauer -- *Linnaea* 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix schlechtendalii* Miq. -- *Nederlandsch Kruidkundig Archief* 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix simplex* (Lindl.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia*



Myrtacearum Xerocarpicarum (Feb.-Nov. 1843) 101 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix squarrosa* Miq. -- *Nederlandsch Kruidkundig Archief* 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix strigosa* (A.Cunn.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 108 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix sullivanii* F.Muell. ex Sullivan -- in *Rep. Austral. Assoc. Advanc. Sc.* (1896) 507, nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycothrix sullivanii* F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix tenella* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix tenuifolia* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix tenuiramea* Turcz. -- Bulletin de la Societe Imperiale des Naturalistes de Moscou 22(2) 1849 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix tetragona* (Labill.) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix tetragonophylla* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix variabilis* (Lindl.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 100 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix virgata* (A.Cunn.) Schauer -- *Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum* 19 Suppl. 2 1841 = *Monographia Myrtacearum Xerocarpicarum* (Feb.-Nov. 1843) 95 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix watsonii* F.Muell. & Tate -- *Trans. Proc. & Rep. Roy. Soc. South Australia* xvi. 355. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calycotrix watsonii* F.Muell. & Tate -- *Transactions of the Royal Society of South Australia* 16 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypthranthes* Raeusch. -- *Nomencl. Bot.* [Raeusch.] ed. 3, 144. 1797 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes* Sw. -- Prodr. [O. P. Swartz] 5 (79). 1788 [20 Jun-29 Jul 1788] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes* Sw. -- Nova Genera & Species Plantarum seu Prodr. 1788 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes* Sw. -- Prodr. [O. P. Swartz] 79 (1788). [20 Jun-29 Jul 1788] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acevedoi* Alain -- Phytologia 61(6): 353 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acevedoi* Alain -- Phytologia 61: 353 (-354). 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acunae* Borhidi & O.Muñiz -- Bot. Közlem. 64(1): 13. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acunae* Borhidi & O.Muñiz -- Bot. Közlem. 64: 13. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acutissima* Urb. -- Symb. Antill. (Urban). 6(1): 22. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes acutissima* Urb. -- Symb. Antill. (Urban). 6(1): 22. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes aequatoriensis* M.L.Kawas. -- Harvard Pap. Bot. 15(1): 107 (-108; fig. 1). 2010 [Jun 2010]

Purified (Shodhit) *Calyptanthes affinis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes affinis* O.Berg -- Fl. Bras. (Martius) 14(1): 43. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes aguilarii* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 128. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes aguilarii* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 128. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes albicans* Borhidi -- Bot. Közlem. 64(1): 18. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes albicans* Borhidi -- Bot. Közlem. 64: 18. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes amarulenta* B.Holst -- Novon 9(4): 517 (-519, fig. 1). 1999 [30 Dec 1999] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes amarulenta* B.Holst -- Novon 9(4): 517. 1999 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes amoena* Pilg. -- Bot. Jahrb. Syst. 30(2): 168. 1901 [2 Jul 1901] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes amoena* Pilg. -- Bot. Jahrb. Syst. 30(2): 178. 1901 [2 Jul 1901] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ampliflora* M.L.Kawas. -- Harvard Pap. Bot. 15(1): 108 (-109; fig. 2). 2010 [Jun 2010]

Purified (Shodhit) *Calyptranthes amshoffae* McVaugh -- Mem. New York Bot. Gard. 10: 70. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes amshoffae* McVaugh -- Mem. New York Bot. Gard. x. No. 1. 70 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes anacletoi* Borhidi & O.Muñiz -- Bot. Közlem. 64(1): 15. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes anacletoi* Borhidi & O.Muñiz -- Bot. Közlem. 64: 15. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes anceps* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its



compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes anceps* O.Berg -- Fl. Bras. (Martius) 14(1): 40. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes anguerana* Sobral & Ibrahim -- Phytotaxa 224(3): 202. 2015 [2 Sep 2015] [epublished]

Purified (Shodhit) *Calyptranthes angustifolia* Kiaersk. -- Enum. Myrt. Bras. 42, pl. 4, fig. a-e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes angustifolia* Kiaersk. -- Enum. Myrt. Bras. (1893) 42. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes apicata* Urb. -- Symb. Antill. (Urban). 9(4): 482. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus apicata* (C.Wright ex Griseb.) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus apicata* Urb. -- Symb. Antill. (Urban). 9(4): 482. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus apoda* McVaugh -- Mem. New York Bot. Gard. 10(1): 70 (-71). 1958 [1 Jul 1958] ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus apoda* McVaugh (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus apoda* McVaugh -- Mem. New York Bot. Gard. x. No. 1. 70 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes apoda* Urb. -- Symb. Antill. (Urban). 9(1): 96. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes apoda* Urb. -- Symb. Antill. (Urban). 9(1): 96. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes arachnicola* Sobral & M.C.Souza -- Phytotaxa 253(1): 58. 2016 [21 Mar 2016] [epublished]

Purified (Shodhit) *Calyptranthes arborea* Urb. & Ekman -- Ark. Bot. 21A(5): 27. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes arborea* Urb. & Ekman -- Ark. Bot. 21A(5): 27. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes arenicola* Urb. -- Symb. Antill. (Urban). 9(4): 478. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes arenicola* Urb. -- Symb. Antill. (Urban). 9(4): 478. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes aromatica* A.St.-Hil. -- Pl. Us. Bras. fasc. iii. t. 14. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes aromatica* Blume -- Bijdr. Fl. Ned. Ind. 17: 1092. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes aromatica* A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes axillaris* O.Berg -- Fl. Bras. (Martius) 14(1): 53. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes axillaris* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes banilejoana* Alain -- *Phytologia* 61(6): 354 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes banilejoana* Alain -- *Phytologia* 61: 354. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes baracoensis* Borhidi -- *Bot. Közlem.* 64: 14. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes baracoensis* Borhidi -- *Bot. Közlem.* 64(1): 14. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes barkeri* Ekman & Urb. -- Ark. Bot. 22A(10): 32. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes barkeri* Ekman & Urb. -- Ark. Bot. 22A, no. 10: 32. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes barkeri* Ekman, Urb. & Urb. -- Ark. Bot. 24A(4): 23, descr. ampl. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bartlettii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 136. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bartlettii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 136. 1932 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus belizensis* (Standl.) Lundell -- Phytologia 1: 218. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus belizensis* (Standl.) Lundell -- Phytologia i. 218 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bergii* Krug & Urb. ex Urb. -- Bot. Jahrb. Syst. 19(5): 601. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bergii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 601. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bialata* Urb. -- Symb. Antill. (Urban). 9(1): 95. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bialata* Urb. -- Symb. Antill. (Urban). 9(1): 95. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes biconvexa* M.C.Souza & Sobral -- Phytotaxa 253(1): 60. 2016 [21 Mar 2016] [epublished]

Purified (Shodhit) *Calyptranthes bimarginata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bimarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 543. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bipennis* O.Berg -- Linnaea 31: 248 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes bipennis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes blanchetiana* O.Berg -- Fl. Bras. (Martius) 14(1): 40. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes blanchetiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes boanoba* Sobral -- Phytotaxa 50: 20 (-22; fig. 1). 2012 [17 Apr 2012] [epublished]

Purified (Shodhit) *Calyptranthes boldinghii* Urb. -- Symb. Antill. (Urban). 6(1): 22. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus boldinghii* Urb. -- Symb. Antill. (Urban). 6(1): 22. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bracteata* M.L.Kawas. & B.Holst -- Brittonia 46: 137. 1994 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bracteata* M.L.Kawas. & B.Holst -- Brittonia 46(2): 137 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bracteosa* Urb. & Ekman -- Ark. Bot. 21A(5): 26. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus bracteosa* Urb. & Ekman -- Ark. Bot. 21A(5): 26. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* Spreng. -- Syst. Veg., ed. 16 [Sprengel] 2: 499. 1825 [Jan-May 1825] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* Spreng. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* var. *densa* O.Berg -- Fl. Bras. (Martius) 14(1): 41. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* var. *laxa* O.Berg -- Fl. Bras. (Martius) 14(1): 42. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* Spreng. var. *mutabilis* (O.Berg) D.Legrand in Reitz -- Fl. Illustr. Catarin. 516. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* var. *mutabilis* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. [Mirt]: 516. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brasiliensis* Spreng. var. *mutabilis* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 516. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brevispicata* McVaugh -- Fieldiana, Bot. xxix. 181 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes brevispicata* McVaugh -- Fieldiana, Bot. 29: 181. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes buchenavioides* Parra-Os. -- Novon 14(2): 210 (-211; fig. 1). 2004 [4 Jun 2004]

Purified (Shodhit) *Calyptranthes bullata* DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus calderonii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 4: 318. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus calderonii* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 4: 318. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus calophylla* Urb. & Ekman -- Ark. Bot. 22A(10): 28. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus calophylla* Urb. & Ekman -- Ark. Bot. 22A(10): 28. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus calyptrata* Griseb. -- Pl. Wright. (Grisebach) 1: 181. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration

purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus canaliculata* McVaugh -- Mem. New York Bot. Gard. 10: 71. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus canaliculata* McVaugh -- Mem. New York Bot. Gard. x. No. 1, 71 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus canapensis* Urb. -- Symb. Antill. (Urban). 9(4): 484. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus canapensis* Urb. -- Symb. Antill. (Urban). 9(4): 484. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus capitata* Proctor -- J. Arnold Arbor. 63(3): 272 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus capitata* Proctor -- J. Arnold Arbor. 63: 272. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus capitellata* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3560 B. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus capitulata* var. *caroli* (Britton & P.Wilson) Borhidi & O.Muñiz - Bot. Közlem. 62(1): 26. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus capitulata* var. *caroli* (Britton) Borhidi & O.Muñiz (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes capitulata* var. *caroli* (Britton & P.Wilson) Borhidi & O.Muñiz - Bot. Közlem. 62: 26. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes carangola* Sobral & Leoni -- Phytotaxa 253(1): 60. 2016 [21 Mar 2016] [epublished]

Purified (Shodhit) *Calyptranthes cardiophylla* Urb. -- Symb. Antill. (Urban). 9(1): 96. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cardiophylla* Urb. -- Symb. Antill. (Urban). 9(1): 96. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes carinata* M.L.Kawas. & B.Holst -- Harvard Pap. Bot. 14(1): 3 (-5; fig. 1). 2009 [Jun 2009]

Purified (Shodhit) *Calyptranthes caroli* Britton & P.Wilson -- Mem. Torrey Bot. Club 16(2): 87. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptanthus caroli* Britton & P. Wilson -- Mem. Torrey Bot. Club xvi. 87 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus caroli* var. *longipedunculata* Moldenke -- Phytologia 2: 215. 1947 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus caryophyllata* Pers. -- Syn. Pl. [Persoon] 2(1): 32. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus caryophyllifolia* (Lam.) Willd. -- Ann. Bot. (Usteri) 17: 22. 1796 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus caudata* Gardner (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus caudata* Gardner -- London J. Bot. 4: 102. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus cephalantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus cephalantha* O.Berg -- Fl. Bras. (Martius) 14(1): 46. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chiapensis* Lundell -- Contr. Univ. Michigan Herb. 7: 28. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chiapensis* Lundell -- Contr. Univ. Michigan Herb. No. 7, 28 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes chrysophylloides* Urb. & Ekman -- Ark. Bot. 22A(10): 31. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes chrysophylloides* Urb. & Ekman -- Ark. Bot. 22A(10): 31. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes chrysophylloides* var. *minor* Urb. & Ekman -- Ark. Bot. 22A(10): 31. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes chytraculia* Sw. -- Prodr. [O. P. Swartz] 79. 1788 [20 Jun-29 Jul 1788] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes chytraculia* var. *americana* McVaugh -- Fieldiana, Bot. 29: 404. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chytraculia* var. *genuina* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chytraculia* var. *ovalis* O.Berg -- Linnaea 27: 27. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chytraculia* var. *pauciflora* O.Berg -- Linnaea 27: 27. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chytraculia* var. *trichotoma* O.Berg -- Linnaea 27: 27. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus chytraculia* var. *zuzygium* (L.) O.Berg -- Linnaea 27: 28. 1854 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clarendonensis* Proctor -- *Rhodora* lx. 323 (1959). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clarendonensis* Proctor -- *Rhodora* 60: 323. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clarensis* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 87 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clarensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 87. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clementis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 87. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clementis* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 87 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clusiifolia* (Miq.) O.Berg -- Fl. Bras. (Martius) 14(1): 39. 1857 [15 May 1857] , as '*clusiaefolia*' (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clusiifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 39. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus clusiifolia* (Miq.) O.Berg var. *cordifolia* D.Legrand -- Lilloa 31: 193. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus collina* Urb. -- Ark. Bot. 20A, no. 5: 22. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes collina* Urb. -- Ark. Bot. 20A(5): 22. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes compactiflora* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(1): 123 (-125; fig. 1). 2009 [15 Jul 2009]

Purified (Shodhit) *Calyptranthes compressa* Urb. -- Repert. Spec. Nov. Regni Veg. 18: 367. 1922 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes compressa* Urb. -- Repert. Spec. Nov. Regni Veg. 18: 367. 1922 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes concinna* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes concinna* DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus concinna* DC. var. *glomerata* (Cambess.) D.Legrand -- Sellowia no. 13: 286. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus concinna* DC. var. *pauлистana* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 543, nom. illegit. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus concinna* var. *pauлистana* D.Legrand -- Fl. Illustr. Catarin. [Mirt]: 543, fig. 158. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus conduplicata* B.Holst -- Selbyana 23(2): 137 (-138; fig. 1). 2002 [28 Dec 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus conduplicata* B.Holst -- Selbyana 23(2): 137 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.



and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes contrerasii* Lundell -- *Wrightia* ii. 205 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes contrerasii* Lundell -- *Wrightia* 2: 205. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cordata* O.Berg -- Fl. Bras. (Martius) 14(1): 48. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cordata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cordifolia* Moon -- Cat. Pl. Ceylon. 39. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes corticosa* Sobral & M.A.D.Souza -- *Phytotaxa* 238(3): 202. 2015 [16 Dec 2015] [epublished]

Purified (Shodhit) *Calyptranthes corymbosa* Blume -- *Flora* 7(1:19): 291. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes corymbosa* Blume -- *Bijdr. Fl. Ned. Ind.* 17: 1091. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes costaricensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes costaricensis* O.Berg -- *Linnaea* 27: 20. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes costata* Buch.-Ham. -- Numer. List [Wallich] n. 3556. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes crebra* McVaugh -- Fieldiana, Bot. 29: 181. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes crebra* McVaugh -- Fieldiana, Bot. xxix. 181 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cristalensis* Borhidi -- Bot. Közlem. 64(1): 16. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cristalensis* Borhidi -- Bot. Közlem. 64: 16. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cubensis* O.Berg -- Linnaea 29: 215. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cubensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cumini* Pers. -- Syn. Pl. [Persoon] 2(1): 32. 1806 [Nov 1806] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuminodora* Stokes -- Bot. Mat. Med. iii. 67. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuneata* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3557. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuneifolia* Lundell -- Amer. Midl. Naturalist 29: 478. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuneifolia* Lundell -- Amer. Midl. Naturalist xxix. 478 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuprea* O.Berg -- Linnaea 30: 653. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes cuprea* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes curta* Sobral & O.T.Aguiar -- Phytotaxa 50: 22 (-24; fig. 2). 2012 [17 Apr 2012] [epublished]

Purified (Shodhit) *Calyptranthes cuspidata* Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus cuspidata* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus danca* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3560. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus dardanoi* Mattos -- Loefergrenia 99: 1 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus decandra* Griseb. -- Pl. Wright. (Grisebach) 1: 181. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus densa* DC. -- Prodr. [A. P. de Candolle] 3: 257. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes densiflora* Poepp. ex O.Berg -- *Linnaea* 27: 30. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes densiflora* Poepp. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes densifolia* Urb. & Ekman -- *Ark. Bot.* 20A(5): 23. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes densifolia* Urb. & Ekman -- *Ark. Bot.* 20A(5): 23. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes depressa* Urb. -- *Ark. Bot.* 24A, no. 4: 23. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes depressa* Urb. -- Ark. Bot. 24A(4): 23. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes detecta* Sobral & M.C.Souza -- Phytotaxa 50: 24 (-26; fig. 3). 2012 [17 Apr 2012] [published]

Purified (Shodhit) *Calyptranthes dichotoma* Casar. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dichotoma* Casar. -- Decad. Nov. Stirp. Bras. v. 47. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes discolor* Urb. -- Symb. Antill. (Urban). 5(3): 443. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptranthes discolor* Urb. -- Symb. Antill. (Urban). 5(3): 443. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dryadica* M.L.Kawas. -- Novon 8: 386 (386-387, fig. 1). 1998 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dryadica* M.L.Kawas. -- Novon 8(4): 386. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dumetorum* Alain -- Bull. Torrey Bot. Club 92: 298. 1965 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dumetorum* Alain -- Bull. Torrey Bot. Club xcii. 298 (1965). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dusenii* Kausel -- Lilloa 33: 98, fig. 1972 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes dusenii* Kausel -- Lilloa 33(6): 98. 1972 [1971 publ. 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ekmanii* Urb. & Urb. -- Ark. Bot. 24A(4): 26, descr. ampl. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ekmanii* Urb. -- Ark. Bot. 22A(10): 32. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ekmanii* Urb. -- Ark. Bot. 22A, no. 10: 32. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes elegans* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 599. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes elegans* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 599. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes elegans* Krug & Urb. var. *hahnii* (Krug & Urb.) Stehlé (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes elliptica* B.Holst & M.L.Kawas. -- Selbyana 25(1): 87 (-89; fig. 1). 2004 [20 Sep 2004]

Purified (Shodhit) *Calyptranthes elongata* Urb. -- Symb. Antill. (Urban). 9(1): 94. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes elongata* Urb. -- Symb. Antill. (Urban). 9(1): 94. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes enneantha* C.Wright -- Fl. Cub. (Sauvalle) 40. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes enneantha* C.Wright -- Anales Acad. Ci. Med. Habana 5: 429. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes eriocephala* Urb. -- Symb. Antill. (Urban). 7(2): 297. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes eriocephala* Urb. -- Symb. Antill. (Urban). 7(2): 297. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus eriopoda* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus eriopoda* DC. -- Prodr. [A. P. de Candolle] 3: 257. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus ermitensis* Borhidi -- Bot. Közlem. 64(1): 15. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus ermitensis* Borhidi -- Bot. Közlem. 64: 15 (-16). 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus estoraquensis* Parra-Os. -- Novon 14(2): 211 (-213; fig. 2). 2004 [4 Jun 2004]

Purified (Shodhit) *Calyptanthus estremenae* Alain -- Phytologia 58: 325(-326). 1985 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes estremae* Alain -- *Phytologia* 58(5): 325 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes eugenioides* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes eugenioides* Seem. -- Fl. Vit. [Seemann] 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes eugenioides* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 370. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes eugenioides* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus eugeniopsoides* D.Legrand & Kausel -- Lilloa xxxi. 194 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus eugeniopsoides* Kausel & D.Legrand -- Lilloa 31: 194, f. 1. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus euryphylla* Standl. -- Contr. U.S. Natl. Herb. 23: 1034. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus euryphylla* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1034 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus exasperata* Borhidi -- Bot. Közlem. 64(1): 17. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes exasperata* Borhidi -- Bot. Közlem. 64: 17 (-18). 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fasciculata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fasciculata* O.Berg -- Linnaea 27: 31. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fasciculata* O.Berg var. *genuina* Stehlé & Quentin -- Fl. Guadeloupe Dépend. & Martinique 2(3): 62. 1949 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fasciculata* O.Berg var. *hahnii* (Krug & Urb.) Stehlé in Stehlé & Quentin -- Fl. Guadeloupe Dépend. & Martinique 2(3): 62. 1949 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:



Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fastigiata* O.Berg -- Fl. Bras. (Martius) 14(1): 50. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fastigiata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fastigiata* Blume -- Bijdr. Fl. Ned. Ind. 17: 1090. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fawcettii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 600. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fawcettii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 600. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ferruginea* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 602. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ferruginea* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 602. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ferruginea* (A.Rich.) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ferruginea* Krug & Urb. var. *cajalbanica* Borhidi & O.Muñiz -- Bot. Közlem. 64(1): 14. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ferruginea* var. *cajalbanica* Borhidi & O.Muñiz -- Bot. Közlem. 64: 14. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes flavoviridis* Urb. -- Symb. Antill. (Urban). 9(4): 477. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes flavoviridis* Urb. -- Symb. Antill. (Urban). 9(4): 477. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes floribunda* Blume -- Bijdr. Fl. Ned. Ind. 17: 1091. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes florifera* McVaugh -- Mem. New York Bot. Gard. 10: 72. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus florifera* McVaugh -- Mem. New York Bot. Gard. x. No. 1, 72 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fluviatilis* Lundell -- Bull. Torrey Bot. Club 1937, lxiv. 553. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus fluviatilis* Lundell -- Bull. Torrey Bot. Club 64: 553. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus forsteri* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus forsteri* O.Berg -- Linnaea 27: 23. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fragrans* Ruiz ex O.Berg -- Linnaea 27: 20. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fusca* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(1): 125 (fig. 2). 2009 [15 Jul 2009]

Purified (Shodhit) *Calyptranthes fusiformis* M.L.Kawas. -- Brittonia 48(4): 508. 1997 [1996 publ. 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes fusiformis* M.L.Kawas. -- Brittonia 48: 508, fig. 1996 [23 Jan 1997] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes garciae* Alain & M.M.Mejía -- Moscosoa 9: 8, fig. 1997 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes garciae* Alain & M.M.Mejía -- Moscosoa 9: 8 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes gigantifolia* McVaugh -- Fieldiana, Bot. xxix. 181 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes gigantifolia* McVaugh -- Fieldiana, Bot. 29: 181. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glabrescens* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 596. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glabrescens* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 596. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glandulosa* M.L.Kawas. & B.Holst -- Sida 21(4): 1955 (-1957; fig. 1). 2005 [21 Dec 2005]

Purified (Shodhit) *Calyptranthes glazioviana* Kiaersk. -- Enum. Myrt. Bras. (1893) 35. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glazioviana* Kiaersk. -- Enum. Myrt. Bras. 35, pl. 13, fig. g. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glomerata* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes glomerata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 371. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes gracilipes* C.Wright -- Fl. Cub. (Sauvage) 39. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes gracilipes* C.Wright -- *Anales Acad. Ci. Med. Habana* 5: 428. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grammica* (Spreng.) D.Legrand -- *Lilloa* xxxi. 196 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grammica* (Spreng.) D.Legrand -- *Lilloa* 31: 196. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grammica* var. *triflora* (O.Berg) Mattos -- *Loefgrenia* 32: [2]. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grandiflora* O.Berg -- *Fl. Bras. (Martius)* 14(1): 542. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptanthus grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 48. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 48. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus grandifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus grandifolia* O.Berg var. *macrantha* D.Legrand -- Lilloa 31: 196. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus grandifolia* var. *rufa* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. [Mirt]: 515. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grandifolia* O.Berg var. *rufa* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 515. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grandis* Urb. & Ekman -- Ark. Bot. 24A(4): 20. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grandis* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3554. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes grandis* Urb. & Ekman -- Ark. Bot. 24A(4): 20. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes guanacastensis* N.Zamora, S.Y.Kim & R.Espinoza -- Phytoneuron 2016-65: 2. [29 Sep 2016] [epublished]

Purified (Shodhit) *Calyptranthes guayabillo* Alain -- Phytologia 61(6): 354 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes guayabillo* Alain -- *Phytologia* 61: 354. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes guineensis* Willd. -- *Sp. Pl.*, ed. 4 [Willdenow] 2(2): 974. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hatschbachii* D.Legrand -- *Comun. Bot. Mus. Hist. Nat. Montevideo* 3(35): [1], tab. 1. 1959 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hatschbachii* D.Legrand -- *Comun. Bot. Mus. Hist. Nat. Montevideo* iii. No. 35, 1 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus heineriana* Kausel -- Lilloa 33(6): 99. 1972 [1971 publ. 1972] , as 'heineriana'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus heineriana* Kausel -- Lilloa 33: 99. 1972 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus hernandezii* McVaugh -- Fieldiana, Bot. 29: 404. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus hernandezii* McVaugh -- Fieldiana, Bot. xxix. 404 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus heterochroa* Urb. -- Symb. Antill. (Urban). 9(1): 91. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes heterochroa* Urb. -- Symb. Antill. (Urban). 9(1): 91. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes heteroclada* Urb. & Ekman -- Ark. Bot. 24A(4): 21. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes heteroclada* Urb. & Ekman -- Ark. Bot. 24A(4): 21. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hintonii* Lundell -- Wrightia ii. 166 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hintonii* Lundell -- Wrightia 2: 166. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hondurensis* Standl. -- J. Arnold Arbor. 1930, xi. 36. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hondurensis* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 4: 318. 1929 Journ. Arnold Arb. 11: 36. 1930. Honduras (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hotteana* Urb. & Ekman -- Ark. Bot. 21A(5): 24. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hotteana* Urb. & Ekman -- Ark. Bot. 21A(5): 24. 1927; et in Ark. Bot. xxii.A. No. 10, 29 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes hylobates* Standl. ex Amshoff -- Ann. Missouri Bot. Gard. 45: 169. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus hylobates* Standl. ex Amshoff -- Ann. Missouri Bot. Gard. xlv. 169 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus impressa* Urb. -- Symb. Antill. (Urban). 5(3): 442. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus impressa* Urb. -- Symb. Antill. (Urban). 5(3): 442. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus insularis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(2): 5 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus insularis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(2): 5. 1983 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypttranthes involucrata* Urb. & Ekman -- Ark. Bot. 24A(4): 24. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypttranthes involucrata* Urb. & Ekman -- Ark. Bot. 24A(4): 24. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypttranthes iraiensis* Mattos -- Loefgrenia No. 10, 2 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypttranthes irregularis* Sobral, M.A.D.Souza & Luize -- Phytotaxa 219(2): 165. 2015 [8 Jul 2015] [epublished]

Purified (Shodhit) *Calypttranthes ishoaquinicca* M.L.Kawas. & B.Holst -- Sida 21(4): 1957 (-59; fig. 2). 2005 [21 Dec 2005]

Purified (Shodhit) *Calypttranthes izabalana* Lundell -- Wrightia 4(4): 142. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptranthes izabalana* Lundell -- *Wrightia* 4: 142. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes jambolana* Willd. -- *Ann. Bot. (Usteri)* 17: 23. 1796 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes jambolana* Moon -- *Cat. Pl. Ceylon*. 39. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes jambolifera* Stokes -- *Bot. Mat. Med.* iii. 68. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes jefensis* B.Holst & M.L.Kawas. -- *Selbyana* 25(1): 89 (-90; fig. 2). 2004 [20 Sep 2004]

Purified (Shodhit) *Calyptranthes jimenoana* Alain -- *Phytologia* 61: 355. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes jimenoana* Alain -- *Phytologia* 61(6): 355 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes johnstonii* McVaugh -- *Fieldiana, Bot.* 29: 405. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes johnstonii* McVaugh -- *Fieldiana, Bot.* xxix. 405 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes karlingii* Standl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 8: 29. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes karlingii* Standl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 8: 29. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes karwinskyana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes karwinskyana* O.Berg -- Linnaea 29: 214. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes kiaerskovii* Krug & Urb. -- Symb. Antill. (Urban). 1(1): 43. 1898 [6 Nov 1898] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes killipii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 93. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes killipii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 93. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes kleinii* D.Legrand -- Lilloa xxxi. 197 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes kleinii* D.Legrand -- Lilloa 31: 197. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes krugii* Kiaersk. -- Bot. Tidsskr. 17: 248, t. 11 c. et fig. 1. 1889 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes krugii* Kiaersk. -- Bot. Tidsskr. 17: 248, pl. 11 C. 1889 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus krugioides* McVaugh -- Fieldiana, Bot. 29: 182. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus krugioides* McVaugh -- Fieldiana, Bot. xxix. 182 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus laevigata* Urb. & Ekman -- Ark. Bot. 24A(4): 21. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus laevigata* Urb. & Ekman -- Ark. Bot. 24A(4): 21. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lanceolata* O.Berg -- Fl. Bras. (Martius) 14(1): 51. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lanceolata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lanceolata* var. *catharinensis* D.Legrand -- Lilloa 31: 198. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lanceolata* O.Berg var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 540. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes langsdorffii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes langsdorffii* O.Berg -- Fl. Bras. (Martius) 14(1): 539. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes langsdorffii* var. *grandiflora* Kiaersk. -- Enum. Myrt. Bras. 43. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes langsdorffii* var. *macrophylla* Kiaersk. -- Enum. Myrt. Bras. 43. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lateriflora* DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lateriflora* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes latifolia* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 2. 43. 1811 [23 Oct 1811] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus laxiflorus* Blume -- Bijdr. Fl. Ned. Ind. 17: 1090. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus leonis* Borhidi & O.Muñiz -- Bot. Közlem. 64(1): 17. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus leonis* Borhidi & O.Muñiz -- Bot. Közlem. 64: 17. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lepida* McVaugh -- Mem. New York Bot. Gard. 18(2): 73. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lepida* McVaugh -- Mem. New York Bot. Gard. xviii. No. a, 73 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptanthus leptoclada* Urb. -- Symb. Antill. (Urban). 9(1): 93. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus leptoclada* Urb. -- Symb. Antill. (Urban). 9(1): 93. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus levisensis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 1(2/3): 43, fig. 1980 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus levisensis* Bisse & A.Rodríguez -- Revista Jard. Bot. Nac. Univ. Habana 1(2–3): 43 (1980 publ. 1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lilloi* Speg. -- Cat. Descr. Maderas 386. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lilloi* Speg. -- in Speg. & Girola, Cat. Descr. Maderas 386 (1910) (An. Soc. Rural Argent.1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes limoncillo* Alain -- *Phytologia* 61(6): 355 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes limoncillo* Alain -- *Phytologia* 61: 355. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lindeniana* O.Berg -- *Linnaea* 29: 213. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lindeniana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lindeniana* O.Berg var. *americana* (McVaugh) Lundell -- Wrightia 3: 115. 1964 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes linearis* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" no. 12: 8, fig. 9. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes linearis* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" 12: 8 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes litoralis* Urb. & Ekman -- Ark. Bot. 21A(5): 24. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes litoralis* Urb. & Ekman -- Ark. Bot. 21A(5): 24. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lomensis* Urb. -- Symb. Antill. (Urban). 9(4): 478. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus lomensis* Urb. -- Symb. Antill. (Urban). 9(4): 478. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus longicalyptata* B.Holst & M.L.Kawas. -- Selbyana 25(1): 90 (fig. 3). 2004 [20 Sep 2004]

Purified (Shodhit) *Calyptanthus longifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 46. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus longifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus longipedunculata* Mattos & D.Legrand -- Loefgrenia no. 67: 18. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes loranthifolia* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes loranthifolia* DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes loranthifolia* var. *mutabilis* (O.Berg) D.Legrand -- Lilloa 31: 199. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lozanoi* Parra-Os. -- Caldasia 23(2): 435 (2001). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lozanoi* Parra-Os. -- Caldasia 23(2): 435 (-439; fig. 1). 2001 [Dec 2001] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lozanoi* Parra-Os. subsp. *tomentosa* Parra-Os. -- Novon 14(2): 213 (-215; fig. 3). 2004 [4 Jun 2004]

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. var. *hilariana* D.Legrand -- Fl. Illustr. Catarin. [Mirt]: 530. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. f. *hilariana* D.Legrand -- Fl. Illustr. Catarin. 1(Mirtaceas): 530. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. var. *polyantha* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. [Mirt]: 531. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes lucida* Mart. ex DC. var. *polyantha* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 531. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes luetzelburgii* Burret ex Luetzelb. -- Estud. Bot. Nordeste 3: 200. 1923 Nomen<sup>2</sup>Insp. Fed. Obras Secc. Publ. 57 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes luetzelburgii* Burret ex Luetzelb. -- Estud. Bot. Nordeste Braz. iii. 200 (1923) [Insp. Fed. Obras Secc. Publ. 57], nomen; cf. Gray Herb. Card Cat., Issue 151. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes luquillensis* Alain -- Bull. Torrey Bot. Club 90: 189. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes luquillensis* Alain -- Bull. Torrey Bot. Club xc. 189 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes macrantha* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 127. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes macrantha* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 127. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes macrocarpa* B.Holst & M.L.Kawas. -- Selbyana 25(1): 90 (-91; fig. 4). 2004 [20 Sep 2004]

Purified (Shodhit) *Calyptranthes macrophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 45. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes macrophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 45. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes maestrensis* Urb. -- Symb. Antill. (Urban). 9(4): 483. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes maestrensis* Urb. -- Symb. Antill. (Urban). 9(4): 483. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes makal* Raeusch. -- Nomencl. Bot. [Raeusch.] ed. 3, 144. 1797 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes makul Blanco* -- Fl. Filip. [F.M. Blanco] 419. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes malabarica* Dennst. -- Schlüssel Hortus Malab. 31. 1818 [20 Oct 1818] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mammosa* Lundell -- *Wrightia* 5(2): 42. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mammosa* Lundell -- *Wrightia* 5(2): 42. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mangiferifolia* Hance ex Walp. -- Ann. Bot. Syst. (Walpers) 2(4): 629. 1852 [31 Mar-3 Apr 1852] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes manuensis* B.Holst & M.L.Kawas. -- Sida 22(2): 931 (-934; fig. 1). 2006 [23 Nov 2006]

Purified (Shodhit) *Calyptranthes maritima* Sobral & Bertoncello -- Phytotaxa 50: 26 (-28; fig. 4). 2012 [17 Apr 2012] [epublished]

Purified (Shodhit) *Calyptranthes marmeladensis* Urb. & Ekman -- Ark. Bot. 22A(10): 30. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes marmeladensis* Urb. & Ekman -- Ark. Bot. 22A(10): 30. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes martiusiana* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes martiusiana* DC. -- Prodr. [A. P. de Candolle] 3: 257. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus martorellii* Alain -- *Phytologia* 58(5): 326 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus martorellii* Alain -- *Phytologia* 58: 326. 1985 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maschalantha* O.Berg -- *Fl. Bras. (Martius)* 14(1): 53. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maschalantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maschalantha* O.Berg var. *rotundifolia* O.Berg -- *Linnaea* 30: 652. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maxima* McVaugh -- Fieldiana, Bot. 29: 182. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maxima* McVaugh -- Fieldiana, Bot. xxix. 182 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maxonii* Britton & Urb. -- Symb. Antill. (Urban). 7(2): 296. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus maxonii* Britton & Urb. -- Symb. Antill. (Urban). 7(2): 296. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus mayana* Lundell -- Wrightia 5(5): 149. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mayana* Lundell -- *Wrightia* 5(5): 149. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mayarensis* Borhidi -- Bot. Közlem. 64: 15. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mayarensis* Borhidi -- Bot. Közlem. 64(1): 15. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mcvaughii* M.L.Kawas. & D.Santam. -- Harvard Pap. Bot. 21(2): 189, fig. 1. 2016 [31 Dec 2016] (epublished)

Purified (Shodhit) *Calyptranthes megistophylla* Standl. -- Publ. Carnegie Inst. Wash. No. 461, 75 (1935). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes megistophylla* Standl. -- Publ. Carnegie Inst. Wash. 461: 75. 1935 Bot. Maya Area, Misc. Papers 4 (Long duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes melanoclada* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes melanoclada* O.Berg -- Fl. Bras. (Martius) 14(1): 50. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes meridensis* Steyerl. -- Fieldiana, Bot. xxviii. 1009 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes meridensis* Steyerl. -- Fieldiana, Bot. 28: 1009. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mexicana* Lundell -- Wrightia ii. 166 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mexicana* Lundell -- *Wrightia* 2: 166. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes micrantha* C.Wright ex Griseb. -- *Cat. Pl. Cub.* [Grisebach] 85. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes microphylla* B.Holst & M.L.Kawas. -- *Selbyana* 25(1): 91 (fig. 5). 2004 [20 Sep 2004]

Purified (Shodhit) *Calyptranthes millspaughii* Urb. -- *Symb. Antill. (Urban)*. 7(2): 294. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes millspaughii* Urb. -- *Symb. Antill. (Urban)*. 7(2): 294. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes minutiflora* Borhidi -- Bot. Közlem. 64: 18. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes minutiflora* Borhidi -- Bot. Közlem. 64(1): 18. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mirabilis* Bisse & A.Rodríguez -- Revista Jard. Bot. Nac. Univ. Habana 1(2-3): 42 (1980 publ. 1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mirabilis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 1(2/3): 42. 1980 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes moaensis* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" 12: 9 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus moaensis* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" no. 12: 9, fig. 10. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus moctezumae* Sánchez-Cháv. & Zamudio -- Acta Bot. Mex. 115: 52, fig. 1. 2016 [post Apr 2016]

Purified (Shodhit) *Calyptanthus monocarpa* Urb. -- Symb. Antill. (Urban). 9(1): 95. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus monocarpa* Urb. -- Symb. Antill. (Urban). 9(1): 95. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus montana* Britton & P. Wilson -- Bull. Torrey Bot. Club 1923, 1 44. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes montana* Britton -- Bull. Torrey Bot. Club 50: 44. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes montevertensis* P.E.Sánchez -- Brenesia 62: 31 (-34; fig. 1). 2004 [Sep 2004]

Purified (Shodhit) *Calyptranthes mornicola* Urb. -- Ark. Bot. 22A, no. 10: 29. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mornicola* Urb. -- Ark. Bot. 22A(10): 29. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes multiflora* Poepp. ex O.Berg -- Fl. Bras. (Martius) 14(1): 42. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes multiflora* Poepp. ex O.Berg -- Fl. Bras. (Martius) 14(1): 42. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes munizii* Borhidi -- Bot. Közlem. 64: 14. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes munizii* Borhidi -- Bot. Közlem. 64(1): 14. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes musciflora* O.Berg -- Fl. Bras. (Martius) 14(1): 54. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes musciflora* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 54, t. 1, fig. 9. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus musciflora* var. *glauca* O.Berg -- Fl. Bras. (Martius) 14(1): 543. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus musciflora* var. *obscura* O.Berg -- Fl. Bras. (Martius) 14(1): 54. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus musciflora* var. *spathulata* O.Berg -- Fl. Bras. (Martius) 14(1): 54. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus musciflora* var. *triflora* O.Berg -- Fl. Bras. (Martius) 14(1): 54. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus musciflora* var. *triflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes musciflora* var. *venosa* O.Berg -- Fl. Bras. (Martius) 14(1): 54, t. 1, fig. 7. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mutabilis* O.Berg -- Fl. Bras. (Martius) 14(1) [Suppl.]: 540. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mutabilis* O.Berg -- Fl. Bras. (Martius) 14(1): 540. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes mutabilis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes myrcioides* Urb. & Ekman -- Ark. Bot. 24A(4): 25. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes myrcioides* Urb. & Ekman -- Ark. Bot. 24A(4): 25. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes myrtoidea* Seem. -- Fl. Vit. [Seemann] 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nervata* M.L.Kawas. & B.Holst -- Harvard Pap. Bot. 14(1): 5 (-8; fig. 2). 2009 [Jun 2009]

Purified (Shodhit) *Calyptranthes nigrescens* B.Holst -- Selbyana 23(2): 138 (140; fig. 2). 2002 [28 Dec 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nigrescens* B.Holst -- Selbyana 23(2): 138 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nigricans* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nigricans* DC. -- Prodr. [A. P. de Candolle] 3: 258. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nipensis* Borhidi & O.Muñiz -- Bot. Közlem. 64(1): 14. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nipensis* Borhidi & O.Muñiz -- Bot. Közlem. 64: 14 (-15). 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nitida* Raeusch. -- Nomencl. Bot. [Raeusch.] ed. 3, 144. 1797 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nodosa* Urb. -- Symb. Antill. (Urban). 5(3): 444. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nodosa* Urb. -- Symb. Antill. (Urban). 5(3): 444. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nummularia* O.Berg -- Linnaea 30: 652. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nummularia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes nummularia* O.Berg & Urb. -- Ark. Bot. 21A(5): 25, descr. ampl. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes oblanceolata* Urb. -- Symb. Antill. (Urban). 9(1): 91. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes oblanceolata* Urb. -- Symb. Antill. (Urban). 9(1): 91. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes oblongifolia* R.A.Howard -- J. Arnold Arbor. 28: 122. 1947 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes oblongifolia* R.A.Howard -- J. Arnold Arbor. xxviii. 122 (1947). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obovata* Kiaersk. -- Enum. Myrt. Bras. (1893) 38. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obovata* Kiaersk. -- Enum. Myrt. Bras. 38, pl. 4, fig. k-m. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obovata* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 600. 1895 [26 Feb 1895] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obovata* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 600. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obscura* DC. -- Prodr. [A. P. de Candolle] 3: 257. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obscura* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obscura* Mart. -- Flora 20(2, Beibl.): 87. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obscura* DC. var. *fluminensis* O.Berg -- Fl. Bras. (Martius) 14(1): 542. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obtusa* Miq. -- Linnaea 22: 172. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obtusa* Benth. -- J. Bot. (Hooker) 2: 319. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes obtusifolia* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3600 B. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus obversa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus obversa* O.Berg -- Fl. Bras. (Martius) 14(1): 51. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oleina* Wight -- Ill. Ind. Bot. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oligantha* Urb. -- Symb. Antill. (Urban). 9(1): 92. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oligantha* Urb. -- Symb. Antill. (Urban). 9(1): 92. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oneillii* Lundell -- Bull. Torrey Bot. Club 64: 554. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oneillii* Lundell -- Bull. Torrey Bot. Club 1937, lxiv. 554. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oreophila* Speg. -- Cat. Descr. Maderas 389. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus oreophila* Speg. -- in Speg. & Girola, Cat. Descr. Maderas 389 (1910) (An. Soc. Rural Argent.1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus ottonis* C.Wright -- Fl. Cub. (Sauvage) 40. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ottonis* C.Wright -- *Anales Acad. Ci. Med. Habana* 5: 429. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovalifolia* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 371. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovalifolia* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 50. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovoidea* McVaugh -- Mem. New York Bot. Gard. x. No. I, 75 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ovoidea* McVaugh -- Mem. New York Bot. Gard. 10: 75. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pachyadenia* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 481. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pachyadenia* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 481. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pallens* Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 7: 215. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptranthes pallens* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pallens* var. *mexicana* (Lundell) McVaugh -- Fieldiana, Bot. 29: 409. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pallens* var. *williamsii* (Standl.) McVaugh -- Fieldiana, Bot. 29: 408. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes palustris* Urb. & Ekman -- Ark. Bot. 24A(4): 22. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes palustris* Urb. & Ekman -- Ark. Bot. 24A(4): 22. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paniculata* Raeusch. -- Nomencl. Bot. [Raeusch.] ed. 3, 144. 1797 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paniculata* Ruiz & Pav. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paniculata* Spreng. -- Neue Entdeck. Pflanzenk. 2: 170. 1821 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paniculata* Ruiz & Pav. -- Fl. Peruv. [Ruiz & Pavon] 4: t. 424. ; Syst. 131 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paradoxa* Urb. -- Symb. Antill. (Urban). 9(1): 97. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paradoxa* Urb. -- Symb. Antill. (Urban). 9(1): 97. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paraguayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus paraguayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pauciflorus* O.Berg -- Fl. Bras. (Martius) 14(1): 543. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pauciflorus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes paxillata* McVaugh -- Fieldiana, Bot. xxix. 410 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes paxillata* McVaugh -- Fieldiana, Bot. 29: 410. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes peduncularis* Alain -- Bull. Torrey Bot. Club xc. 189. (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes peduncularis* Alain -- Bull. Torrey Bot. Club 90: 189. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pedunculata* (L.) Forsyth f. -- Bot. Nomencl. col. 227. 1794

Purified (Shodhit) *Calyptranthes pendula* O.Berg -- Linnaea 27: 21. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes pendula* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes peninsularis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(2): 3 (-4). 1983 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes peninsularis* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 4(2): 3 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes pereireana* Mattos & D.Legrand -- Loefgrenia no. 67: 19. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes pereireana* Mattos & D.Legrand -- Loefgrenia 67: 19. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes perlaevigata* Lundell -- Contr. Univ. Michigan Herb. No. 7, 29 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes perlaevigata* Lundell -- Contr. Univ. Michigan Herb. 7: 29. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes petenensis* Lundell -- Phytologia 16: 443. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes petenensis* Lundell -- Phytologia xvi. 443 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes picachoana* Urb. & Ekman -- Ark. Bot. 24A(4): 26. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes picachoana* Urb. & Ekman -- Ark. Bot. 24A(4): 26. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes picardae* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 595. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes picardae* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 595. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pileata* D.Legrand -- Lilloa xxxi. 199 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pileata* D.Legrand -- Lilloa 31: 199. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pileata* var. *riograndensis* D.Legrand -- Lilloa 31: 201. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pinetorum* Britton & P.Wilson -- Bull. Torrey Bot. Club 43: 465. 1916 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pinetorum* Britton & P.Wilson ex Britton -- Bull. Torrey Bot. Club 1916, xliii. 465. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pitoniana* Urb. & Ekman -- Ark. Bot. 21A(5): 23. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptanthus pitoniana* Urb. & Ekman -- Ark. Bot. 21A(5): 23. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pittieri* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 143. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pittieri* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 143. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus platyphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 539. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus platyphylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pleophlebia* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 188. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pleophlebia* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 188. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus plicata* McVaugh -- Fieldiana, Bot. 29: 182. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus plicata* McVaugh -- Fieldiana, Bot. xxix. 182 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pocsiana* Borhidi -- Bot. Közlem. 64(1): 17. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pocsiana* Borhidi -- Bot. Közlem. 64: 17. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes poeppigiana* O.Berg -- Fl. Bras. (Martius) 14(1): 45. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes poeppigiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pohliana* O.Berg -- Fl. Bras. (Martius) 14(1): 42. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pohliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pohliana* O.Berg -- Fl. Bras. (Martius) 14(1): 42. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pollicina* P.Willemet -- Ann. Bot. (Usteri) 18: 39. 1796 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus polyantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus polyantha* O.Berg -- Fl. Bras. (Martius) 14(1) [Suppl.]: 541. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus polyantha* O.Berg -- Fl. Bras. (Martius) 14(1): 541. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes polyneura* Urb. -- Symb. Antill. (Urban). 9(1): 94. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes polyneura* Urb. -- Symb. Antill. (Urban). 9(1): 94. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes polyneura* Urb. -- Symb. Antill. (Urban). 9(1): 94. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes polysticta* Urb. -- Symb. Antill. (Urban). 7(2): 298. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes polysticta* Urb. -- Symb. Antill. (Urban). 7(2): 298. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus portoricensis* Britton -- Bull. Torrey Bot. Club 51(1): 11. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus portoricensis* Britton -- Bull. Torrey Bot. Club 51: 11. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pozasiana* Urb. -- Symb. Antill. (Urban). 9(4): 479. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pozasiana* Urb. -- Symb. Antill. (Urban). 9(4): 479. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus proctorii* Acev.-Rodr. -- Brittonia 51(2): 168. 1999 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus proctorii* Acev.-Rodr. -- Brittonia 51(2): 168 (1999), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus protracta* Urb. -- Symb. Antill. (Urban). 9(4): 480. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus protracta* Urb. -- Symb. Antill. (Urban). 9(4): 480. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pseudoapoda* Bisse & A.Rodríguez -- Revista Jard. Bot. Nac. Univ. Habana 1(2-3): 44 (1980 publ. 1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pseudoapoda* Bisse -- Revista Jard. Bot. Nac. Univ. Habana 1(2/3): 44, fig. 1980 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pseudobrunnea* Parra-Os. -- *Caldasia* 24(1): 96 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pseudomoaensis* Borhidi & O.Muñiz -- *Bot. Közlem.* 64: 16. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pseudomoaensis* Borhidi & O.Muñiz -- *Bot. Közlem.* 64(1): 16. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pteropoda* O.Berg -- *Fl. Bras. (Martius)* 14(1): 47. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pteropoda* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptranthes pulchella* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pulchella* DC. -- Prodr. [A. P. de Candolle] 3: 257. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pulchella* var. *cuneata* O.Berg -- Fl. Bras. (Martius) 14(1): 43. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pulchella* var. *grandiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 44. 1857 [15 May 1857] see also 14(1): 516. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pulchella* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 43, t. 1, fig. 19. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pulchella* var. *parviflora* O.Berg -- Fl. Bras. (Martius) 14(1): 516. 1858 [1 Feb 1858] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pullei* Burret ex Amshoff -- Recueil Trav. Bot. Néerl. 42: 4. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pullei* Burret ex Amshoff -- Recueil Trav. Bot. Néerl. 42: 4. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes pullei* Burret ex Amshoff var. *immaculata* McVaugh -- Mem. New York Bot. Gard. 10: 78. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes punctata* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus punctata* Griseb. -- Pl. Wright. (Grisebach) 1: 181. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus pyriformis* Blume -- Bijdr. Fl. Ned. Ind. 17: 1090. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus quinoensis* Mattos -- Loefgrenia 95: 2 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus racemosa* Blume -- Bijdr. Fl. Ned. Ind. 17: 1089. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus ramiflora* Blanco -- Fl. Filip. [F.M. Blanco] 420. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ramosissima* Urb. -- Symb. Antill. (Urban). 9(1): 92. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ramosissima* Urb. -- Symb. Antill. (Urban). 9(1): 92. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ranulphii* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 495. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ranulphii* D.Legrand -- Fl. Illustr. Catarin. MIRT: 495, fig. 141. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes regeliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes regeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 542. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes reitziana* D.Legrand -- Lilloa xxxi. 202 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes reitziana* D.Legrand -- Lilloa 31: 202. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes restingae* Sobral -- Napaea 4: 11, fig. 1988 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes restingae* Sobral -- Napaea, Rev. Bot. 4: 11 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rhodophylla* Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 480. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rhodophylla* Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 480. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* Tussac -- Fl. Antill. iii. t. 26. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* Macfad. ex Griseb. -- Fl. Brit. W.I. [Grisebach] 233. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* Sw. -- Prodr. [O. P. Swartz] 80. 1788 [20 Jun-29 Jul 1788] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* Sw. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* Sw. var. *apicata* C.Wright (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rigida* var. *apicata* C.Wright ex Griseb. -- Cat. Pl. Cub. [Grisebach] 86. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rostellata* Mattos & D.Legrand -- Loefgrenia no. 67: 18. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rostellata* Mattos & D.Legrand -- Loefgrenia 67: 18. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus rostrata* Griseb. -- Pl. Wright. (Grisebach) 1: 181. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus rostrata* Blume -- Bijdr. Fl. Ned. Ind. 17: 1092. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus rotundata* Griseb. -- Pl. Wright. (Grisebach) 1: 181. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus rubella* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 535. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus rubella* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. MIRT: 535. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufa* O.Berg -- Fl. Bras. (Martius) 14(1) [Suppl.]: 541. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 541. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufescens* Mattos & D.Legrand -- Loefgrenia no. 67: 19 (-20). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufescens* Mattos & D.Legrand -- Loefgrenia 67: 19. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufotomentosa* McVaugh -- Fieldiana, Bot. 29: 183. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rufotomentosa* McVaugh -- Fieldiana, Bot. xxix. 183 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ruiziana* O.Berg -- Linnaea 27: 22. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ruiziana* O.Berg -- Linnaea 27: 22. 1855 [1855?] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rupicola* Urb. -- Symb. Antill. (Urban). 7(2): 295. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes rupicola* Urb. -- *Symb. Antill. (Urban)*. 7(2): 295. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes salamensis* Lundell -- *Wrightia* 5(4): 81. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes salamensis* Lundell -- *Wrightia* 5(4): 81 [-82]. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes salicifolia* Urb. & Ekman -- *Ark. Bot.* 22A(10): 29. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes salicifolia* Urb. & Ekman -- *Ark. Bot.* 22A(10): 29. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes samuelssonii* Urb. & Ekman -- Ark. Bot. 21A(5): 26. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes samuelssonii* Urb. & Ekman -- Ark. Bot. 21A(5): 26. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes santalucia* Sobral -- Phytotaxa 135(1): 44. 2013 [1 Oct 2013] [epublished]

Purified (Shodhit) *Calyptranthes schiedeana* O.Berg -- Linnaea 27: 28. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes schiedeana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes schlechtendaliana* O.Berg -- Linnaea 27: 29. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes schlechtendaliana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes scoparia* O.Berg -- Linnaea 31: 247 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes scoparia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes seemannii* Seem. -- Fl. Vit. [Seemann] 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes selleana* Urb. & Ekman -- Ark. Bot. 22A(10): 33. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes selleana* Urb. & Ekman -- Ark. Bot. 22A(10): 33. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes sericea* Griseb. -- Fl. Brit. W.I. [Grisebach] 233. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes sericea* var. (?) *hahnii* Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes sericea* var. *hahnii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 602. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes serrana* A.R.Lourenço -- *Phytotaxa* 188(5): 276. 2014 [17 Dec 2014] [epublished]

Purified (Shodhit) *Calyptranthes sessilis* McVaugh -- *Fieldiana, Bot.* 29: 183. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes sessilis* McVaugh -- *Fieldiana, Bot.* xxix. 183 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes siberiensis* Villarroel, M.Nee & Proença -- *Revista Soc. Boliv. Bot.* 9(1): 19. 2016 [Dec 2016]

Purified (Shodhit) *Calyptranthes simulata* McVaugh -- *Fieldiana, Bot.* 29: 184. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes simulata* McVaugh -- *Fieldiana, Bot.* xxix. 184 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 250, pl. 11 B. 1889 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 250, t. 11 b. 1889 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes smithii* McVaugh -- Mem. New York Bot. Gard. x. No. 1, 78 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes smithii* McVaugh -- Mem. New York Bot. Gard. 10: 78. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes solitaria* Sobral, O.T.Aguiar & Antunes -- J. Bot. Res. Inst. Texas 8(2): 498. 2014 [25 Nov 2014]

Purified (Shodhit) *Calyptranthes sordida* Urb. & Ekman -- Ark. Bot. 21A(5): 25. 1927; et in Ark. Bot. xxii. A. No. 10, 33 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its



compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes sordida* Urb. & Ekman -- Ark. Bot. 21A(5): 25. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes sparsiflora* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(1): 125 (127-128; fig. 3). 2009 [15 Jul 2009]

Purified (Shodhit) *Calyptranthes speciosa* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 187. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes spicata* Amshoff -- Recueil Trav. Bot. Néerl. 39: 148, fig. 1. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes spicata* Amshoff -- Recueil Trav. Bot. Néerl. 39: 148. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 86, 148 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes spruceana* O.Berg -- Fl. Bras. (Martius) 14(1): 45. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes spruceana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes straminea* B.Holst -- Phytoneuron 2014-77: 1. [6 Aug 2014] [epublished]

Purified (Shodhit) *Calyptranthes strigipes* O.Berg -- Fl. Bras. (Martius) 14(1): 540. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes strigipes* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes subcapitata* Urb. -- Symb. Antill. (Urban). 9(4): 483. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes subcapitata* Urb. -- Symb. Antill. (Urban). 9(4): 483. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes syzygium* Sw. -- Fl. Ind. Occid. ii. 919. 1798 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tatna* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3555. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tenuipes* McVaugh -- Fieldiana, Bot. xxix. 411 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tenuipes* McVaugh -- Fieldiana, Bot. 29: 411. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tenuis* Buch.-Ham. ex Wall. -- Numer. List [Wallich] sub n. 3570. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus terniflora* Urb. & Ekman -- Ark. Bot. 20A(5): 23. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus terniflora* Urb. & Ekman -- Ark. Bot. 20A(5): 23. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tessmannii* Burret ex McVaugh -- Fieldiana, Bot. xxix. 184 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tessmannii* Burret ex McVaugh -- Fieldiana, Bot. 29: 184. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tetraptera* O.Berg -- Fl. Bras. (Martius) 14(1): 53. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tetraptera* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus thomasi* O.Berg -- Linnaea 27: 26. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus thomasi* O.Berg -- Linnaea 27: 26. 1855 [Nov 1855] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus thomasi* O.Berg var. *obscura* O.Berg -- Linnaea 30: 652. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus toaensis* Borhidi -- Bot. Közlem. 64: 16. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus toaensis* Borhidi -- Bot. Közlem. 64(1): 16. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tobagensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 593. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tobagensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 593. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tonduzii* Donn.Sm. -- Bot. Gaz. 23: 245. 1897 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tonduzii* Donn.Sm. -- Bot. Gaz. 23: 245. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tonii* Lundell -- *Wrightia* iv. 40 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tonii* Lundell -- *Wrightia* 4: 40. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes towarensis* (O.Berg) Steyerl. -- *Fieldiana*, Bot. 28: 1010. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tovarensis* (O.Berg) Steyerl. -- Fieldiana, Bot. xxviii. 1010 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tricona* D.Legrand -- Lilloa xxxi. 204 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tricona* D.Legrand -- Lilloa 31: 204. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tridymantha* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 188. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tridymantha* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 188. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptanthus triflorus* Alain -- Bull. Torrey Bot. Club xc. 189 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus triflorum* Alain -- Bull. Torrey Bot. Club 90: 189. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tuberculatus* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tuberculatus* O.Berg -- Fl. Bras. (Martius) 14(1): 52. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus tumidonodius* Schery -- Ann. Missouri Bot. Gard. 30: 95. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tumidonodia* Schery -- Ann. Missouri Bot. Gard. xxx. 95 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tussaceana* O.Berg -- Linnaea 27: 25. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes tussaceana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ubatubana* Sobral & Rochelle -- J. Bot. Res. Inst. Texas 8(2): 500. 2014 [25 Nov 2014]

Purified (Shodhit) *Calyptranthes umbelliformis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 596. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes umbelliformis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 596. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus uniflora* Spreng. -- Flora 20(2, Beibl.): 87. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus uniflora* Proctor -- J. Arnold Arbor. 63(3): 272 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus uniflora* Proctor -- J. Arnold Arbor. 63: 272 (-273). 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus uniflora* Spreng. -- Flora 20(2, Beibl.): 87. 1837 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus urbani* Fawc. & Rendle -- J. Bot. 64: 14. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes urbani* Fawc. & Rendle -- J. Bot. 64: 14. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes urophylla* Standl. & L.O.Williams -- Ceiba 3: 215. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes urophylla* Standl. & L.O.Williams -- Ceiba iii. 215(1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ursina* G.M.Barroso & Peixoto -- Acta Bot. Brasil. 10: 80, fig. 1996 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes ursina* G.M.Barroso & Peixoto -- Acta Bot. Brasil. 10(1): 80 (1996). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *oblongata* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *pulchella* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *riparia* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *rubella* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *rubella* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes variabilis* O.Berg var. *stricta* O.Berg -- Fl. Bras. (Martius) 14(1): 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes venulosa* Lundell -- Wrightia 4: 40. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes venulosa* Lundell -- *Wrightia* iv. 40 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes vexata* McVaugh (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes vexata* McVaugh -- *Fieldiana*, Bot. 29(8): 412. 1963 [31 May 1963] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes vexata* McVaugh -- *Fieldiana*, Bot. xxix. 412 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes warmingiana* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 40. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes warmingiana* Kiaersk. -- Enum. Myrt. Bras. 40, tab. 14a. 1893  
Warm. Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in  
indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its  
compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal  
Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant  
Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes websteri* B.Holst & M.L.Kawas. -- J. Bot. Res. Inst. Texas 2(1):  
297 (-299; fig. 1). 2008 [24 Jul 2008]

Purified (Shodhit) *Calyptranthes widgreniana* O.Berg -- Fl. Bras. (Martius) 14(1): 39. 1857 [15  
May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal  
Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*  
*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic  
Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj  
Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes widgreniana* O.Berg (Long duration purification) as key  
ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:  
Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.  
based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From  
Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes williamsii* Standl. -- Ceiba 1: 156. 1950 (Long duration  
purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes williamsii* Standl. -- Ceiba i. 156 (1950). (Short duration  
purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes wilsonii* Griseb. -- Fl. Brit. W.I. [Grisebach] 233. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes woodburyi* Alain -- Phytologia 54(2): 107 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes woodburyi* Alain -- Phytologia 54: 107 (-109), fig. 1983. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes yaquensis* Urb. & Ekman -- Ark. Bot. 24A(4): 24. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthes yaquensis* Urb. & Ekman -- Ark. Bot. 24A(4): 24. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus yaraensis* Urb. -- Symb. Antill. (Urban). 9(4): 481. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus yaraensis* Urb. -- Symb. Antill. (Urban). 9(4): 481. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus yasuniana* M.L.Kawas. & Á.J.Pérez -- Harvard Pap. Bot. 20(1): 81, fig. 1. 2015 [30 Jun 2015] [epublished]

Purified (Shodhit) *Calyptanthus zanquinensis* Ant.Molina -- Ceiba iii. 168 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptanthus zanquinensis* Ant.Molina -- Ceiba 3: 168. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes zuzygium* Sw. -- Prodr. [O. P. Swartz] 79. 1788 [20 Jun-29 Jul 1788] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthes zuzygium* Blanco -- Fl. Filip., ed. 2 [F.M. Blanco] 293. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthus* Juss. -- Dict. Sci. Nat. [F. Cuvier] 6: 274. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptranthus* Blume -- Bijdr. Fl. Ned. Ind. 17: 1089. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypetrogenia* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 545. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia Burret* -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 545. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia biflora* Alain -- Moscosoa 1: 28(-29), fig. 4. 1976 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia biflora* Alain -- Moscosoa 1(1): 28. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia bracteosa* (Urb.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 546. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia bracteosa* (Urb.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 546. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia cuspidata* Alain -- *Phytologia* 61(6): 356 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia cuspidata* Alain -- *Phytologia* 61: 356. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia ekmanii* (Urb.) Burret -- *Notizbl. Bot. Gart. Berlin-Dahlem* 15: 545. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia ekmanii* (Urb.) Burret -- *Notizbl. Bot. Gart. Berlin-Dahlem* 15: 545. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia grandiflora* Burret -- *Notizbl. Bot. Gart. Berlin-Dahlem* 15: 545. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia grandiflora* Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 545. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia hatschbachii* D.Legrand -- Comun. Bot. Mus. Hist. Nat. Montevideo iii. No. 36, 8 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia hatschbachii* D.Legrand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia jeremiensis* (Urb. & Ekman) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 545. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrigenia jeremiensis* (Urb. & Ekman) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 545. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypstrogonia riedeliana* (O.Berg ex Mart.) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 541. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calypstrogonia riedeliana* (O.Berg) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 546. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia* O.Berg -- Linnaea 27: 34. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia cordata* O.Berg -- Fl. Bras. (Martius) 14(1): 56. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia costata* O.Berg -- Fl. Bras. (Martius) 14(1): 56. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia cymosa* O.Berg -- Fl. Bras. (Martius) 14(1): 58. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia cymosa* var. *major* O.Berg -- Fl. Bras. (Martius) 14(1): 58. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia cymosa* var. *minor* O.Berg -- Fl. Bras. (Martius) 14(1): 58. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia elegans* O.Berg -- Fl. Bras. (Martius) 14(1): 58. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia eugenoides* O.Berg -- Fl. Bras. (Martius) 14(1): 56. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calyptromyrcia eugenioides* (Cambess.) O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia eugenioides* var. *glabra* O.Berg -- Fl. Bras. (Martius) 14(1): 56. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia eugenioides* var. *puberula* O.Berg -- Fl. Bras. (Martius) 14(1): 56. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia paniculata* O.Berg -- Fl. Bras. (Martius) 14(1): 57. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia paniculata* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 544. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia puberula* O.Berg -- Fl. Bras. (Martius) 14(1): 57. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia spixiana* O.Berg -- Fl. Bras. (Martius) 14(1): 59. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptromyrcia venosa* O.Berg -- Fl. Bras. (Martius) 14(1): 57. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrapsidium* O.Berg -- Linnaea 27: 349. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrapsidium bracteosum* Urb. -- Ark. Bot. 21A, no. 5: 20. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium bracteosum* Urb. -- Ark. Bot. 21A(5): 20. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium ekmanii* Urb. -- Ark. Bot. 24A, no. 4: 17, tab. 1. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium ekmanii* Urb. -- Ark. Bot. 24A(4): 17. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium ekmanii* Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium friedrichsthalianum* O.Berg -- Linnaea 27: 350. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium friedrichsthalianum* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium sartorianum* Krug & Urb. -- Bot. Jahrb. Syst. 19(4): 571. 1894 [28 Dec 1894] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium sartorianum* (O.Berg) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium sartorianum* (O.Berg) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 581. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhynchium sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 280, f. 10, t. 13B. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calyptrorhiza sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 280, t. 12b. et fig. 10. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calythrix* DC. -- Prodrum 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calythropsis* C.A.Gardner -- Journal of the Royal Society of Western Australia 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calythropsis* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 188 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calythropsis aurea* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 189 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calythropsis aurea* C.A.Gardner -- Journal of the Royal Society of Western Australia 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* Labill. -- Nov. Holl. Pl. 2: 8, t. 146. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* Labill. -- Novae Hollandiae Plantarum Specimen 2 1806 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Brachychaetae* C.A.Gardner -- Enumeratio Plantarum Australiae Occidentalis 1930 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Calytrix* Labill. -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Coelotrachylae* J.M.Black -- Transactions and Proceedings of the Royal Society of South Australia 52 1928 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Eucalytrix* Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Lhotskya* (Schauer) Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Macrochaetae* C.A.Gardner -- Enumeratio Plantarum Australiae Occidentalis 1930 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix* sect. *Stereotrachylae* J.M.Black -- Transactions and Proceedings of the Royal Society of South Australia 52 1928 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix achaeta* (F.Muell.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix achaeta* F.Muell. -- *Trans. Phil. Inst. Vict.* iii. (1859) 43. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix acutifolia* (Lindl.) Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix acutifolia* (Lindl.) Craven -- *Brunonia* 10(1): 122 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix alpestris* (Lindl.) Court -- *Vict. Naturalist* 73: 176. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix alpestris* (Lindl.) Court -- Vict. Naturalist 73(11) 1957 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix amethystina* Craven -- Brunonia 10(1): 108 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix amethystina* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix angulata* Lindl. -- Sketch Veg. Swan R. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix angulata* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix arborescens* F.Muell. -- Trans. Phil. Inst. Vict. iii. (1859) 42. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix arborescens* (F.Muell.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix asperula* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 104. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix asperula* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix asperula* var. *asperula* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix asperula* var. *gracilis* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix aurea* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix aurea* Lindl. -- Sketch Veg. Swan R. 5. t. 3. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix baueri* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix baueri* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 261. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix behriana* (Schltdl.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix behriana* Schltdl. -- Linnaea 20: 650. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix billardierei* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix billardierei* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 245. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix birdii* (F.Muell.) B.D.Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix birdii* F.Muell. -- *Fragm. (Mueller)* 10(82): 26. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachychaeta* (F.Muell.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachychaeta* F.Muell. -- *Trans. Phil. Inst. Vict.* iii. (1859) 43. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachychaeta* var. *brachychaeta* (F.Muell.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachychaeta* var. *tenuifolia* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachyphylla* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 161. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachyphylla* A.Cunn. ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 264. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brachyphylla* (Turcz.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brevifolia* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 46. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brevifolia* (Meisn.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix breviseta* Lindl. -- Sketch Veg. Swan R. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix breviseta* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix breviseta* subsp. *breviseta* Lindl. -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix breviseta* subsp. *stipulosa* (W.Fitzg.) Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix breviseta* subsp. *stipulosa* (W.Fitzg.) Craven -- *Brunonia* 10(1): 113 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brownii* (Schauer) Craven -- *Brunonia* 10(1): 42 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brownii* (Schauer) Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brownii* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 260. 1841 : errat.; see *Calycotrix brownii* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix brunioides* A.Cunn. -- Curtis's Botanical Magazine 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix brunioides* A.Cunn. -- Bot. Mag. 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix candolleana* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 260. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix carinata* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix carinata* Craven -- Brunonia 10(1): 71 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix chrysantha* Craven -- Brunonia 10(1): 90 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix chrysantha* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ciliata* Turcz. -- *Bull. Soc. Imp. Naturalistes Moscou* xx. (1847) I. 161. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ciliata* (Turcz.) Benth. -- *Flora Australiensis* 3 1867 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix conanthera* F.Muell. -- *Fragm. (Mueller)* 1(6): 146. 1859 [Jun 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix conferta* A.Cunn. -- *Bot. Mag.* 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix conferta* A.Cunn. -- Curtis's Botanical Magazine 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cravenii* Nge & K.R.Thiele -- Nuytsia 28: 330. 2017 [26 Oct 2017] [epublished]

Purified (Shodhit) *Calytrix creswelli* F.Muell. -- Fragm. (Mueller) 10(82): 27. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix creswellii* (F.Muell.) B.D.Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cupressifolia* A.Rich. -- Voyage de l'Astrolabe 2, Sertum Astrolabianum 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cupressifolia* A.Rich. -- Sert. Astrol. 41. t. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cupressoides* A.Rich. -- Sert. Astrol. 43. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cupressoides* A.Rich. -- Voyage de l'Astrolabe 2, Sertum Astrolabianum 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix curtrophylla* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 242. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix curtrophylla* A.Cunn. -- Curtis's Botanical Magazine 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix curtophylla* A.Cunn. -- Bot. Mag. 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cuspidata* Druce -- Rep. Bot. Soc. Exch. Club Brit. Isles 4(Suppl. 2): 611. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cuspidata* (F.Muell.) Druce -- The Botanical Exchange Club and Society of the British Isles Report for 1916, Suppl. 2 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix cuspidata* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 162. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix decandra* DC. -- Prodrum 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix decandra* DC. -- Prodr. [A. P. de Candolle] 3: 208. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix decussata* Craven -- Brunonia 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix decussata* Craven -- Brunonia 3(2): 237 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix depressa* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 162. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix depressa* (Turcz.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix desolata* S.Moore -- Journal of the Linnean Society, Botany 34 1899 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix desolata* S.Moore -- J. Linn. Soc., Bot. 34: 191. 1899 [1898-1900 publ. 1899] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix divergens* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix divergens* Craven -- Brunonia 10(1): 61 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix diversifolia* (Turcz.) B.D.Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix diversifolia* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 328. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix drummondii* (Meisn.) Craven -- Brunonia 10(1): 93 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix drummondii* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 47. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix drummondii* (Meisn.) Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix duplistipulata* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix duplistipulata* Craven -- *Brunonia* 10(1): 48 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ecalycata* Craven -- *Austral. Syst. Bot.* 3(4): 722 (1990), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ecalycata* Craven -- *Austral. Syst. Bot.* 3(4) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ecalycata* Craven subsp. *brevis* Keighery -- *Nuytsia* 15(2): 266 (-267; fig. 1I-L, 2A). 2004

Purified (Shodhit) *Calytrix ecalycata* Craven subsp. *pubescens* Keighery -- *Nuytsia* 15(2): 267 (-268; figs. 1M-P, 2B). 2004

Purified (Shodhit) *Calytrix empetroides* (Schauer) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix empetroides* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 254. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix eneabbensis* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix eneabbensis* Craven -- Brunonia 10(1): 55 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ericoides* A.Cunn. -- in Field, N. S. Waies 350. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix ericoides* A.Cunn. -- Geographical Memoires on New South Wales 1825 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix erosipetala* Craven -- *Brunonia* 10(1): 37 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix erosipetala* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix exstipulata* DC. -- *Prodr.* [A. P. de Candolle] 3: 208. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix exstipulata* DC. -- *Prodromus* 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix faucicola* Craven -- *Brunonia* 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix faucicola* Craven -- *Brunonia* 3(2): 241 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* A.Cunn. -- *Bot. Mag.* 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* A.Cunn. -- *Curtis's Botanical Magazine* 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* var. *curtophylla* (A.Cunn.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* var. *drummondii* (Meisn.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* var. *flavescens* A.Cunn. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix flavescens* var. *tenella* (Meisn.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix formosa* Craven -- *Brunonia* 10(1): 105 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix formosa* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix fraseri* A.Cunn. -- *Curtis's Botanical Magazine* 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix fraseri* A.Cunn. -- Bot. Mag. 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glaberrima* (F.Muell.) Craven -- Brunonia 10(1): 26 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glaberrima* (F.Muell.) Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glabra* R.Br. -- Bot. Reg. 5: t. 409. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glabra* R.Br. -- Edwards's Botanical Register 5 1820 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glutinosa* Lindl. -- Sketch Veg. Swan R. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix glutinosa* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix gomphrenoides* M.D.Barrett & Craven -- Nuytsia 19(1): 2 (1-8; figs. 1-2, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Calytrix gracilis* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix gracilis* Benth. -- Fl. Austral. 3: 45. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix granulosa* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix granulosa* Benth. -- Fl. Austral. 3: 49. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix gurulmundensis* Craven -- Brunonia 10(1): 79 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix gurulmundensis* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix gypsophila* Craven -- Brunonia 10(1): 36 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix gypsophila* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix habrantha* Craven -- Brunonia 10(1): 96 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix habrantha* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix harvestiana* (F.Muell.) Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix harvestiana* (F.Muell.) Craven -- Brunonia 10(1): 59 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix hirta* (Regel) Nge & K.R.Thiele -- Nuytsia 28: 333. 2017 [26 Oct 2017] [epublished]

Purified (Shodhit) *Calytrix hislopiae* Rye -- Nuytsia 23: 489. 2013 [21 Nov 2013] [epublished]

Purified (Shodhit) *Calytrix inopinata* Craven -- Austral. Syst. Bot. 4(3): 535 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix inopinata* Craven -- Australian Systematic Botany 4(3) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix interstans* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix interstans* S.Moore -- J. Linn. Soc., Bot. xlv. 200 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix involucrata* J.M.Black -- Trans. & Proc. Roy. Soc. S. Austral. 1928, lii. 225. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix involucrata* J.M.Black -- Transactions and Proceedings of the Royal Society of South Australia 52 1928 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix islensis* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix islensis* Craven -- Brunonia 10(1): 80 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix laricina* R.Br. ex Benth. -- Fl. Austral. 3: 52. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix laricina* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix lasiantha* Meisn. -- *J. Proc. Linn. Soc., Bot.* 1: 46. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix lasiostachya* F.Muell. -- *Fragm. (Mueller)* 1(10): 224. 1859 [Dec 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix leptophylla* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix leptophylla* Benth. -- *Fl. Austral.* 3: 50. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix leschenaultii* (Schauer) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix leschenaultii* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 104. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix leucantha* Miq. -- Ned. Kruidk. Arch. iv. (1859) 117. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix longiflora* F.Muell. -- Fragm. (Mueller) 1(1): 12. 1858 [Mar 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix longiflora* (F.Muell.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix luteola* Schauer -- in Lehm. Pl. Preiss. 1(1): 106. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix megaphylla* F.Muell. -- *Fragm. (Mueller)* 1(6): 146. 1859 [Jun 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix megaphylla* (F.Muell.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix merrelliana* (F.Muell. & Tate) Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix merrelliana* (F.Muell. & Tate) Craven -- *Brunonia* 10(1): 118 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix micrairoides* Craven -- Brunonia 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix micrairoides* Craven -- Brunonia 3(2): 236 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microcoma* Craven -- Brunonia 10(1): 70 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microcoma* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microphylla* A.Cunn. -- Bot. Mag. 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microphylla* A.Cunn. -- Curtis's Botanical Magazine 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microphylla* var. *longifolia* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix microphylla* var. *microphylla* A.Cunn. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix mimiana* Craven -- Brunonia 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix mimiana* Craven -- Brunonia 3(2): 234 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix mitchellii* S.Moore -- J. Linn. Soc., Bot. xlv. 199 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix mitchellii* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix monticola* Miq. -- Ned. Kruidk. Arch. iv. (1859) 118. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix muelleri* Miq. -- Ned. Kruidk. Arch. iv. (1859) 119. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix muricata* (F.Muell.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix muricata* F.Muell. -- *Fragm. (Mueller)* 1(10): 224. 1859 [Dec 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix muricata* var. *muricata* (F.Muell.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix muricata* var. *parvifolia* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix nematoclada* Craven -- *Brunonia* 10(1): 121 (1987), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix nematoclada* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix oldfieldii* Benth. -- Fl. Austral. 3: 46. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix oldfieldii* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix oncophylla* Craven -- Austral. Syst. Bot. 3(4) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix oncophylla* Craven -- Austral. Syst. Bot. 3(4): 720 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix parvivalis* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix parvivalis* Craven -- *Brunonia* 10(1): 120 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix patrickiae* Rye -- *Nuytsia* 23: 493. 2013 [21 Nov 2013] [epublished]

Purified (Shodhit) *Calytrix paucicostata* Craven -- *Brunonia* 10(1): 106 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix paucicostata* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix pimeleoides* C.A.Gardner ex Keighery -- *Nuytsia* 15(2): 262 (-265; figs. 1A-D, 2A). 2004

Purified (Shodhit) *Calytrix platycheiridia* Craven -- *Brunonia* 10(1): 62 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix platycheiridia* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix plumulosa* (F.Muell.) B.D.Jacks. -- *Index Kew.* 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix plumulosa* F.Muell. -- *Fragm. (Mueller)* 10(82): 27. 1876 [Mar 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix praecipua* Craven -- *Brunonia* 10(1): 50 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix praecipua* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix propinqua* A.Cunn. ex Walp. -- Repert. Bot. Syst. (Walpers) ii. 158. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix puberula* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 48. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix puberula* (Meisn.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix pubescens* Sweet ex Loudon -- Hort. Brit. [Loudon] 199. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix pubescens* G.Don -- General History of Dichlamydeous Plants 2 1832 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix pulchella* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 328. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix pulchella* (Turcz.) B.D.Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix purpurea* (F.Muell.) Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix purpurea* (F.Muell.) Craven -- Brunonia 10(1): 58 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix retrorsifolia* Nge & Keighery -- Nuytsia 28: 335. 2017 [26 Oct 2017] [epublished]

Purified (Shodhit) *Calytrix rosea* Miq. -- Ned. Kruidk. Arch. iv. (1859) 117. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix rosea* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 46. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix rupestris* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix rupestris* Craven -- Brunonia 10(1): 46 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sagei* Rye -- Nuytsia 23: 491. 2013 [21 Nov 2013] [epublished]

Purified (Shodhit) *Calytrix sapphirina* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix sapphirina* Lindl. -- Sketch Veg. Swan R. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix scabra* DC. -- Prodr. [A. P. de Candolle] 3: 208. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix scabra* DC. -- Prodromus 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix schlechtendahlia* Miq. -- Ned. Kruidk. Arch. iv. (1859) 116. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix similis* Craven -- Brunonia 10(1): 84 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix similis* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix simplex* Lindl. -- Sketch Veg. Swan R. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix simplex* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix simplex* subsp. *simplex* Lindl. -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix simplex* subsp. *suboppositifolia* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix simplex* subsp. *suboppositifolia* Craven -- *Brunonia* 10(1): 100 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix smeatoniana* (F.Muell.) Craven -- *Brunonia* 10(1): 27 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix smeatoniana* (F.Muell.) Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sparsa* A.Cunn. ex Walp. -- *Repert. Bot. Syst.* (Walpers) ii. 160. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix squarrosa* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 118. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stenophylla* Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stenophylla* W.Fitzg. -- Journal of the West Australian Natural History Society 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stipulosa* W.Fitzg. -- Journal of the West Australian Natural History Society 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stipulosa* W.Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stowardii* S.Moore -- J. Linn. Soc., Bot. xlv. 174 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix stowardii* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix strigosa* A.Cunn. -- Curtis's Botanical Magazine 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix strigosa* A.Cunn. -- Bot. Mag. 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sullivanii* F.Muell. -- Fragn. (Mueller) 9(72): 1. 1875 [Feb 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sullivanii* (F.Muell.) B.D.Jacks. -- Index Kew. 1 1893 [6 Sep 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix superba* C.A.Gardner & A.S.George -- Journal of the Royal Society of Western Australia 46 1963 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix superba* C.A.Gardner & A.S.George -- Journ. Roy. Soc. W. Austral. xlv. 134 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix surdiviperana* Craven -- Brunonia 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix surdiviperana* Craven -- Brunonia 3(2): 226 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sylvana* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix sylvana* Craven -- *Brunonia* 10(1): 117 (1987), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenella* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 47. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuifolia* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 46. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuifolia* (Meisn.) Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuifolia* var. *rigidior* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuifolia* var. *tenuifolia* (Meisn.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuiramea* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tenuiramea* (Turcz.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tetragona* Labill. -- Novae Hollandiae Plantarum Specimen 2 1806 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Calytrix tetragona* Labill. -- Nov. Holl. Pl. 2: 8, t. 146. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tetragonophylla* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 47. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tetraptera* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix tetraptera* DC. -- Prodr. [A. P. de Candolle] 3: 208. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix truncata* A.Cunn. -- Hooker's Journal of Botany 4 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix truncatifolia* Craven -- *Brunonia* 10(1): 103 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix truncatifolia* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix uncinata* Craven -- *Austral. Syst. Bot.* 3(4): 719 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix uncinata* Craven -- *Austral. Syst. Bot.* 3(4) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix variabilis* Lindl. -- *Sketch Veg. Swan R.* 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix variabilis* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix verruculosa* Craven -- Brunonia 10(1): 51 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix verruculosa* Craven -- Brunonia 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix verticillata* Craven -- Brunonia 3(2): 225 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix verticillata* Craven -- Brunonia 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix violacea* (Lindl.) Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix violacea* (Lindl.) Craven -- *Brunonia* 10(1): 119 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix virgata* A.Cunn. -- *Curtis's Botanical Magazine* 61 1834 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix virgata* A.Cunn. -- *Bot. Mag.* 61: sub t. 3323. 1834 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix viscida* Rye -- *Nuytsia* 23: 486. 2013 [21 Nov 2013] [epublished]

Purified (Shodhit) *Calytrix warburtonensis* Craven -- *Brunonia* 10(1): 34 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix warburtonensis* Craven -- *Brunonia* 10(1) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix watsonii* (F.Muell. & Tate) C.A.Gardner -- *Enumeratio Plantarum Australiae Occidentalis* 1930 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix wickhamiana* S.Moore -- *J. Linn. Soc., Bot.* xlv. 198 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Calytrix wickhamiana* S.Moore -- *Journal of the Linnean Society, Botany* 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cambea* Endl. -- Gen. Pl. [Endlicher] 1234, in syn., sphalm. 1840 [Aug 1840] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus* Schauer -- Linnaea 17: 240. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus* Schauer -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus* behrii Schltdl. -- Linnaea 20 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus* behrii Schltdl. -- Linnaea 20: 651. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus brownii* Schauer -- Linnaea 17 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus brownii* Schauer -- Linnaea 17: 240. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus crenulata* F.Muell. -- Definitions of rare or hitherto undescribed Australian plants 1855 = Transactions and Proceedings of the Victorian Institute for the Advancement of Science (10 Sep. 1855) 123 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus crenulata* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 123. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus pluriflora* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 123. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Camphoromyrtus pluriflora* F.Muell. -- Definitions of rare or hitherto undescribed Australian plants 1855 = Transactions and Proceedings of the Victorian Institute for the Advancement of Science (10 Sep. 1855) 123 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia Ruiz & Pav.* -- Fl. Peruv. Prodr. 72, t. 13. 1794 [early Oct 1794] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia Ruiz & Pav.* -- Fl. Peruv. Prodr. 72, t. 13. 1794 [Oct (prim.) 1794] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia* subsect. *Apertae* Mattos -- *Loefgrenia* 99: 5 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia* sect. *Apertae* Mattos -- *Loefgrenia* 99: 4 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia subsect. Dichotomae* Mattos -- *Loefgrenia* 99: 5 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia subsect. Sessiliflorae* Mattos -- *Loefgrenia* 99: 5 (1990), without latin descr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia acrandroides* Mattos -- *Loefgrenia* 90: 4 (1986), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia adamantium* Blume -- *Mus. Bot.* 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia adamantium* (Cambess.) O.Berg -- *Linnaea* 27(Heft 4): 434. 1856 [Feb 1856]

Purified (Shodhit) *Campomanesia adamantium* Blume var. *nana* (D.Legrand) Mattos --  
Loefgrenia 116: 3. 2001 [Sep 2001]

Purified (Shodhit) *Campomanesia affinis* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia affinis* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia albiflora* Rojas Acosta -- Cat. Hist. Nat. Corrientes 62 (1897). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia anemonea* Landrum -- Brittonia 53(4): 536 (-538; fig. 2). 2001 [28 Feb 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia anemonea* Landrum -- Brittonia 53(4): 536. 2002 [2001 publ. 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia apaensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia apaensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia apiculata* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia apiculata* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), Bomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia aprica* O.Berg -- Fl. Bras. (Martius) 14(1): 459. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia arenaria* O.Berg -- Fl. Bras. (Martius) 14(1): 448. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia aromatica* (Aubl.) Griseb. -- Fl. Brit. W.I. [Grisebach] [3]: 242. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia aurea* O.Berg -- Fl. Bras. (Martius) 14(1): 454. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia aurea* O.Berg -- Fl. Bras. (Martius) 14(1): 454. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia australis* O.Berg -- Fl. Bras. (Martius) 14(1): 445. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia beaurepairiana* Kiaersk. -- Enum. Myrt. Bras. 15, pl. 12, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia beaurepairiana* Kiaersk. -- Enum. Myrt. Bras. (1893) 15. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia blanchetiana* Landrum & M.Ibrahim -- J. Bot. Res. Inst. Texas 4(2): 604 (603-607; figs. 1-2). 2010 [23 Nov 2010]

Purified (Shodhit) *Campomanesia bracteolata* Kiaersk. -- Enum. Myrt. Bras. 10, pl. 1, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia bracteolata* Kiaersk. -- Enum. Myrt. Bras. (1893) 10. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia bullata* Chodat & Hassl. -- Bull. Herb. Boissier ser. 2, 7: 801. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia bullata* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 801 (1907). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia caerulea* O.Berg -- Fl. Bras. (Martius) 14(1): 455, t. 6, fig. 144. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia caerulea* O.Berg -- Fl. Bras. (Martius) 14(1): 455. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia caerulescens* O.Berg -- Fl. Bras. (Martius) 14(1): 612. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cagaiteira* Kiaersk. -- Enum. Myrt. Bras. (1893) 12. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cagaiteira* Kiaersk. -- Enum. Myrt. Bras. 12, pl. 1, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cambessedeanana* O.Berg -- Fl. Bras. (Martius) 14(1): 457. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cambessedeanana* var. *nana* D.Legrand -- Bol. Soc. Argent. Bot. 10: 8, fig. 2E. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cambessedeanii* var. *pyriformis* Mattos -- *Loefgrenia* 32: [1]. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia campestris* (Cambess.) D.Legrand -- *Notul. Syst. (Paris)* 15: 273. 1958 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia campestris* Blume -- *Mus. Bot.* 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia campestris* O.Berg -- *Fl. Bras. (Martius)* 14(1): 440 (-441). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia campestris* (Cambess.) D.Legrand -- *Notul. Syst. (Paris)* 15: 273. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia cavalcantiana* Soares-Silva & Proença -- Kew Bull. 65(3): 464 (-466; fig. 1). 2011 [2010 publ. Jan 2011]

Purified (Shodhit) *Campomanesia cerasoides* A.Gray -- U.S. Expl. Exped., Phan. 15: 549. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cerasoides* (Cambess.) Mattos -- Loefgrenia 90: 4 (1986):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia chrysophylla* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia chrysophylla* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 73. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia chrysophylla* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ciliata* O.Berg -- Fl. Bras. (Martius) 14(1): 453. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ciliata* O.Berg -- Fl. Bras. (Martius) 14(1): 453. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia coetanea* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia coetanea* O.Berg -- Fl. Bras. (Martius) 14(1): 444. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cornifolia* Kunth -- Nov. Gen. Sp. [H.B.K.] vi. 150. t. 147. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia corymbosa* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

\* Purified (Shodhit) *Campomanesia costata* M.Ibrahim & Landrum -- Phytotaxa 149(1): 20. 2013 [2 Dec 2013] [epublished]

Purified (Shodhit) *Campomanesia crassifolia* Benth. -- Bot. Voy. Sulphur [Bentham] 97, t. 37. 1844 [26 Oct 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia crassifolia* Benth. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia crenata* O.Berg -- Fl. Bras. (Martius) 14(1): 456. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cucullata* Proença & L.V.S.Jenn. -- Brittonia 63(1): 47 (-49; fig. 1). 2011 [1 Mar 2011]

Purified (Shodhit) *Campomanesia cuneata* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cuneata* O.Berg -- Fl. Bras. (Martius) 14(1): 446 (-447). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cyanea* O.Berg -- Fl. Bras. (Martius) 14(1): 454. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cyanea* O.Berg -- Fl. Bras. (Martius) 14(1): 454 (-455). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia cyanea* var. *cordata* O.Berg -- Fl. Bras. (Martius) 14(1): 454, t. 50. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Campomanesia cyanea O.Berg var. ovata O.Berg -- Fl. Bras. (Martius) 14(1): 454, t. 6, fig. 146 & t. 50. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Campomanesia cyanea var. ovata O.Berg -- Fl. Bras. (Martius) 14(1): 454, t. 6, fig. 146 & t. 50. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Campomanesia dardano-limai Mattos & D.Legrand -- Loefgrenia 67: 10. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Campomanesia dardano-limai Mattos & D.Legrand -- Loefgrenia no. 67: 10 (-11). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Campomanesia dentata O.Berg -- Fl. Bras. (Martius) 14(1): 457. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia desertorum* O.Berg -- Fl. Bras. (Martius) 14(1): 450. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dichotoma* (O.Berg) Mattos -- Loefgrenia No. 26, 28 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dichotoma* (O.Berg) Mattos -- Loefgrenia no. 26: 28. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dimorpha* O.Berg -- Fl. Bras. (Martius) 14(1): 609. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg -- Fl. Bras. (Martius) 14(1): 439. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg -- Fl. Bras. (Martius) 14(1): 439 (-440), t. 6, fig. 145. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg var. *alternifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 440. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg var. *oppositifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 440, t. 6, fig. 145. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg var. *oppositifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 440. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia discolor* O.Berg var. *paranensis* (D.Legrand) Mattos -- Loefergrenia 110: 1 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia diversifolia* Barb.Rodr. -- Myrt. Paraguay 18. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia diversifolia* Barb.Rodr. -- Myrt. Paraguay 18, pl. 23. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dulcis* (Vell.) J.F.Macbr. -- Candollea 5: 394. 1934 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dulcis* (Vell.) J.F.Macbr. -- Candollea v. 394 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia dusenii* Kausel -- Lilloa 33(6): 100. 1972 [1971 publ. 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia dusenii* Kausel -- Lilloa 33: 100, fig. 1972. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eriantha* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia erosa* (Miq.) Govaerts -- World Checkl. Seed Pl. 3(1): 12 (1999):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia espiritosantensis* Landrum -- Brittonia 39(2): 245 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia espiritosantensis* Landrum -- Brittonia 39: 245 (-246), fig. 1987 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 613. 1977 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* D.Legrand -- Notul. Syst. (Paris) 15(3): 274. 1958 [Dec 1958] ; nom. inval. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* D.Legrand -- Notul. Syst. (Paris) 15: 274. 1958 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* (Cambess.) D.Legrand ex Landrum -- Fl. Neotrop. Monogr. 45: 28. 1986 [4 Nov 1986]

Purified (Shodhit) *Campomanesia eugenioides* D.Legrand -- Fl. Illustr. Catarin. MIRT: 613. 1977 ; nom. inval. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* Blume var. *desertorum* (Mart. ex DC.) Landrum - Brittonia 36(3): 241. 1984 [11 Oct 1984] ; nom. inval. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia eugenioides* (Cambess.) D.Legrand ex Landrum var. *desertorum* (Mart. ex DC.) Landrum -- Fl. Neotrop. Monogr. 45: 30. 1986 [4 Nov 1986]

Purified (Shodhit) *Campomanesia eugenioides* (Cambess.) D.Legrand ex Landrum var. *desertorum* (Mart. ex DC.) Landrum -- Brittonia 36(3): 241 (1984):. ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fenzliana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 206. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fluminensis* Mattos -- Loefgrenia No. 26, 37 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fluminensis* Mattos -- Loefgrenia 26: 37. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 458. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* O.Berg -- Fl. Bras. (Martius) 14(1): 447. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *erosa* (Miq.) O.Berg -- Fl. Bras. (Martius) 14(1): 447. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *erosa* (Miq.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *integra* O.Berg -- Fl. Bras. (Martius) 14(1): 447. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *integra* O.Berg -- Fl. Bras. (Martius) 14(1): 447. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *stricta* O.Berg -- Fl. Bras. (Martius) 14(1): 448. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia fusca* var. *subtriflora* O.Berg -- Fl. Bras. (Martius) 14(1): 448. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia gardneriana* O.Berg -- Fl. Bras. (Martius) 14(1): 455. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glabra* O.Berg -- Fl. Bras. (Martius) 14(1): 450. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glabra* Benth. -- J. Bot. (Hooker) 2: 319. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glareophila* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glareophila* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glazioviana* Kiaersk. -- Enum. Myrt. Bras. (1893) 16. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia glazioviana* Kiaersk. -- Enum. Myrt. Bras. 16, pl. 13, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia goetheana* Hemsl. -- Biol. Cent.-Amer., Bot. i. 407. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia gomesiana* Handro & Mattos -- Loeffgrenia no. 25: 1. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia gomesiana* Handro & Mattos -- Loeffgrenia No. 25, 1 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia gracilis* Kausel -- Lilloa 33: 101, fig. 1972 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia gracilis* Kausel -- Lilloa 33(6): 101. 1972 [1971 publ. 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia grandiflora* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 182. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. -- Enum. Myrt. Bras. 8. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. -- Enum. Myrt. Bras. (1893) 8. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



\* Purified (Shodhit) *Campomanesia guaviroba* (DC.) Bertoni -- Bull. Soc. Natl. Acclim. France ser. 4, 4: 443. 1887 [Jul 1887]

\* Purified (Shodhit) *Campomanesia guaviroba* Benth. & Hook.f. -- Gen. Pl. [Bentham & Hooker f.] 1(2): 712. 1865 [19 Oct 1865] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. var. *insulae* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 595. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. var. *insulae* D.Legrand -- Fl. Illustr. Catarin. MIRT: 595. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. var. *itatieaeiae* D.Legrand -- Fl. Illustr. Catarin. MIRT: 592, fig. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guaviroba* (DC.) Kiaersk. var. *itatieaeiae* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 592. 1977 (Short duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* (Cambess.) O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* (Cambess.) O.Berg -- Fl. Bras. (Martius) 14(1): 457 (-458). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* (Cambess.) O.Berg var. *grisea* (Cambess.) O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* (Cambess.) O.Berg var. *grisea* (Cambess.) O.Berg -- Fl. Bras. (Martius) 14(1): 458. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia guazumifolia* (Cambess.) O.Berg var. *rubiginosa* O.Berg -- Fl. Bras. (Martius) 14(1): 458. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia hassleri* Barb.Rodr. -- Myrt. Paraguay 19. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia hassleri* Barb.Rodr. -- Myrt. Paraguay 19, pl. 24. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia hatschbachii* Mattos -- Loefgrenia No. 7, 1 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia heterophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 440. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia heterophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 440. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia hirsuta* Gardner -- London J. Bot. 2: 353. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia houlletii* O.Berg -- Fl. Bras. (Martius) 14(1): 449. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia houlletii* O.Berg -- Fl. Bras. (Martius) 14(1): 449. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia hypoleuca* hort. ex Gentil -- Pl. Cult. Serres Jard. Bot. Brux. 45 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia igatimiensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia igatimiensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ilhoensis* Mattos -- Loeffgrenia no. 66: 3. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ilhoensis* Mattos -- Loeffgrenia 66: 3. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia itanarensis* Kiaersk. -- Enum. Myrt. Bras. 8. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia itanarensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 8; et ex Engl. et Prantl. Naturl. Pflanzenfam. iii. 7.(1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia kiaerskoviana* Mattos -- Loefgrenia No. 26, 40 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia kiaerskoviana* Mattos -- Loefgrenia 26: 37. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia kiaerskoviana* Mattos var. *impresso-venosa* Mattos -- Loefgrenia no. 26: 42. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia lanceolata* O.Berg -- Fl. Bras. (Martius) 14(1): 612. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia lancifolia* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia lancifolia* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia langsdorffii* O.Berg -- Fl. Bras. (Martius) 14(1): 610. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia laurifolia* Gardner -- London J. Bot. 2: 353. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia lineatifolia* Ruiz & Pav. -- Fl. Peruv. [Ruiz & Pavon] 4: t. 422. ; Syst. 128 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia littoralis* D.Legrand -- Sellowia no. 13: 335. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia littoralis* D.Legrand -- Sellowia 13: 355. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia littoralis* D.Legrand -- Sellowia 13: 335. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia lundiana* (Kiaersk.) Mattos -- Loefgrenia No. 26, 35 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia lundiana* (Kiaersk.) Mattos -- *Loefgrenia* no. 26: 35. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia macrobracteolata* Landrum -- *Brittonia* 53(4): 534. 2002 [2001 publ. 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia macrobracteolata* Landrum -- *Brittonia* 53(4): 534 (-538; fig. 1). 2001 [28 Feb 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia malifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 452. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia malifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 452. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia malifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 452. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia malifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia maracayuensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia maracayuensis* Barb.Rodr. ex Chad. & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia martiana* O.Berg -- Fl. Bras. (Martius) 14(1): 610. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia martiana* O.Berg -- Fl. Bras. (Martius) 14(1): 610. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia maschalanth* (O.Berg) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia maschalanth* (O.Berg) Kiaersk. -- Enum. Myrt. Bras. 8. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia maschalanth* Kiaersk. -- ex Engl. et Prantl. Naturl. Pflanzenfam. (1893) 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia mediterranea* O.Berg -- Fl. Bras. (Martius) 14(1): 458. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia microcarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 455. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia mollicarpa* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia mollicarpa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia montana* D.Legrand -- Fl. Illustr. Catarin. MIRT: 616 (-618), figs. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia montana* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 616. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia multiflora* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia neriiflora* (O.Berg) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia neriiflora* (O.Berg) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(Abt. 7, lief. 81): 73. 1893 [Apr 1893] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia neriifolia* (O.Berg) Nied. -- , a sphalm.: use *C. neriiflora*. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia nitidifolia* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia nitidifolia* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obscura* O.Berg -- Fl. Bras. (Martius) 14(1): 451. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obscura* O.Berg -- Fl. Bras. (Martius) 14(1): 451. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* O.Berg -- Fl. Bras. (Martius) 14(1): 445. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 445. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 445. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia obversa* var. *perforata* O.Berg -- Fl. Bras. (Martius) 14(1): 446. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ovalifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 452. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia ovalifolia* var. *venulosa* O.Berg -- Fl. Bras. (Martius) 14(1): 611. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pabstiana* Mattos & D.Legrand -- Loeffgrenia no. 67: 11. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pabstiana* Mattos & D.Legrand -- Loeffgrenia 67: 11. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia paraguayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia paraguayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia paranensis* D.Legrand -- Bol. Soc. Argent. Bot. 10: 7, fig. 2C-D. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia paranensis* D.Legrand -- Bol. Soc. Argent. Bot. x. 7 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia phaea* (O.Berg) Landrum -- Brittonia 36: 241. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia phaea* (O.Berg) Mattos -- Loefergrenia 90: 4 (1986):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia phaea* (O.Berg) Landrum -- Brittonia 36(3): 241 (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia phaea* (O.Berg) Landrum var. *lauroana* (Mattos) Mattos -- Loeftgrenia 110: 1 (1997):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pohliana* O.Berg -- Fl. Bras. (Martius) 14(1): 441. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pohliana* O.Berg -- Fl. Bras. (Martius) 14(1): 441. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia poiteaui* O.Berg -- Linnaea 27: 432. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia prosthecesepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 11. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia prosthecesepala* Kiaersk. -- Enum. Myrt. Bras. 13, pl. 1, fig. f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia psidioides* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia psidioides* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 73. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pubescens* O.Berg -- Fl. Bras. (Martius) 14(1): 443. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pubescens* var. *coarctata* O.Berg -- Fl. Bras. (Martius) 14(1): 443. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia pubescens* var. *effusa* O.Berg -- Fl. Bras. (Martius) 14(1): 443. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia punctulata* (O.Berg) Mattos & D.Legrand -- Loeffgrenia 67: 11. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia punctulata* (O.Berg) Mattos & D.Legrand -- Loeffgrenia no. 67: 11. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rabeniana* Kiaersk. -- Enum. Myrt. Bras. (1893) 11. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rabeniana* Kiaersk. -- Enum. Myrt. Bras. 11, pl. 2, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia racemosa* O.Berg -- Fl. Bras. (Martius) 14(1): 458. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia recurvata* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia recurvata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7(1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia recurvata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 73. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia regeliana* Kiaersk. -- Enum. Myrt. Bras. 8. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia regeliana* Kiaersk. -- Enum. Myrt. Bras. (1893) 8 (*Abbevillea Regeliana*, Berg). [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia reitziana* D.Legrand -- Sellowia 8: 71. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia reitziana* D.Legrand -- Sellowia 8: 71, tab. 1, 2. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia repanda* O.Berg -- Fl. Bras. (Martius) 14(1): 456. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia resinosa* Barb.Rodr. -- Myrt. Paraguay 20. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia resinosa* Barb.Rodr. -- Myrt. Paraguay 20, pl. 26. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia reticulata* O.Berg -- Fl. Bras. (Martius) 14(1): 439. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* O.Berg -- Fl. Bras. (Martius) 14(1): 453. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* O.Berg -- Fl. Bras. (Martius) 14(1): 453 (-454). 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 453. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* O.Berg var. *kleinii* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 612. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* var. *kleinii* D.Legrand -- Fl. Illustr. Catarin. MIRT: 612 (-613), figs. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhombea* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 453. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rhytidophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 608. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia riedeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 610. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia rivularis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rivularis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 73. 1893 author= Engl. & Prantl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rufa* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rufa* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 73. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rufa* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rugosa* O.Berg -- Fl. Bras. (Martius) 14(1): 439. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rugosa* var. *lanuginosa* Chodat & Hassl. -- Bull. Herb. Boissier 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia rugosa* var. *lanuginosa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia salviifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 442. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia salviifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 442. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia salviifolia* O.Berg var. *angustifolia* (Miq.) O.Berg -- Fl. Bras. (Martius) 14(1): 442. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia salviifolia* O.Berg var. *angustifolia* (Miq.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia salviifolia* O.Berg var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 442. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia schlechtendalia* (O.Berg) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia schlechtendalia* (O.Berg) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(Abt. 7, lief. 81): 73. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia schlechtendaliana* (O.Berg) Nied. var. *rugosa* (O.Berg) Landrum -- Brittonia 36(3): 241 (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia schlechtendaliana* (O.Berg) Nied. var. *rugosa* (O.Berg) Landrum -- Brittonia 36: 241. 1985 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia schultzeana* Mattos -- Loefergrenia 90: 4. 1986 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sellowiana* (O.Berg) Mattos -- Loefergrenia 90: 4 (1986):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sellowiana* (O.Berg) Mattos -- Arq. Bot. Estado Sao Paulo 4(4-6): 260. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sepalifolia* Luber & M.Ibrahim -- *Rodriguésia* 68(5): 1785. 2017

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos -- *Loefgrenia* No. 26, 26 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos -- *Loefgrenia* no. 26: 26. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos var. *bullata* (Barb.Rodr.) Landrum -- *Brittonia* 36: 241. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos var. *bullata* (Barb.Rodr.) Landrum -- *Brittonia* 36(3): 241 (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos var. *lanuginosa* (Chodat & Hassl.) Landrum -- *Brittonia* 36: 241. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sessiliflora* (O.Berg) Mattos var. *lanuginosa* (Barb.Rodr. ex Chodat & Hassl.) Landrum -- *Brittonia* 36(3): 241 (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia simulans* M.L.Kawas. -- *Brittonia* 52(2): 188 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia simulans* M.L.Kawas. -- *Brittonia* 52(2): 188 (-190; fig. 1). 2000 [18 Aug 2000] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sparsiflora* (DC.) Mattos -- *Loefgrenia* 90: 4 (1986):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sparsiflora* (DC.) J.F.Macbr. -- *Candollea* v. 394 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sparsiflora* J.F.Macbr. -- *Candollea* 5: 394. 1934 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia sparsiflora* (DC.) Mattos -- *Ci. & Cult.* 19: 333. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia speciosa* (Diels) McVaugh -- *Publ. Field Columbian Mus., Bot. Ser.* xiii. IV. 813 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia speciosa* (Diels) McVaugh -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 13(4): 813. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia stictopetala* Kiaersk. -- Enum. Myrt. Bras. 8, pl. 1, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia stictopetala* Kiaersk. -- Enum. Myrt. Bras. (1893) 8. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia suaveolens* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia suffruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 448. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia suffruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 448. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Campomanesia synchrona* O.Berg -- Fl. Bras. (Martius) 14(1): 444. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia tenuifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 452. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia terminalis* (Vell.) Mattos -- Arq. Bot. Estado Sao Paulo 4(4-6): 260. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia tetramera* McVaugh -- Mem. New York Bot. Gard. 18(2): 239. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia tetramera* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 239 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia tetramera* McVaugh -- Mem. New York Bot. Gard. 18: 239. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia thea* Gilg -- Notizbl. Königl. Bot. Gart. Berlin 5: 114. 1909 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia thea* Gilg & Strauss -- Notizbl. Königl. Bot. Gart. Berlin 5: 114. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia tomentosa* Kunth -- Nov. Gen. Sp. [H.B.K.] vi. 151. t. 147. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia transalpina* O.Berg -- Fl. Bras. (Martius) 14(1): 459. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia trichosepala* Barb.Rodr. -- Myrt. Paraguay 19. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia trichosepala* Barb.Rodr. -- Myrt. Paraguay 19, pl. 25. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia triflora* Baill. -- Hist. Pl. (Baillon) 6: 342. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia vaccinioides* O.Berg -- Fl. Bras. (Martius) 14(1): 450. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia velutina* Blume -- Mus. Bot. 1(5): 72. 1850 [1 May 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

\* Purified (Shodhit) *Campomanesia velutina* (Cambess.) O.Berg -- *Linnaea* 27: 429. 1856

Purified (Shodhit) *Campomanesia verrucosa* (O.Berg) Mattos -- *Ci. & Cult.* 19: 333. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia viatoris* Landrum -- *Brittonia* 36(3): 242 (1984), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia viatoris* Landrum -- *Brittonia* 36: 242. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia virescens* O.Berg -- *Fl. Bras. (Martius)* 14(1): 611. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia warmingiana* Kiaersk. -- *Enum. Myrt. Bras.* 14, pl. 2, fig. b-c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia warmingiana* Kiaersk. -- Enum. Myrt. Bras. (1893) 14. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia widgreniana* O.Berg -- Fl. Bras. (Martius) 14(1): 447. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 451 (-452), t. 49. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 451. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg var. *littoralis* (D.Legrand) Landrum -- Brittonia 36(3): 242 (1984):. (Short duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg var. *littoralis* (D.Legrand) Landrum -- Brittonia 36: 242. 1984 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg var. *malifolia* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. 1(Mirt.): 602. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia xanthocarpa* O.Berg var. *malifolia* (O.Berg) D.Legrand -- Fl. Illustr. Catarin. MIRT: 602. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia yerutiensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 800 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Campomanesia yerutiensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 800. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Carpolepis* (J.W.Dawson) J.W.Dawson -- Bull. Mus. Natl. Hist. Nat., B, Adansonia Sér. 4, 6(4): 466. 1985 [dt. 1984; publ. 15 Apr 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Carpolepis elegans* (Montrouz.) J.W.Dawson -- Bull. Mus. Natl. Hist. Nat., B, Adansonia Sér. 4, 6(4): 466. 1985 [dt. 1984; publ. 15 Apr 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Carpolepis laurifolia* (Brongn. & Gris) J.W.Dawson -- Bull. Mus. Natl. Hist. Nat., B, Adansonia Sér. 4, 6(4): 468. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Carpolepis laurifolia* (Brongn. & Gris) J.W.Dawson var. *demonstrans* (Tison) J.W.Dawson -- Bull. Mus. Natl. Hist. Nat., B, Adansonia Sér. 4, 6(4): 468. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Carpolepis tardiflora* J.W.Dawson -- Bull. Mus. Natl. Hist. Nat., B, Adansonia Sér. 4, 6(4): 468. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus* L. -- Sp. Pl. 1: 515. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus* L. -- Sp. Pl. 1: 515. 1753 [1 May 1753] ; nom. rej. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus acutangulus* Stokes -- Bot. Mat. Med. iii. 75. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus adenolepis* Miq. -- Fl. Ned. Ind. i. 466. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Caryophyllus amieuensis* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. viii. 147 (1959). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus antisepticus* Blume ex DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus aromaticus* L. -- Sp. Pl. 1: 515. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus baladensis* Brongn. & Gris -- Bull. Soc. Bot. France 12: 185. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus balansae* Guillaumin -- Bull. Soc. Bot. France 85: 648. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus corticosus* Stokes -- Bot. Mat. Med. iii. 75. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus cotinifolius* Mill. -- Gard. Dict., ed. 8. n. 4. 1768 [16 Apr 1768] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus densiflorus* Vieill. ex Guillaumin -- Bull. Mus. Natl. Hist. Nat. 1932, Ser. II. iv. 699, nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus deplanchei* Guillaumin -- Bull. Soc. Bot. France 85: 648. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus elegans* Brongn. & Gris -- Bull. Soc. Bot. France 12: 184. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus ellipticus* Labill. -- Sert. Austro-Caledon. 64, t. 63. 1825 [29-31 Oct 1825] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus fastigiatus* Blume ex DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus floribundus* Blume ex DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus fruticosus* Mill. -- Gard. Dict., ed. 8. n. 3. 1768 [16 Apr 1768] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus garciniifolius* Guillaumin -- Bull. Mus. Natl. Hist. Nat. sér. 2, 31: 176. 1959 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus hortensis* Noronha -- Verh. Batav. Genootsch. Kunst. 5(Art. 4): 11. 1790 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus jambos* Stokes -- Bot. Mat. Med. iii. 73. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus kriegei* Guillaumin -- Bull. Soc. Bot. France 85: 649. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus laxeracemosus* Guillaumin -- Bull. Mus. Natl. Hist. Nat. sér. 2, 28: 312. 1956 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus malaccensis* Stokes -- Bot. Mat. Med. iii. 72. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus multipetalus* (Panch. ex Brongn. & Gris) Guillaumin -- Bull. Soc. Bot. France 85: 648. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus pimenta* Mill. -- Gard. Dict., ed. 8. n. 2. 1768 [16 Apr 1768] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus pimento* Mill. -- Gard. Dict., ed. 8. ed. 8. 1768 [16 Apr 1768] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus propinquus* Guillaumin -- Bull. Soc. Bot. France 85: 649. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus pterocalyx* (Baker f.) Guillaumin -- Bull. Soc. Bot. France 85: 648. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus pterocarpus* Vieill. ex Pancher & Sebert -- Not. Bois Nouv. Caled. 256. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus racemosus* Mill. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus racemosus* Mill. -- Gard. Dict., ed. 8. n. 5. 1768 [16 Apr 1768] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus racemosus* Stokes -- Bot. Mat. Med. iii. 76. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus rhopalanthus* (Schltr.) Guillaumin -- Bull. Soc. Bot. France 85: 648. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus rugosus* Blume ex Miq. -- Fl. Ned. Ind. i. I. 437. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus silvestris* Teijsm. ex Hassk. -- Abh. Naturf. Ges. Halle ix. 167, l. 33 (1866). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus undulatus* Guillaumin -- Bull. Soc. Bot. France 85: 649. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus vieillardii* Lenorm. ex Guillaumin -- Bull. Soc. Bot. France 85: 649. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Caryophyllus xanthostemifolius* Guillaumin -- Bull. Soc. Bot. France 85: 650. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Catinga Aubl.* -- Hist. Pl. Guiane 1: 511, t. 203. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Catinga aromatica Aubl.* -- Hist. Pl. Guiane 1: 511, t. 203, f. 2. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Catinga moschata Aubl.* -- Hist. Pl. Guiane 1: 511, t. 203, f. 1. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerocarpus Hassk.* -- Flora 25(2, Beibl.): 36. 1842 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerocarpus aqueus Hassk.* -- Flora 25(2, Beibl.): 36. 1842 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Cerocarpus bifaria* Colebr. -- Numer. List [Wallich] n. 3606. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerqueiria* O.Berg -- Linnaea 27: 5. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerqueiria sellowiana* O.Berg -- Linnaea 27: 6. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerqueiria sellowiana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cerquieria* Benth. & Hook.f. -- Gen. Pl. [Bentham & Hooker f.] 1(2): 716, sphalm. 1865 [19 Oct 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamaelaucium* DC. -- Prodr. [A. P. de Candolle] 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium* Desf. -- Mém. Mus. Hist. Nat. 5: 39. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium* Desf. -- Mémoires du Muséum d'Histoire Naturelle, Paris 5 1819 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium* sect. *Chamelaucium* Desf. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium* sect. *Schuermannia* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium affine* Meisn. -- J. Proc. Linn. Soc., Bot. 1(1): 45. 1856 [dt. 1857; publ. 1 Mar 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium affine* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium axillare* F.Muell. ex Benth. -- Fl. Austral. 3: 38. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium axillare* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium brevifolium* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium brevifolium* Benth. -- Fl. Austral. 3: 37. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium brownii* Desf. -- Mém. Mus. Hist. Nat. 5: 271, t. 19. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium brownii* Desf. -- Mémoires du Muséum d'Histoire Naturelle, Paris 5 1819 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium ciliatum* Desf. -- Mémoires du Muséum d'Histoire Naturelle, Paris 5 1819 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium ciliatum* Desf. -- Mém. Mus. Hist. Nat. 5: 40. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium confertiflorum* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 80 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium confertiflorum* Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 80. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium dilatatum* J.R.Drumm. -- Hooker's Journal of Botany & Kew Garden Miscellany 1853 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium drummondii* Meisn. -- Journal of the Proceedings of the Linnean Society, Botany 1 1857 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium drummondii* Meisn. -- J. Proc. Linn. Soc., Bot. 1: 44. 1856 [1857 publ. 1856] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium gracile* F.Muell. -- *Fragm. (Mueller)* 4(26): 62. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium gracile* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium hallii* Ewart -- *Proc. Roy. Soc. Victoria* n.s., xx. 77 (1907). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium hallii* Ewart -- *Proceedings of the Royal Society of Victoria* Series 2 20(1) 1907 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium heterandrum* Benth. -- *Fl. Austral.* 3: 36. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium heterandrum* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium marchantii* Strid -- *Plant Systematics and Evolution* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium marchantii* Strid -- *Pl. Syst. Evol.* 155(1-4): 341. 1987 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium megalopetalum* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium megalopetalum* F.Muell. ex Benth. -- *Fl. Austral.* 3: 38. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium micranthum* (Turcz.) Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 81. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium micranthum* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 81 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium micropetalum* (F.Muell.) F.Muell. -- Fragm. (Mueller) 4(29): 138. 1864 [Nov 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium micropetalum* (F.Muell.) F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium pauciflorum* (Turcz.) Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chamelaucium pauciflorum* Benth. -- Fl. Austral. 3: 38. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium plumosum* Desf. -- Mém. Mus. Hist. Nat. 5: 42, t. 4. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium plumosum* Desf. -- Mémoires du Muséum d'Histoire Naturelle, Paris 5 1819 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium schuermannii* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium schuermannii* (F.Muell.) F.Muell. -- Fragm. (Mueller) 4(29): 138. 1864 [Nov 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium thomasi* F.Muell. -- *Fragm. (Mueller)* 4(29): 137, t. 30. 1864 [Nov 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium thomasi* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium uncinatum* Schauer -- *Pl. Preiss. [J.G.C.Lehmann]* 1(1): 97. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium uncinatum* Schauer -- *Plantae Preissianae* 1(4) 1845 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium uncinatum* var. *leptophyllum* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium uncinatum* var. *uncinatum* Schauers -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium verticordium* F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium verticordium* F.Muell. -- *Fragm. (Mueller)* 4(26): 57. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium virgatum* Endl. -- *Ann. Wiener Mus. Naturgesch.* ii. (1840) 193. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium virgatum* Endl. -- *Annalen des Wiener Museums der Naturgeschichte* 2 "Dec. 1838" 1839 = *Stirpium Australasicum Decades III* (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamelaucium virgatum* Endl. -- Stirp. Australasic. (Ann. Wien. Mus. ii. 193: 1839) 5 (1838). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava Landrum* -- Syst. Bot. 16(1): 21. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava gentlei* (Lundell) Landrum -- Syst. Bot. 16(1): 23. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava gentlei* var. *apodantha* (Standl.) Landrum -- Syst. Bot. 16: 24. 1991 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava gentlei* (Lundell) Landrum var. *apodantha* (Standl.) Landrum -- Syst. Bot. 16(1): 24. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava musarum* (Standl. & Steyerl.) Landrum -- Syst. Bot. 16(1): 27. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava musarum* (Standl. & Steyerl.) Landrum -- Syst. Bot. 16: 27. 1991 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava schippii* (Standl.) Landrum -- Syst. Bot. 16(1): 27. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chamguava schippii* (Standl.) Landrum -- Syst. Bot. 16: 27. 1991 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cheynia Harv.* -- Hooker's Journal of Botany & Kew Garden Miscellany 7 1855 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cheynia* J.Drumm. ex Harv. -- Hooker's J. Bot. Kew Gard. Misc. 7: 56. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cheynia pulchella* Harv. -- Hooker's Journal of Botany & Kew Garden Miscellany 7 1855 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cheynia pulchella* J.Drumm. -- Hooker's J. Bot. Kew Gard. Misc. 7: 56. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cheyniana* Rye -- *Nuytsia* 19(1): 141 (-142). 2009 [2 Jun 2009]

Purified (Shodhit) *Cheyniana microphylla* (C.A.Gardner) Rye -- *Nuytsia* 19(1): 143. 2009 [2 Jun 2009]

Purified (Shodhit) *Cheyniana rhodella* Rye & Trudgen -- *Nuytsia* 19(1): 145 (-146; fig. 2F-I, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Chloromyrtus* Pierre -- Bull. Mens. Soc. Linn. Paris sér. 2, i. (1898) 71. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chloromyrtus klaineana* Pierre -- Bull. Mens. Soc. Linn. Paris sér. 2, i. (1898) 72. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia Domin* -- Biblioth. Bot. lxxxix. 472 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia Domin* -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft (Apr. 1928) 472. Tafel 32, . Tafel 32, . Fig. 10-13 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia leptopetala* (F.Muell.) Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 472. Tafel 32, fig. 10-13 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia leptopetala* Domin -- Biblioth. Bot. lxxxix. 472 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia subargentea* (C.T.White) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 100. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Choricarpia subargentea* (C.T.White) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chrysorhoe* Lindl. -- Companion Bot. Mag. 2: 357. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chrysorhoe* Lindl. -- Companion to the Botanical Magazine 2 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chrysorhoe nitens* Lindl. -- Companion to the Botanical Magazine 2 1837 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chrysorhoe nitens* Lindl. -- Companion Bot. Mag. 2: 357. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chrysorhoe serrata* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chrysorhoe serrata* Lindl. -- Sketch Veg. Swan R. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia* P.Browne -- Civ. Nat. Hist. Jamaica 239. 1756 [10 Mar 1756] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia P.Browne* -- Civ. Nat. Hist. Jamaica 239, t. 37. 1756 [10 Mar 1756] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia affinis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia affinis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia anceps* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia anceps* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia arborea* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia arborea* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia aromatica* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia aromatica* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia axillaris* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia axillaris* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bergiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bergiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bimarginata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bimarginata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bipennis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bipennis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia blanchetiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia blanchetiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia brasiliensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia brasiliensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia browneana* (Mart. ex DC.) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] : see *P. browniana* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia browniana* (Mart. ex DC.) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (as "*Browneana*") (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia browniana* (Mart. ex DC.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bullata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia bullata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia caudata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia caudata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cephalantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cephalantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Millsp. -- Publ. Field Columb. Mus., Bot. Ser. 2: 80. 1900 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Millsp. -- Publ. Field Columb. Mus., Bot. Ser. ii. 80. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *genuina* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *ovalis* (O.Berg) Sudw. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *ovalis* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *pauciflora* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *pauciflora* (O.Berg) Sudw. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *trichotoma* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *trichotoma* (O.Berg) Sudw. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *zuzygium* Sudw. -- Bull. Div. Forest. U.S.D.A. 14: 305. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia chytraculia* Sudw. var. *zuzygium* (L.) Sudw. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia clusiifolia* (Miq.) Kuntze -- As "*clusiaefolia*" (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia clusiifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia clusiifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia concinna* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia concinna* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cordata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cordata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia costaricensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia costaricensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cubensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cubensis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cuprea* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cuprea* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cuspidata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia cuspidata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia densiflora* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia densiflora* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia dichotoma* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia dichotoma* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia eriopoda* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia eriopoda* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia eugeniodes* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia eugeniodes* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia eugenioides* (Cambess. ex St.Hil.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia fasciculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia fasciculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia fastigiata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia fastigiata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia forsteri* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia forsteri* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia gardneriana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia gardneriana* (O.Berg ex Mart.) Kuntze (Long duration  
purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia gardneriana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chytraculia glomerata* (Cambess.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia glomerata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia glomerata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia grammica* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia grammica* (Spreng.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia grammica* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia grandifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia grandifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia karwinskyana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia karwinskyana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lanceolata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lanceolata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia langsdorffii* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia langsdorffii* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lindeniana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lindeniana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia longifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia longifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia loranthifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia loranthifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lucida* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia lucida* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia macrophylla* (O.Berg) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia macrophylla* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia martiusiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia martiusiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia maschalantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia maschalantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia melanoclada* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia melanoclada* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia multiflora* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia multiflora* (Poepp. ex O.Berg) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia mutabilis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia mutabilis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia mutabilis* (O.Berg) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia nigricans* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia nigricans* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia nummularia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia nummularia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia obscura* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chytraculia obscura* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia obscura* (DC.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia obversa* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia obversa* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ottonis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ottonis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ovalifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ovalifolia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ovata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ovata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pallens* (Griseb.) Britton in Shattuck -- Bahama Islands 260. 1905 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pallens* Britton -- in Shattuck, Bahama Is. 260. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pallens* (Griseb.) Britton (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia paniculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia paniculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pauciflora* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pauciflora* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pendula* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pendula* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia platyphylla* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia platyphylla* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia poeppigiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia poeppigiana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pohliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pohliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia polyantha* (O.Berg) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia polyantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia polyantha* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pteropoda* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pteropoda* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pulchella* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia pulchella* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia punctata* Millsp. -- Publ. Field Columb. Mus., Bot. Ser. 1: 431. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia punctata* Millsp. -- Publ. Field Columb. Mus., Bot. Ser. ser. 1: 431. 1900 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia regeliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia regeliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia riedeliana* (O.Berg ex Mart.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia riedeliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia riedeliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia rigida* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Chytraculia rigida* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia rufa* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia rufa* (O.Berg) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia rufa* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ruiziana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia ruiziana* (O.Berg) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia sartoriana* (O.Berg) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia sartoriana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia sartoriana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia schiedeana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia schiedeana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia schlechtendaliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia schlechtendaliana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia scoparia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia scoparia* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia selloana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia selloana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia spruceana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia spruceana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia strigipes* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia strigipes* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia suzygium* (L.) Kuntze (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia suzygium* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia suzygium* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tetraptera* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tetraptera* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia thomasi* (O.Berg) Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia thomasi* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tuberculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tuberculata* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tussaceana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia tussaceana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia variabilis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia variabilis* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia widgreniana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytraculia widgreniana* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytralia* Adans. -- Fam. Pl. (Adanson) 2: 80. 1763 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Chytralia* Adans. -- Fam. Pl. (Adanson) 2: 80 (538). 1763 [Jul-Aug 1763] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ciposia Silveira* -- Revista Mus. Paul. Univ. Sao Paulo 10: 155. 1918 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ciposia mandapuca Silveira* -- Revista Mus. Paul. Univ. Sao Paulo 10: 156, pl. 1918 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Clavimyrthus* Blume -- Mus. Bot. 1(8): 113, t. 49. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus claviflora* Blume -- Mus. Bot. 1(8): 113, t. 114, in obs. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus cylindrica* Blume -- Mus. Bot. 1(8): 113, t. 115. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus firma* Blume -- Mus. Bot. 1(8): 113, t. 116. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus glabrata* (DC.) Blume -- Mus. Bot. 1(8): 113 (t. 114). 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus latifolia* Blume -- Mus. Bot. 1(8): 113, t. 117. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus lineata* Blume -- Mus. Bot. 1(8): 113, t. 116. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus marginata* Blume -- Mus. Bot. 1(8): 113 ( t. 115). 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus pauciflora* Blume -- Mus. Bot. 1(8): 113, t. 114, in obs. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus ramosissima* Blume -- Mus. Bot. 1(8): 113, t. 115. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus symphytocarpa* Blume -- Mus. Bot. 1(8): 113, t. 117. 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Clavimyrthus virens* Blume -- Mus. Bot. 1(8): 113 (t. 114). 1850 [Oct 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx* Blume -- Museum Botanicum Lugduno-Batavum 1 1850 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx* Blume -- Mus. Bot. 1(6): 84, t. 56. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx arcuatinervius* (Merr.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 333. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx baeuerlenii* (F.Muell.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 331. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx barringtonioides* (Ridl.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 332. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx brongniartii* Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 337. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx cerasoides* (Roxb.) I.M.Turner -- Gard. Bull. Singapore 57(1): 26. 2005 [30 Sep 2005]

Purified (Shodhit) *Cleistocalyx cerasoides* (Roxb.) I.M.Turner var. *paniala* (Roxb.) I.M.Turner -- Gard. Bull. Singapore 57(1): 26. 2005 [30 Sep 2005]

Purified (Shodhit) *Cleistocalyx circumscissa* (Gagnep.) P.H.Hô -- Cayco Vietnam (Illustr. Fl. Vietnam) 2(1): 63 (1992):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx conspersipunctatus* Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 335. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx decussatus* A.C.Sm. -- Pacific Sci. 25(4): 495. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx ellipticus* (A.C.Sm.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 330. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx eugenioides* Merr. & L.M.Perry -- J. Arnold Arbor. 18: 330 (1937), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx eugenioides* (Seem.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 330. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx fullageri* (F.Muell.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 331. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx gustavioides* (Bailey) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 8 1937 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx gustavioides* (F.M.Bailey) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 334. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx kasiensis* A.C.Sm. -- Pacific Sci. 25(4): 494. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx khaoyaiensis* Chantar. & J.Parn. -- Kew Bull. 48(3): 590. 1993 [5 Oct 1993] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx leucocladus* Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 336. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx longiflorus* (A.C.Sm.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 329. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx myrtoides* (A.Gray) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 329. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nervosum* (DC.) Kosterm. -- Bull. Bot. Surv. India 29(1-4): 17. 1989 [1987 publ. 1989] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nervosum* (DC.) Kosterm. var. *paniala* (Roxb.) J.Parn. & Chantar. -- Novon 6(2): 201. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nervosus* Blume -- Mus. Bot. 1(6): 84, t. 85. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nicobaricus* (King) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 341. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nigrans* (Gagnep.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 336. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx nitidus* Blume -- Mus. Bot. 1(6): 84, t. 84. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx operculatus* (Roxb.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 337. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Cleistocalyx operculatus* (Roxb.) Merr. & L.M.Perry -- Journal of the Arnold Arboretum 18 1937 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx operculatus* (Roxb.) Merr. & L.M.Perry var. *paniala* (Roxb.) Chantar. & J.Parn. -- Kew Bull. 48(3): 591. 1993 [5 Oct 1993] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx paradoxus* (Merr.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 331. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx paucipunctatus* Merr. & L.M.Perry -- J. Arnold Arbor. 18: 336. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx pennellii* (Guillaumin) Merr. -- Bull. Soc. Bot. France 86: 379. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx perspicuinerivius* (Merr.) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 332. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx phengklaui* Chantar. & J.Parn. -- Kew Bull. 48(3): 591. 1993 [5 Oct 1993] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx retinervius* Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 334. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cleistocalyx seemannii* (A.Gray) Merr. & L.M.Perry -- J. Arnold Arbor. 1937, xviii. 330. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezi* Brongn. & Gris -- Bull. Soc. Bot. France 10: 576. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia angustifolia* Baker f. -- J. Linn. Soc., Bot. xlv. 310 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia aquarum* (Guillaumin) J.W.Dawson -- Fl. Nouv.-Calédonie & Dépend. 18: 28. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia artensis* (Montrouz.) Thorne -- Guillaumin, Thorne & Viot, Vasc. Pl. Coll. R. F. Thorne N. Caled. 1959(Stud. Nat. Hist. Univ. Iowa, xx.) 39 (1965). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia artensis* (Montrouz.) P.S.Green -- Kew Bull. 23(2): 343. 1969 [5 Aug 1969] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia artensis* (Montrouz.) P.S.Green var. *basilaris* J.W.Dawson -- Fl. Nouv.-Calédonie & Dépend. 18: 44. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia artensis* (Montrouz.) P.S.Green var. *riparia* J.W.Dawson -- Fl. Nouv.-Calédonie & Dépend. 18: 45. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia buxifolia* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia canescens* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia comptonii* Baker f. -- J. Linn. Soc., Bot. xlv. 309 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia deplanchei* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia floribunda* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia glaberrima* (Guillaumin) J.W.Dawson -- Fl. Nouv.-Calédonie & Dépend. 18: 46. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia ligustrina* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia microphylla* (A.C.Sm.) A.C.Sm. -- J. Arnold Arbor. xxxvi. 286 (1955), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia morierei* Vieill. ex Guillaumin -- Bull. Soc. Bot. France 81: 9, in syn. 1934 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia sessilifolia* Brongn. & Gris -- Bull. Soc. Bot. France 10: 577. 1863 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cloezia urdanetensis* Merr. -- Philipp. J. Sci. 14: 429. 1919 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cluacena* Raf. -- Sylva Tellur. 104. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cluacena myrsinoides* Raf. -- Sylva Tellur. 104. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cluacena vaccinioides* Raf. -- Sylva Tellur. 104. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conocephalum* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conocephalum* Lindl. -- Sketch Veg. Swan R. 9 (1839). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conocephalum* sect. *Gongylocephalus* Craven -- *Muelleria* 16: 41. 2002 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conocephalum aureum* Domin -- *Mem. Soc. Sci. Boheme* 1921-22, No. 2, 91 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus aureus* (Turcz.) Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 91. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus divaricatus* Benth. -- Fl. Austral. 3: 164. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus divaricatus* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus neglectus* Diels -- Bot. Jahrb. Syst. 35(2-3): 430. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus neglectus* Diels -- Botanische Jahrbucher fur Systematik, Pflanzengeschichte und Pflanzengeographie 35 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Conothamnus trinervis* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Conothamnus trinervis* Lindl. -- Sketch Veg. Swan R. 9. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia* K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 214. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia* sect. *Abbreviatae* (Brooker) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* subgen. *Blakella* (L.D.Pryor & L.A.S.Johnson ex Brooker) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* sect. *Calophyllae* Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* sect. *Maculatae* (Blakely) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* sect. *Naviculares* (Maiden) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* sect. *Septentrionales* (Brooker) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia* sect. *Torellianae* (Chippend.) Parra-Os. & Ladiges -- Austral. Syst. Bot. 22(5): 397. 2009 [28 Oct 2009]

Purified (Shodhit) *Corymbia abbreviata* (Blakely & Jacobs) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 344. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia abergiana* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 244. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia aparrerinja* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 453. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia arafurica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 409. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia arenaria* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 274. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia arnhemensis* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 271. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia arnhemensis* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson subsp. *monticola* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 273. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia aspera* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 448. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia aureola* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 374. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia bella* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 411. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia blakei* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 437. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia blakei* K.D.Hill & L.A.S.Johnson subsp. *rasilis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 438. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia bleeseri* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 288. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia bloxsomei* (Maiden) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 372. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia brachycarpa* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 281. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia bunites* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 373. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia byrnesii* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 331. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia cadophora* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 345, nom. nov. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia cadophora* K.D.Hill & L.A.S.Johnson subsp. *pliantha* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 348. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia cadophora* K.D.Hill & L.A.S.Johnson subsp. *polychroma* R.L.Barrett -- *Nuytsia* 17: 32 (31-35; fig. 1, map). 2007 [5 Dec 2007]

Purified (Shodhit) *Corymbia calophylla* (Lindl.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 240. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia candida* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 440. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia candida* K.D.Hill & L.A.S.Johnson subsp. *dipsodes* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 444. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia candida* K.D.Hill & L.A.S.Johnson subsp. *lautifolia* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 442. 1995 [13 Dec 1995] (Short duration purification) as key

ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia capricornia* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 299. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia catenaria* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 376. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia chartacea* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 353. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia chillagoensis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 433. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia chippendalei* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 313. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia chlorolampra* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 238. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia citriodora* (Hook.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 388. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia citriodora* (Hook.) K.D.Hill & L.A.S.Johnson subsp. *variegata* (F.Muell.) A.R.Bean & M.W.McDonald -- *Austrobaileya* 5(4): 735 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia clandestina* (A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 282. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Corymbia clarksoniana* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 259. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia clavigera* (A.Cunn. ex Schauer) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 413. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia cliftoniana* (W.Fitzg.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 337. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia collina* (W.Fitzg.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 290. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia confertiflora* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 428. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia curtipes* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 332. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dallachiana* (Benth.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 451. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dampieri* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 329. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dendromerinx* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 431. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia deserticola* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 365. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia deserticola* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson subsp. *mesogeotica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 368. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dichromophloia* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 295. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dimorpha* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 380. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia disjuncta* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 423. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dolichocarpa* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson - *Telopea* 6(2-3): 267. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia drysdalensis* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 297. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia dunlopiana* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 354. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ellipsoidea* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 306. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia eremaea* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 309. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia eremaea* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson subsp. *oligocarpa* (Blakely & Jacobs) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 311. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia erythrophloia* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 304. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia eximia* (Schauer) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 383. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ferriticola* (Brooker & Edgecombe) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 446. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ferriticola* (Brooker & Edgecombe) K.D.Hill & L.A.S.Johnson subsp. *sitiens* L.A.S.Johnson & K.D.Hill -- *Telopea* 6(2-3): 447. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ferruginea* (Schauer) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 339. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ferruginea* (Schauer) K.D.Hill & L.A.S.Johnson subsp. *stypophylla* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 343. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ficifolia* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 245. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia flavescens* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 455. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia foelscheana* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 333. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia gilbertensis* (Maiden & Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 435. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia grandifolia* (R.Br. ex Benth.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 457. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia grandifolia* (R.Br. ex Benth.) K.D.Hill & L.A.S.Johnson subsp. *lamprocardia* L.A.S.Johnson -- *Telopea* 6(2-3): 461. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia grandifolia* (R.Br. ex Benth.) K.D.Hill & L.A.S.Johnson subsp. *longa* L.A.S.Johnson -- *Telopea* 6(2-3): 460. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia greeniana* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 330. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia gummifera* (Gaertn.) K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 233. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia haematoxylon* (Maiden) K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 237. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia hamersleyana* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 314. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia hendersonii* K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 279. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia henryi* (S.T.Blake) K.D.Hill & L.A.S.Johnson -- Telopea 6(2-3): 396. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility



with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia hylandii* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 283. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia hylandii* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson subsp. *peninsularis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 284. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia inobvia* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 436. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia intermedia* (R.T.Baker) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 247. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia jacobsoniana* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 225. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia karelgica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 430. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia kombolgiensis* (Brooker & Dunlop) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 414. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia lamprophylla* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 287. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia latifolia* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 327. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia leichhardtii* (F.M.Bailey) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 370. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia lenziana* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 312. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia leptoloma* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 369. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ligans* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 263. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ligans* K.D.Hill & L.A.S.Johnson subsp. *burdekinensis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 265. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ligans* K.D.Hill & L.A.S.Johnson subsp. *novocastrensis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 265. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia maculata* (Hook.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 393. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia maritima* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 261. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia nesophila* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 242. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia novoguineensis* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 257. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia oocarpa* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 293. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia opaca* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 318. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia opacula* L.A.S.Johnson -- *Telopea* 6(2-3): 325. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia pachycarpa* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 359. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia pachycarpa* K.D.Hill & L.A.S.Johnson subsp. *glabrescens* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 360. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia papillosa* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 362. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia papillosa* K.D.Hill & L.A.S.Johnson subsp. *globifera* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 363. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia papuana* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 405. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia paracalpica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 407. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia paractia* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 462. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia pauciseta* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 426. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia pedimontana* L.A.S.Johnson -- *Telopea* 6(2-3): 335. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia peltata* (Benth.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 381. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia petalophylla* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 375. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia plena* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 268. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia pocillum* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 303. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia polycarpa* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 254. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia polysciada* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 417. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia porphyritica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 307. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia porrecta* (S.T.Blake) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 270. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Corymbia ptychocarpa* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 250. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia ptychocarpa* (F.Muell.) K.D.Hill & L.A.S.Johnson subsp. *aptycha* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 251. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia punkapitiensis* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 449. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia rhodops* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 276. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia rubens* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 301. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia scabrida* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 382. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia semiclara* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 316. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia serendipita* (Brooker & Kleinig) A.R.Bean -- *Austrobaileya* 6(2): 345 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia setosa* (Schauer) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 356. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia setosa* (Schauer) K.D.Hill & L.A.S.Johnson subsp. *pedicellaris* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 358. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia sphaerica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 351. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia stockeri* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 286. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia stockeri* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson subsp. *peninsularis* (K.D.Hill & L.A.S.Johnson) A.R.Bean -- *Austrobaileya* 6(2): 345 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia terminalis* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 323. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia tessellaris* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 402. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia torelliana* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 385. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia torta* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 418. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia torta* K.D.Hill & L.A.S.Johnson subsp. *allanii* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 420. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia torta* K.D.Hill & L.A.S.Johnson subsp. *mixtifolia* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 421. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia trachyphloia* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 227. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia trachyphloia* (F.Muell.) K.D.Hill & L.A.S.Johnson subsp. *amphistomatica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 230. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia trachyphloia* (F.Muell.) K.D.Hill & L.A.S.Johnson subsp. *carnarvonica* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 231. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia tumescens* K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 321. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia umbonata* (D.J.Carr & S.G.M.Carr) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 300. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia variegata* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 389. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia watsoniana* (F.Muell.) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 378. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia watsoniana* (F.Muell.) K.D.Hill & L.A.S.Johnson subsp. *capillata* (Brooker & A.R.Bean) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 379. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia xanthope* (A.R.Bean & Brooker) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 277. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corymbia zygophylla* (Blakely) K.D.Hill & L.A.S.Johnson -- *Telopea* 6(2-3): 349. 1995 [13 Dec 1995] (Short duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynanthera* J.W.Green -- *Nuytsia* 2(6): 368. 1979 [21 Dec 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynanthera* J.W.Green -- *Nuytsia* 2(6) 1979 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynanthera flava* J.W.Green -- *Nuytsia* 2(4) 1975 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynanthera flava* J.W.Green -- *Nuytsia* 2(6): 371. 1979 [21 Dec 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynemyrtus* (Kiaersk.) Mattos -- Loefgrenia No. 10, 1 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynemyrtus corynantha* (Kiaersk.) Mattos -- Loefgrenia No. 10, 1 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Corynemyrtus corynantha* (Kiaersk.) Mattos -- Loefgrenia no. 10: [1]. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptorhiza* Urb. -- Repert. Spec. Nov. Regni Veg. 17: 403. 1921 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptorhiza* Urb. -- Repert. Spec. Nov. Regni Veg. 17: 403. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Cryptorhiza haitiensis* Urb. -- Repert. Spec. Nov. Regni Veg. 17: 404. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptorhiza haitiensis* Urb. -- Repert. Spec. Nov. Regni Veg. 17: 404. 1921 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptorhiza haitiensis* Urb. -- Repert. Spec. Nov. Regni Veg. 27: 404. 1921 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptorhiza haitiensis* Urb. & Urb. -- Ark. Bot. 22A(10): 24, descr. ampl. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 114. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon* F.Muell. & Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon ericaeus* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 115. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon ericaeus* F.Muell. & Miq. -- Nederlandsch Kruidkundig Archief 4 1856 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon fascicularis* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 115. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cryptostemon fascicularis* Jacks. -- Index Kew. 1 1893 [14 Dec 1893] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cuiavus Trew* -- Pl. Select. 4: 12. 1754 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumbea Wight & Arn.* -- Prodr. Fl. Ind. Orient. 1: 334. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea Raf.* -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea alba Raf.* -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea angustifolia Raf.* -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea divaricata* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea fragrans* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea microphyla* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea mini* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea montana* Raf. -- *Sylva Tellur.* 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea multiflora* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cumetea tomentosa* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus Seem.* -- Fl. Vit. [Seemann] 76 (1865-73). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus austrocaledonicus* Guillaumin -- Ann. Mus. Colon. Marseille sér. 2, 9: 155, sphalm. pro. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus comptonii* (Baker f.) Guillaumin -- Bull. Soc. Bot. France 85: 651. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus microphyllus* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. iv. 36 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus neocaledonicus* Seem. -- Fl. Vit. [Seemann] 76 (1865-73). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus neocaledonicus* (Baker f.) Guillaumin -- Bull. Soc. Bot. France 85: 651. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus paniensis* (Baker f.) Guillaumin -- Bull. Soc. Bot. France 85: 651. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus serpentini* Airy Shaw -- Kew Bull. 15(2): 336. 1961 [9 Oct 1961] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cupheanthus toninensis* (Baker f.) Guillaumin -- Bull. Soc. Bot. France 85: 651. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Curitiba Salywon* & Landrum -- Brittonia 59(4): 302. 2007 [28 Dec 2007]

Purified (Shodhit) *Curitiba prismatica* (D.Legrand) Salywon & Landrum -- Brittonia 59(4): 302. 2007 [28 Dec 2007]

Purified (Shodhit) *Cyathostemon Turcz.* -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia ...* (1852) 408 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cyathostemon Turcz.* -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 331. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cyathostemon ambiguus* (F.Muell.) Rye & Trudgen -- Nuytsia 22(6): 394. 2012 [18 Dec 2012]

Purified (Shodhit) *Cyathostemon blackettii* (F.Muell.) Rye & Trudgen -- Nuytsia 22(6): 395. 2012 [18 Dec 2012]

Purified (Shodhit) *Cyathostemon divaricatus* Trudgen & Rye -- Nuytsia 24: 10. 2014 [27 Mar 2014] [epublished]

Purified (Shodhit) *Cyathostemon gracilis* Trudgen & Rye -- Nuytsia 24: 12. 2014 [27 Mar 2014] [epublished]

Purified (Shodhit) *Cyathostemon heterantherus* (C.A.Gardner) Rye & Trudgen -- Nuytsia 22(6): 395. 2012 [18 Dec 2012]

Purified (Shodhit) *Cyathostemon tenuifolius* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 332. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cyathostemon tenuifolius* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Pétersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 408 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cyathostemon verrucosus* Trudgen & Rye -- Nuytsia 24: 14. 2014 [27 Mar 2014] [epublished]

Purified (Shodhit) *Cynomyrtus* Scrivenor -- J. Fed. Malay States Mus. 6: 253, sphalm. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Cynomyrtus tomentosa* Scrivenor -- J. Fed. Malay States Mus. 6: 253, sphalm. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* Rudge -- Transactions of the Linnean Society of London, Botany 1816 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* Rudge -- Trans. Linn. Soc. London 11(2): 299, t. 22. 1816 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* sect. *Darwinia* Rudge -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* sect. *Genetyllis* (DC.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* sect. *Hedaroma* (Lindl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* sect. *Homoranthus* (Schauer) Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia* sect. *Schuermannia* (F.Muell.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia acerosa* W.Fitzg. -- Journal of the West Australian Natural History Society 1 1904 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia acerosa* Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia apiculata* N.G.Marchant -- *Nuytsia* 5(1): 63 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia apiculata* N.G.Marchant -- *Nuytsia* 5(1) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia axillaris* F.Muell. -- *Syst. Census Austral. Pl.* 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia axillaris* (Benth.) F.Muell. -- *Systematic Census of Australian Plants* 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia biflora* (Cheel) B.G.Briggs -- Contr. New South Wales Natl. Herb. 3: 144. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia biflora* (Cheel) B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia brevifolia* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia brevifolia* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia brevistyla* Turcz. -- Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia brevistyla* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia briggsiae* Craven & S.R.Jones -- Australian Systematic Botany 4(3) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia briggsiae* Craven & S.R.Jones -- Austral. Syst. Bot. 4(3): 530 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia camptostylis* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3: 141. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia camptostylis* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia capitellata* Rye -- Nuytsia 4(3) 1983 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia capitellata* Rye -- Nuytsia 4(3): 423 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia carnea* C.A.Gardner -- Journal of the Royal Society of Western Australia 14 1928 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia carnea* C.A.Gardner -- Journ. Roy. Soc. W. Austral. xiv. 80 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia chapmaniana* Keighery -- Nuytsia 19(1): 38 (-40; fig. 1, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia ciliata* (Desf.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia ciliata* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia citriodora* (Endl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia citriodora* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia collina* C.A.Gardner -- J. Proc. Roy. Soc. Western Australia ix. 1. 41 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia collina* C.A.Gardner -- Journal and Proceedings of the Royal Society of Western Australia 9(1) 1923 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia decumbens* Byrnes -- *Austrobaileya* 2(3) 1984 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia decumbens* Byrnes -- *Austrobaileya* 2(1): 15 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia diminuta* B.G.Briggs -- *Contr. New South Wales Natl. Herb.* 3: 140. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia diminuta* B.G.Briggs -- *Contr. New South Wales Natl. Herb.* 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Darwinia diosmoides* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia diosmoides* (DC.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia divisa* Keighery & N.G.Marchant -- Nordic J. Bot. 22(1): 45 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia drummondii* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou (1847) I. 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia drummondii* (Meisn.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia endlicheri* F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia endlicheri* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia fascicularis* Rudge -- Trans. Linn. Soc. London 11(2): 299, t. 22. 1816 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia fascicularis* Rudge -- Transactions of the Linnean Society of London, Botany 1816 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia fascicularis* subsp. *fascicularis* Rudge -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia fascicularis* subsp. *oligantha* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia ferricola* Keighery -- Nuytsia 19(1): 43 (-45; fig. 4, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia fimbriata* (Kippist) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia fimbriata* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia flavescens* Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19, Suppl. 2 1841 = Monographiae Myrtacearum Xercarpicarum (Feb.-Nov. 1843) 40 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia flavescens* A.Cunn. ex Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 192. 1841 (Short duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia foetida* Keighery -- *Nuytsia* 19(1): 40 (-42; fig. 3, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia forrestii* F.Muell. -- *Fragmenta Phytographiae Australiae* 11 1879 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia forrestii* F.Muell. -- *Fragm. (Mueller)* 11(88): 9. 1878 [Mar 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia glaucophylla* B.G.Briggs -- *Contr. New South Wales Natl. Herb.* 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia glaucophylla* B.G.Briggs -- *Contr. New South Wales Natl. Herb.* 3: 143. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia gracilis* (F.Muell.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia gracilis* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia grandiflora* (Benth.) R.T.Baker & H.G.Sm. -- Journal and Proceedings of the Royal Society of New South Wales 50 1917 Pl. VII. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia grandiflora* (Benth.) R.T.Baker & H.G.Sm. -- J. & Proc. Roy. Soc. New South Wales 50: 181. 1917 [1916 publ. 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia helichrysoides* (Meisn.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia helichrysoides* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia heterandra* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia heterandra* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia homoranthoides* J.M.Black -- Fl. S. Austral. 424 (1926). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia homoranthoides* (F.Muell.) J.M.Black -- Flora of South Australia 3 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia hookeriana* (Meisn.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia hookeriana* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia hortiorum* K.R.Thiele -- Nuytsia 20: 278 (277-281; fig. 1, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Darwinia hypericifolia* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 78 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia hypericifolia* (Turcz.) Domin -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-22, 2 (1923) 78. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia intermedia* A.Cunn. ex Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 190. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia intermedia* Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19, Suppl. 2 1841 = Monographiae Myrtacearum Xercarpicarum (Feb.-Nov. 1843) 38 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia laxifolia* Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 190. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia laxifolia* Schauer -- Novorum Actorum Academiae Caesareae Leopoldinae-Carolinae Naturae Curiosorum 19, Suppl. 2 1841 = Monographiae Myrtacearum Xercarpicarum (Feb.-Nov. 1843) 38 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Darwinia leiostyla* (Turcz.) Domin -- = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 78. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia leiostyla* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 78 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia leptantha* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia leptantha* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3: 142. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia luehmannii* F.Muell. & Tate -- Transactions of the Royal Society of South Australia 16 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia luehmannii* F.Muell. & Tate -- Trans. Proc. & Rep. Roy. Soc. South Australia xvi. 353. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia macrostegia* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia macrostegia* (Turcz.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia masonii* C.A.Gardner -- J. Roy. Soc. Western Australia 47: 62. 1964 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia masonii* C.A.Gardner -- Journal of the Royal Society of Western Australia 47(2) 1964 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia meeboldii* C.A.Gardner & C.A.Gardner -- Journ. Roy. Soc. W. Austral. xxvii. 189 (1942), latine. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia meeboldii* C.A.Gardner -- W. Austral. Wildfl. 91 (1938), anglise. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia meeboldii* C.A.Gardner -- Journal of the Royal Society of Western Australia 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia megalopetala* (Benth.) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia megalopetala* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia meisneri* (Kippist) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia meissneri* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia micropetala* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia micropetala* (F.Muell.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia neildiana* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia neildiana* F.Muell. -- *Fragm. (Mueller)* 9(80): 177. 1875 [Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia nubigena* Keighery -- *Nuytsia* 19(1): 48 (-50; fig. 7, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia oederoides* (Turcz.) Benth. -- *Journal of the Linnean Society of London* 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia oederoides* Benth. -- *J. Linn. Soc., Bot.* 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia oldfieldii* Benth. -- *Journal of the Linnean Society of London* 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia oldfieldii* Benth. -- *J. Linn. Soc., Bot.* 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia oxylepis* (Turcz.) N.G.Marchant & Keighery -- *Nuytsia* 3(2): 181. 1980 [24 Dec 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia oxylepis* (Turcz.) N.G.Marchant & Keighery -- *Nuytsia* 3(3) 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pauciflora* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pauciflora* Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia peduncularis* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3: 144. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia peduncularis* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pimelioides* Cayzer & F.W.Wakef. -- Journal and Proceedings of the Royal Society of Western Australia 8 1922 Textfig. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pimelioides* Cayzer & F.W.Wakef. -- J. Proc. Roy. Soc. Western Australia viii. 40 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pinifolia* (Lindl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia pinifolia* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia polycephala* C.A.Gardner -- J. Roy. Soc. Western Australia xi. 19 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia polycephala* C.A.Gardner -- Journal of the Royal Society of Western Australia 11 1924 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia polychroma* Keighery -- Nuytsia 19(1): 50 (-52; fig. 8, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia porteri* C.T.White -- Proc. Roy. Soc. Queensland 43: 15. 1932 [1931 publ. 1932] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia porteri* C.T.White -- Proceedings of the Linnean Society of New South Wales 43 1931 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with



*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia procera* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3: 145. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia procera* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia purpurea* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia purpurea* (Endl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia radinophylla* F.Muell. -- Fragm. (Mueller) 9(80): 175. 1875 [Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia repens* A.S.George -- Journal of the Royal Society of Western Australia 50 1965 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia repens* A.S.George -- Journ. Roy. Soc. W. Austral. 1. 99. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia rhadinophylla* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia salina* Craven & S.R.Jones -- Austral. Syst. Bot. 4(3): 531 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia salina* Craven & S.R.Jones -- Australian Systematic Botany 4(3) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia sanguinea* (Meisn.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia sanguinea* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia saturejifolia* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 324. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia saturejifolia* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Pétersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 397 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia schuermanni* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia schuermannii* (F.Muell.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia speciosa* (Meisn.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia speciosa* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia squarrosa* (Turcz.) Domin -- Vestnik Kralovske Ceske Spolecnosti Nauk Trida Matematicko-Prirodovedecka 1921-22 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia squarrosa* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 78 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* A.Cunn. -- Geogr. Mem. New South Wales [Field] 352. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* A.Cunn. -- Geographical Memoires on New South Wales 1825 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* var. *biflora* Cheel -- Journal and Proceedings of the Royal Society of New South Wales 56 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* var. *grandiflora* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* var. *intermedia* Cheel -- Journal and Proceedings of the Royal Society of New South Wales 56 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* subsp. *macrolaena* B.G.Briggs -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* subsp. *taxifolia* A.Cunn. -- Contr. New South Wales Natl. Herb. 3(3) 1961 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* var. *taxifolia* A.Cunn. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia taxifolia* var. *typica* Cheel -- Journal and Proceedings of the Royal Society of New South Wales 56 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia terricola* Keighery -- W. Austral. Naturalist 28(2): 116 (-119; fig.). 2012 [27 Jan 2012]

Purified (Shodhit) *Darwinia thomasi* (F.Muell.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thomasi* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thryptomenioides* D.A.Herb. -- J. Proc. Roy. Soc. Western Australia viii. 35 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thryptomenioides* D.A.Herb. -- Journal and Proceedings of the Royal Society of Western Australia 8 1922 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thymoides* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thymoides* (Lindl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thymoides* var. *saturejifolia* (Turcz.) Domin -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 79, in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia thymoides* var. *thymoides* (Lindl.) Benth. -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 79, in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia turczaninowii* F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Darwinia turczaninowii* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia uncinata* F.Muell. -- Syst. Census Austral. Pl. 51. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia uncinata* (Schauer) F.Muell. -- Systematic Census of Australian Plants 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia verticordina* (F.Muell.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia verticordina* Benth. -- J. Linn. Soc., Bot. 9: 181. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia vestita* (Endl.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia vestita* Benth. -- J. Linn. Soc., Bot. 9: 180. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia virescens* Benth. -- J. Linn. Soc., Bot. 9: 179. 1865 [1867 publ. 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia virescens* (Meisn.) Benth. -- Journal of the Linnean Society of London 9 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia virgata* F.Muell. -- Fragm. (Mueller) 9(80): 176. 1875 [Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia virgata* (Schauer) F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia whicherensis* Keighery -- *Nuytsia* 19(1): 45 (-47; fig. 5, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Darwinia wittwerorum* N.G.Marchant & Keighery -- *Nuytsia* 3(3) 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwinia wittwerorum* N.G.Marchant & Keighery -- *Nuytsia* 3(2): 179. 1980 [24 Dec 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwynia* Rchb. -- *Herbarienbuch* Nom. 1841 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Darwynia* Rchb. -- *Deut. Bot. Herb.-Buch* 176. 1841 [Jul 1841] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium Turcz.* -- Bulletin de la Société Impériale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium Turcz.* -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 153. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium darwinioides* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 400 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium darwinioides* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 326. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium juniperinum* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 399 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium juniperinum* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 325. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium melaleucum* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 399 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium melaleucum* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Petersbourg 10: 325. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium micranthum* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 401 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium micranthum* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 326. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium pauciflorum* Turcz. -- Bulletin de la Société Impériale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium pauciflorum* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 154. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium rugulosum* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 326. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decalophium rugulosum* Turcz. -- Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Pétersbourg 10 1852 = Purified (Shodhit) *Xerocarpicae* in *Nova Hollandia* ... (1852) 400 (Medium duration purification) as key

ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum* J.R.Forst. & G.Forst. -- Char. Gen. Pl., ed. 2. 73. 1776 [1 Mar 1776] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum albociliatum* Merr. & L.M.Perry -- J. Arnold Arbor. 1938, xix. 202. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum alpinum* P.Royen -- Alpine Fl. New Guinea 4: 2587. 1983 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum alternifolium* (Miq.) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(7): 70 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum arfakense* Diels -- Bot. Jahrb. Syst. 57(3): 369. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum austro-hainanicum* H.T.Chang & R.H.Miao -- Acta Bot. Yunnan. 4(1): 24. 1982 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum belense* Merr. -- J. Arnold Arbor. xxiii. 234 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum belense* Merr. & L.M.Perry -- J. Arnold Arbor. 23: 234 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum blancoi* S.Vidal -- Phan. Cuming. Philipp. 172. 1885 [Nov 1885] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Decaspermum bracteatum* (Roxb.) A.J.Scott -- Kew Bull. 40(1): 151. 1985 [11 Feb 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum bracteatum* (Roxb.) A.J.Scott var. *glabrum* A.J.Scott -- Kew Bull. 40(1): 154. 1985 [11 Feb 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum cambodianum* Gagnep. -- Bull. Mus. Natl. Hist. Nat. 1920, xxvi. 73. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum confinis* (Blume) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(7): 70 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum coriandri* Diels -- Bot. Jahrb. Syst. 57(3): 372. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum cryptanthum* A.J.Scott -- Kew Bull. 34(1): 63. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum esquirolii* (Lévl.) H.T.Chang & R.H.Miao -- Acta Bot. Yunnan. 4(1): 25. 1982 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum exiguum* Merr. & L.M.Perry -- J. Arnold Arbor. xxiii. 235 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum forbesii* Baker f. -- J. Bot. 61(Suppl.): 14. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum fruticosum* J.R.Forst. & G.Forst. -- Char. Gen. Pl., ed. 2. 74, t. 37. 1776 [1 Mar 1776] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum fruticosum* J.R.Forst. -- *Characteres Generum Plantarum* 1775 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum glabrum* H.T.Chang & R.H.Miao -- *Acta Bot. Yunnan.* 4(1): 25. 1982 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum gracilentum* (Hance) Merr. & L.M.Perry -- *J. Arnold Arbor.* 1938, xix. 202. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum grandiflorum* Elmer -- *Leafl. Philipp. Bot.* iv. 1481 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum hainanense* (Merr.) Merr. -- *Lingnan Sci. J.* 14: 42. 1935 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum humifusum* Diels -- Bot. Jahrb. Syst. 57(3): 371. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum humile* (G.Don) A.J.Scott -- Kew Bull. 34(1): 64. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum humile* (G.Don) A.J.Scott -- Kew Bulletin 34 1979 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum iodochnoum* Diels -- Nova Guinea 14: 89. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum lamii* Diels -- Nova Guinea 14: 88. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum lanceolatum* J.W.Moore -- Bull. Bernice P. Bishop Mus. 102: 32. 1933 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum laxiflorum* Diels -- Bot. Jahrb. Syst. 57(3): 370. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum laxiflorum* Domin -- Biblioth. Bot. lxxxix. 475 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum laxiflorum* (Benth.) Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 475 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum leptanthelium* Diels -- Bot. Jahrb. Syst. 57(3): 369. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum lorentzii* Lauterb. -- Nova Guinea 8: 849. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum microphyllum* (A.C.Sm.) J.W.Dawson -- Allertonia 1(6): 404 (1978):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum microphyllum* Merr. -- Philipp. J. Sci. 18: 289. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum montanum* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 6. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum myrsinoides* (Blume) Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3(7): 69 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum neobudicum* Guillaumin -- J. Arnold Arbor. 1931, xii. 254. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum neurophyllum* K.Schum. & Lauterb. -- Fl. Schutzgeb. Südsee [Schumann & Lauterbach] 468. 1900 [1901 publ. Nov 1900] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum nitentifolium* Merr. & L.M.Perry -- J. Arnold Arbor. xxiii. 234 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum nitidum* Lauterb. -- Nachtr. Fl. Schutzgeb. Südsee [Schumann & Lauterbach] 325. 1905 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum nivale* (Ridl.) Merr. & L.M.Perry -- J. Arnold Arbor. xxiii. 236 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum paniculatum* (Lindl.) Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 46: 61. 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum paniculatum* (Lindl.) Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 46(2): 61. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum paniculatum* var. *laxiflorum* (Benth.) F.M.Bailey -- A Synopsis of the Queensland Flora 1883 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum papuanum* Lauterb. -- Nova Guinea 8: 319. 1910 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum parviflorum* (Lam.) A.J.Scott -- Kew Bull. 34(1): 66. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Decaspermum parviflorum* (Lam.) A.J.Scott var. *caudatum* A.J.Scott -- Kew Bull. 35(2): 411. 1980 [15 Oct 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum parviflorum* (Lam.) A.J.Scott subsp. *quadripartitum* J.Parn. & NicLugh. -- Kew Bull. 47(4): 704. 1992 [24 Nov 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum parvifolium* (Ridl.) A.J.Scott -- Kew Bull. 40(1): 157. 1985 [11 Feb 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum petraeum* Diels -- Bot. Jahrb. Syst. 57(3): 371. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum philippinum* A.J.Scott -- Kew Bull. 35(2): 408. 1980 [15 Oct 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum prostratum* Diels -- Nova Guinea 14: 88. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum prunoides* Diels -- Bot. Jahrb. Syst. 57(3): 370. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum pyriforme* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 40. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum raymundi* Diels -- Bot. Jahrb. Syst. 56(5-6): 530. 1921 [29 Nov 1921] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum rhodoleucum* Diels -- Bot. Jahrb. Syst. 57(3): 372. 1922 [14 Mar 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum rubrum* Baill. -- Hist. Pl. (Baillon) 6: 341. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum salomonense* A.J.Scott -- Kew Bull. 34(1): 65. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum salomonense* A.J.Scott var. *glabrum* A.J.Scott -- Kew Bull. 34(1): 66. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum sericeum* Hance -- J. Bot. 15: 333. 1877 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum simile* Merr. & L.M.Perry -- J. Arnold Arbor. xxiii. 236 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum struckoiligum* N.Snow & Guymmer -- *Novon* 11(4): 475. 2001 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum teretis* Craven -- *Harvard Pap. Bot.* 11(1): 27 (-28). 2006 [30 Jul 2006]

Purified (Shodhit) *Decaspermum triflorum* A.J.Scott -- *Kew Bull.* 35(2): 407. 1980 [15 Oct 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum urvillei* (DC.) A.J.Scott -- *Kew Bull.* 34(1): 59. 1979 [9 Nov 1979] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum vitiense* (A.Gray) Guillaumin -- *J. Arnold Arbor.* 1931, xii. 254, in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum vitiense* (A.Gray) Nied. -- *Nat. Pflanzenfam.* [Engler & Prantl] 3(7): 69 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Decaspermum vitis-idaea* Stapf -- Trans. Linn. Soc. London, Bot. 4(2): 150. 1894 [1894-96 publ. Dec 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachna* Kuntze & T.Post -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne* R.Br. ex Desf. -- Mém. Mus. Hist. Nat. 5: 272. 1819 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne* Desf. -- Mémoires du Muséum d'Histoire Naturelle, Paris 5 1819 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne* sect. *Schizanthra* Kuntze -- Lexicon Generum Phanerogamarum 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne sect. Verticordia* (DC.) Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne baueri* R.Br. ex Desf. -- *Mém. Mus. Hist. Nat.* 5: 272. 1819 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Diplachne baueri* Desf. -- *M?moires du Mus?um d'Histoire Naturelle*, Paris 5 1819 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma* Miers -- *Trans. Linn. Soc. London, Bot.* 1(2): 98. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma acuminatum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 102. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma angustatum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 105. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma cochinchinense* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 101. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma cylindrostachyum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 100. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma macrostachyum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 104. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma magnificum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 106. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma neocaledonicum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 103. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma pendulum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 99. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma rigidum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 104. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma sarcostachys* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 102. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Doxomma sumatranum* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 103. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Doxomma vriesii* Miers -- Trans. Linn. Soc. London, Bot. 1(2): 106. 1875 [1880 publ. Dec 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Draparnalda* St.-Lag. -- Ann. Soc. Bot. Lyon viii. 177 (1881). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Draparnaudia* Montrouz. -- Mem. Acad. Lyon x. (1860) 205. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Draparnaudia multiflora* Montrouz. -- Mem. Acad. Lyon x. (1860) 206. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Drosodendron M.Roem.* -- Syn. Hesper. 140 (1846). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Drosodendron rosmarinus M.Roem.* -- Syn. Hesper. 140 (1846). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Elsholtzia Neck.* -- Elem. Bot. (Necker) 2: 256. 1790 ; nom. invalid. Published in opera utiq. oppr. See ICBN (2006), App. VI: 483 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Emurtia Raf.* -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Emurtia emarginata Raf.* -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Emurtia guayaquilensis* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Emurtia micrantha* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Emurtia punicifolia* Raf. -- Sylva Tellur. 106. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Enekbatus Trudgen & Rye* -- Nuytsia 20: 241 (-242). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus bounites* Trudgen & Rye -- Nuytsia 20: 243 (-244; fig. 2A, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus clavifolius* (S.Moore) Trudgen & Rye -- Nuytsia 20: 244. 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus cristatus* Trudgen & Rye -- Nuytsia 20: 246 (-247; map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus cryptandroides* (F.Muell.) Trudgen & Rye -- Nuytsia 20: 247. 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus dualis* Trudgen & Rye -- Nuytsia 20: 249 (-250; figs. 1B-C, 3H-M, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus eremaeus* Trudgen & Rye -- Nuytsia 20: 251 (-253; fig. 2B-F, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus longistylus* Trudgen & Rye -- Nuytsia 20: 253 (-254; fig. 2G-H, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus planifolius* Trudgen & Rye -- Nuytsia 20: 254 (-255; fig. 1D, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus sessilis* Trudgen & Rye -- Nuytsia 20: 255 (-257; figs. 1E, 2I-L, map). 2010 [29 Sep 2010]

Purified (Shodhit) *Enekbatus stowardii* (S.Moore) Trudgen & Rye -- Nuytsia 20: 257. 2010 [29 Sep 2010]

Purified (Shodhit) *Enosanthes* A.Cunn. ex Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 191. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Enosanthes flavescens* A.Cunn. ex Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 192. 1841 (Short duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Enosantes virgata* A.Cunn. ex Schauer -- Nov. Actorum Acad. Caes. Leop.-Carol. Nat. Cur. 19(Suppl. 2): 193. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Episzygium Suess. & A.Ludw.* -- Mitt. Bot. Staatssamml. München Heft 1, 18 (1950). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Episzygium oahuense* Suess. & A.Ludw. -- Mitt. Bot. Staatssamml. München 1: 18. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Epleiandra Raf.* -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Epleiandra sinemariensis* Raf. -- Sylva Tellur. 107. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* Lindl. -- Sketch Veg. Swan R. 11 (1839). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* sect. *Ebracteata* Hnatiuk -- Nuytsia 9(2): 156 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* sect. *Fimbriata* Hnatiuk -- Nuytsia 9(2): 156 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* subgen. *Okriocarpa* Hnatiuk -- Nuytsia 9(2): 157 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* sect. *Violacea* Hnatiuk -- *Nuytsia* 9(2): 157 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea acutifolia* F.Muell. -- *Fragm. (Mueller)* 2(12): 30. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea acutifolia* F.Muell. -- *Fragmenta Phytographiae Australiae* 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea asterocarpa* Hnatiuk -- *Nuytsia* 9(2): 208 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea asterocarpa* Hnatiuk subsp. *brachyclada* Hnatiuk -- *Nuytsia* 9(2): 213 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea asterocarpa* Hnatiuk subsp. *histoclada* Hnatiuk -- Nuytsia 9(2): 212 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea atala* Hnatiuk -- Nuytsia 9(2): 167 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea beaufortioides* Benth. -- Fl. Austral. 3: 182. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea beaufortioides* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea beaufortioides* Benth. var. *lachnosanthe* Hnatiuk -- Nuytsia 9(2): 188 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eremaea beaufortioides* Benth. var. *microphylla* Hnatiuk -- Nuytsia 9(2): 186 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea blackwelliana* Hnatiuk -- Nuytsia 9(2): 180 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea brevifolia* (Benth.) Domin -- - = M?moires de la Soci?t? Royale des Sciences de Boh?me. Prague] 1921-2, 2 (1923) 93. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea brevifolia* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 93 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* × *codonocarpa* Hnatiuk -- Nuytsia 9(2): 215 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea dendroidea* Hnatiuk -- Nuytsia 9(2): 194 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ebracteata* F.Muell. -- *Fragm. (Mueller)* 2(12): 29. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ebracteata* F.Muell. -- *Fragmenta Phytographiae Australiae* 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ebracteata* F.Muell. var. *brachyphylla* Hnatiuk -- Nuytsia 9(2): 193 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ectadioclada* Hnatiuk -- Nuytsia 9(2): 205 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ericifolia* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea ericifolia* Lindl. -- Sketch Veg. Swan R. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea fimbriata* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea fimbriata* Lindl. -- Sketch Veg. Swan R. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea fimbriata* var. *brevifolia* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea fimbriata* var. *fimbriata* Lindl. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea hadra* Hnatiuk -- Nuytsia 9(2): 170 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pauciflora* (Endl.) Druce -- The Botanical Exchange Club and Society of the British Isles Report for 1916, Suppl. 2 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pauciflora* Druce -- Rep. Bot. Soc. Exch. Club Brit. Isles 4(Suppl. 2): 622. 1917 [Jul 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pauciflora* Domin -- Mem. Soc. Sci. Boheme 1921-22, No. 2, 93 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pauciflora* Domin var. *calyptra* Hnatiuk -- Nuytsia 9(2): 179 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pauciflora* Domin var. *lonchophylla* Hnatiuk -- Nuytsia 9(2): 176 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea* × *phoenicea* Hnatiuk -- Nuytsia 9(2): 218 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pilosa* Lindl. -- Sketch Veg. Swan R. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea pilosa* Lindl. -- Edwards's Botanical Register - Appendix to Vols 1-23: A Sketch of the Vegetation of the Swan River Colony 1839 (Medium duration purification)

as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea purpurea* C.A.Gardner -- J. Roy. Soc. Western Australia 47: 61. 1964 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea purpurea* C.A.Gardner -- Journal of the Royal Society of Western Australia 47 1964 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea rosea* C.A.Gardner & A.S.George -- Journ. Roy. Soc. W. Austral. xlv. 134 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea rosea* C.A.Gardner & A.S.George -- Journal of the Royal Society of Western Australia 46 1963 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea violacea* F.Muell. -- *Fragmenta Phytographiae Australiae* 11 1879 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea violacea* F.Muell. -- *Fragmenta Phytographiae Australiae* 11 1879 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaea violacea* F.Muell. subsp. *raphiophylla* Hnatiuk -- *Nuytsia* 9(2): 164 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaeopsis* Kuntze -- Post. & Kuntze, *Lexic.* 201 (1903). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremaeopsis* Kuntze -- *Lexicon Generum Phanerogamarum* 1903 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremopyxis* Baill. -- *Adansonia* 2: 328. 1862 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremopyxis* Baill. -- *Adansonia* 2 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremopyxis camphorata* (Sims) Baill. -- *Plantae Preissianae* 2(2-3) 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eremopyxis camphorata* Baill. -- *Adansonia* 2: 329. 1862 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ericomyrtus* Turcz. -- *Bull. Soc. Imp. Naturalistes Moscou* xx. (1847) I. 154. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Ericomyrtus Turcz.* -- Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ericomyrtus drummondii Turcz.* -- Bulletin de la Soci?t? Imp?riale des Naturalistes de Moscou 20(1) 1847 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ericomyrtus drumondii Turcz.* -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Ericomyrtus parviflora* (Turcz.) Rye -- Nuytsia 25: 137. 2015 [1 May 2015] [epublished], as 'parvifoila'

Purified (Shodhit) *Ericomyrtus serpyllifolia* (Turcz.) Rye -- Nuytsia 25: 138. 2015 [1 May 2015] [epublished]

Purified (Shodhit) *Ericomyrtus tenuior* (Ewart) Rye -- Nuytsia 25: 142. 2015 [1 May 2015] [epublished]

Purified (Shodhit) *Eucalypton St.-Lag.* -- Ann. Soc. Bot. Lyon vii. (1880) 125. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptopsis* C.T.White -- J. Arnold Arbor. xxxii. 139 (1951). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptopsis alauda* Craven -- Austral. Syst. Bot. 3(4): 729 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptopsis papuana* C.T.White -- J. Arnold Arbor. xxxii. 139 (1951). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* L'Hér. -- Sert. Angl. 18. 1789 [dt. "1788"; publ. in Jan 1789] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* L'Her. -- Sert. Angl. 18. 1789 [dt. "1788"; publ. in Jan 1789] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* L'Hér. -- Sert. Angl. 18 (1788). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Abbreviatae* Brooker -- Austral. Syst. Bot. 13(1): 90 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Abundae* Brooker -- Austral. Syst. Bot. 13(1): 100 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Acaciiformes* L.A.S.Johnson ex Brooker & Slee -- *Muelleria* 9: 76. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Accedentes* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Accedentes* Chippend. -- Fl. Australia 19: 495. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Acerosae* Brooker -- Austral. Syst. Bot. 13(1): 93 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Acetabuliformes* Brooker -- Austral. Syst. Bot. 13(1): 92 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Adenophorae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Adnataria* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 117 (2000). (Short duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Alatae* Brooker -- Austral. Syst. Bot. 13(1): 87 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Alpinae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Alveolata* (Maiden) Brooker -- Austral. Syst. Bot. 13(1): 123 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Alveolatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Ambitae* Brooker -- Austral. Syst. Bot. 13(1): 115 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Amentum* Brooker -- Austral. Syst. Bot. 13(1): 124 (2000), nom. nov., replaced synonym not validly publ. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Amissae* Brooker -- Austral. Syst. Bot. 13(1): 118 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Angophora* (Cav.) Brooker -- Austral. Syst. Bot. 13(1): 85 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Angophora* (Cav.) Brooker -- Austral. Syst. Bot. 13(1): 85 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Angophora* (Cav.) Brooker -- Austral. Syst. Bot. 13(1): 84 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Angulares* Brooker -- Austral. Syst. Bot. 13(1): 132 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Angustatae* Brooker -- Austral. Syst. Bot. 13(1): 135 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Angustifoliae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Angustiores* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Angustissimae* Brooker -- Austral. Syst. Bot. 13(1): 105 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Anisomeleae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Annulares* (Blakely) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Annulares* (Blakely) Chippend. -- Fl. Australia 19: 495. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Annulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Annulatae* L.A.S.Johnson & K.D.Hill ex Brooker -- Austral. Syst. Bot. 13(1): 101 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its



compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Apicales* Brooker -- *Austral. Syst. Bot.* 13(1): 117 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Apodae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Applanatae* Brooker -- *Austral. Syst. Bot.* 13(1): 97 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Apterae* Brooker -- *Austral. Syst. Bot.* 13(1): 88 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Aquilonares* Brooker -- *Austral. Syst. Bot.* 13(1): 117 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Arboreae* Brooker -- *Austral. Syst. Bot.* 13(1): 130 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Argophyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Argyrophyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Aridae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Aromatica* Brooker -- *Austral. Syst. Bot.* 13(1): 125 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Arrectae* Brooker -- *Austral. Syst. Bot.* 13(1): 115 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Attenuatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Bakerianae* Chippend. -- *Fl. Australia* 19: 496. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Bakerianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Bakerianae* (Chippend.) Brooker & Hopper -- *Nuytsia* 9(1): 25 (1993):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Bakerianae* (Chippend.) Brooker -- Austral. Syst. Bot. 13(1): 105 (2000), isonym;. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Bakerianae* (Chippend.) Brooker -- see Brooker & Hopper in *Nuytsia* 9(1): 25 (1993):. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Balladonienses* Brooker & Hopper -- *Nuytsia* 9(1): 25 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Balladonienses* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Benthamianae* Brooker -- Austral. Syst. Bot. 13(1): 113 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Bisectae* Maiden ex Brooker -- Austral. Syst. Bot. 13(1): 98 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Blakella* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 89 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Bolites* Brooker -- Austral. Syst. Bot. 13(1): 94 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Boreales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Brachyandrae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Brevifoliae* Brooker & Slee -- *Eucalyptus* series *Brevifoliae* (Purified (Shodhit)), a new series of northern Australian eucalypts 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Brevifoliae* Brooker & Slee -- *Nuytsia* 9(3): 311 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Bridgesianae* Brooker & Slee -- *Muelleria* 9: 80. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Brockwayanae* Chippend. -- *Fl. Australia* 19: 496. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Brockwayanae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Buxuales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Caesia* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Caesia* Brooker & Hopper -- Nuytsia 9(1): 42 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Caliculae* Brooker -- Austral. Syst. Bot. 13(1): 132 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cambageanae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cambageanae* Chippend. -- Fl. Australia 19: 496. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Capillulus* Brooker -- Austral. Syst. Bot. 13(1): 125 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Cineraceae* Brooker -- Austral. Syst. Bot. 13(1): 128 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Circulares* Brooker -- Austral. Syst. Bot. 13(1): 116 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus* subser. *Claviformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Clavigerae* (Maiden) S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Clavigerae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Clinatae* Brooker -- Austral. Syst. Bot. 13(1): 99 (2000), type species name not validly publ. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Coalitae* Brooker -- Austral. Syst. Bot. 13(1): 120 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cochleatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cochleatae* (Maiden) Brooker -- Austral. Syst. Bot. 13(1): 132 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Compactae* Brooker -- Austral. Syst. Bot. 13(1): 114 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Complanatae* Brooker -- Austral. Syst. Bot. 13(1): 92 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Concolores* Brooker -- Austral. Syst. Bot. 13(1): 122 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Confines* Brooker -- Austral. Syst. Bot. 13(1): 115 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Congestae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Conjunctae* Brooker -- Austral. Syst. Bot. 13(1): 99 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Connatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Connexentes* Brooker -- Austral. Syst. Bot. 13(1): 97 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Considenianae* Brooker & Slee -- *Muelleria* 9: 84. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Contiguae* Brooker & Slee -- *Muelleria* 9: 84. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Continentes* Brooker -- *Austral. Syst. Bot.* 13(1): 119 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Contortae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Convenienses* A.K.Gibbs & Ladiges -- *Austral. Syst. Bot.* 22(3): 175. 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus* ser. *Cooperianae* L.A.S.Johnson ex Brooker -- *Austral. Syst. Bot.* 13(1): 105 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Cordatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Cordiformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cornutae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cornutae* (Benth.) Brooker -- Austral. Syst. Bot. 13(1): 99 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Cornutae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cornutae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Corrugatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Corrugatae* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 110 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Corymbia* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 85 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Corymbosae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Corymbosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Corymbosae-peltatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Costatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Costatitae* (K.R.Thiele & Ladiges) Brooker -- Austral. Syst. Bot. 13(1): 85 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Crenulatae* Brooker & Snee -- Muelleria 9: 81. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Cruciformes* Brooker -- *Austral. Syst. Bot.* 13(1): 93 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cubiformes* Brooker -- *Austral. Syst. Bot.* 13(1): 102 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Cuboidea* Brooker -- *Austral. Syst. Bot.* 13(1): 123 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cupreanae* Brooker & Hopper -- *Nuytsia* 9(1): 64 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cupulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus* ser. *Curtisiana* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Curtisiana* Chippend. -- Fl. Australia 19: 497. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Curvitera* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cylindraca* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Cylindrica* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Cylindriformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Cymbiformes* Brooker -- Austral. Syst. Bot. 13(1): 86 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dawsonianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dawsonianae* Chippend. -- Fl. Australia 19: 497. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Dealbatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Decipientes* Brooker & Hopper -- Nuytsia 9(1): 18 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Decurrentes* Brooker -- *Austral. Syst. Bot.* 13(1): 107 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Decurvae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Decussatae* Brooker -- *Austral. Syst. Bot.* 13(1): 106 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Deflexae* Brooker -- *Austral. Syst. Bot.* 13(1): 111 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Desmondenses* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Desmondenses* Brooker & Hopper -- *Nuytsia* 8(1): 174 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Destitutae* Brooker -- *Austral. Syst. Bot.* 13(1): 103 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Dipterae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Discolores* Brooker -- *Austral. Syst. Bot.* 13(1): 121 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Disjunctae* Brooker -- *Austral. Syst. Bot.* 13(1): 86 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dissonae* Brooker -- Austral. Syst. Bot. 13(1): 109 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Diversiformae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Doleiformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Domesticae* Brooker -- Austral. Syst. Bot. 13(1): 123 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dorsiventrales* Brooker -- Austral. Syst. Bot. 13(1): 87 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Dumaria* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 109 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Dumaria* L.D.Pryor & L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dumosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dundasianae* Chippend. -- Fl. Australia 19: 497. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Dundasianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Ebbanoenses* (Chippend.) Brooker -- Austral. Syst. Bot. 13(1): 92 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Ebbanoenses* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Ebbanoenses* Chippend. -- Fl. Australia 19: 497. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Edentatae* Brooker -- Austral. Syst. Bot. 13(1): 91 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Efasciculares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Ejugatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Ellipsoporae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Elongatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Elongatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Emarginatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus* sect. *Equatoria* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 123 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Erectae* Brooker -- Austral. Syst. Bot. 13(1): 100 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Eremophilae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Erythrocorrythosae* A.K.Gibbs & Ladiges -- Austral. Syst. Bot. 22(3): 175. 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus* subser. *Erythroxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Erythroxylon* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 96 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Eucalyptus* L'Her. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Eucalyptus* L'Her. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Eucalyptus* L'Her. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Eucalyptus* L'Her. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Eucorymbosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Eudesmeae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Eudesmia* (R.Br.) L.A.S.Johnson & K.D.Hill -- *Telopea* 7(4): 379. 1998 [29 May 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Eudesmieae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Euglobulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Euryotae* Brooker -- *Austral. Syst. Bot.* 13(1): 113 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Exsertae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Exsertae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Exsertaria* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 96 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Extensae* Brooker -- Austral. Syst. Bot. 13(1): 90 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Falcatae* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Falcatae* Brooker & Hopper -- *Nuytsia* 9(1): 15 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Fasciculares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Finales* Brooker -- *Austral. Syst. Bot.* 13(1): 132 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Floribundinae* (K.R.Thiele & Ladiges) Brooker -- *Austral. Syst. Bot.* 13(1): 85 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Foecundae* L.D.Pryor & L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Fortes* Brooker -- *Austral. Syst. Bot.* 13(1): 117 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Foveolatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Fraxinales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Frutices* Brooker -- *Austral. Syst. Bot.* 13(1): 131 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Fruticosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Furfuraceae* Brooker -- *Austral. Syst. Bot.* 13(1): 111 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Fusiformes* Brooker -- *Austral. Syst. Bot.* 13(1): 105 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Gamophyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Glandulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Glandulosae* Brooker -- *Austral. Syst. Bot.* 13(1): 99 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Globulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Glomerosae* Brooker -- Austral. Syst. Bot. 13(1): 108 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Graciles* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Graciles* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Hadrotes* Brooker -- Austral. Syst. Bot. 13(1): 98 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Haemastomae* Brooker -- Austral. Syst. Bot. 13(1): 129 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Halophilae* Brooker -- Austral. Syst. Bot. 13(1): 109 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Hemiphloiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Heterophloiae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Heteroptera* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Heterostemon* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Holocalyces* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Howittianae* Chippend. -- Fl. Australia 19: 498. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Howittianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Hybridae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Idiogenes* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 124 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Inclinatae* Brooker -- Austral. Syst. Bot. 13(1): 93 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Inclusae* (Benth.) Chippend. -- Fl. Australia 19: 499. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Inclusae* (Benth.) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Inclusae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Inclusae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Incognitae* (D.Nicolle) Brooker -- Austral. Syst. Bot. 13(1): 96 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Incognitae* D.Nicolle -- A new series, *Incognitae*, of *Eucalyptus* L'Her., including a new species endemic to Fleurieu Peninsula and Kangaroo Island, South Australia 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Incognitae* D.Nicolle -- J. Adelaide Bot. Gard. 16: 73. 1995 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Incrassatae* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 110 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Inflexae* Brooker & Hopper -- Nuytsia 9(1): 31 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Insolitae* Brooker -- *Austral. Syst. Bot.* 13(1): 130 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Insulanae* Brooker -- *Austral. Syst. Bot.* 13(1): 125 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Insulares* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Insulares* Chippend. -- *Fl. Australia* 19: 499. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Irregulares* Brooker -- *Austral. Syst. Bot.* 13(1): 127 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Isobilaterales* Brooker -- Austral. Syst. Bot. 13(1): 87 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Isophyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Jacksoniae* Brooker -- Austral. Syst. Bot. 13(1): 131 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Jacobsianae* Chippend. -- Fl. Australia 19: 499. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Jacobsianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Johnsonianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Johnsonianae* Chippend. -- Fl. Australia 19: 499. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Jucundae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Jucundae* (Chippend.) Brooker -- Austral. Syst. Bot. 13(1): 91 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Jucundae* Chippend. -- Fl. Australia 19: 499. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Jugatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Kitsonianae* L.A.S.Johnson ex Brooker & Slee -- *Muelleria* 9: 81. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Kochioides* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Kruseanae* Chippend. -- *Fl. Australia* 19: 500. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Kruseanae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Laevigatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:



Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Lanceolatae* Brooker -- Austral. Syst. Bot. 13(1): 116 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Latifoliae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Latoangulatae* Brooker -- Austral. Syst. Bot. 13(1): 95 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Lehmannianae* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Lehmannianae* D.J.Carr & S.G.M.Carr -- Austral. J. Bot. 28(5–6): 524 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Leiocarpae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Leiopholiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Lepidophloiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Lepidotae-fimbriatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Leptocarpae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Leptopodae* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 107 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Leptopodae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Leptospermae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Leptospermae* (Blakely) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Leptospermae* (Blakely) Chippend. -- Fl. Australia 19: 500. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Leucoxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Levispermae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Levispermae* Brooker -- Austral. Syst. Bot. 13(1): 103 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Liberiae* Brooker -- Austral. Syst. Bot. 13(1): 99 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Liberivalvae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Liberivalvae* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 96 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Limbatae* Brooker -- Austral. Syst. Bot. 13(1): 91 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Limitaneae* Brooker -- Austral. Syst. Bot. 13(1): 88 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Limitares* Brooker -- Austral. Syst. Bot. 13(1): 126 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Longiores* Brooker -- Austral. Syst. Bot. 13(1): 108 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Longiores* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Longistylus* Brooker -- Austral. Syst. Bot. 13(1): 130 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Longitudinales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Longitudinales* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 128 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Loxophlebae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Loxophlebae* Chippend. -- Fl. Australia 19: 500. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Lucasiana* Chippend. -- Fl. Australia 19: 500. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Lucasiana* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Macrantherae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Macrantherae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Macrocarpae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Macrorrhynchae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Macrorrhynchae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Maculatae* (Blakely) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Maculatae* (Blakely) Chippend. -- Fl. Australia 19: 500. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Maculatae* Blakely -- Key Eucalypts 18: 93. 1934 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*



Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Maidenaria* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 112 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Malacoxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Megaphyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Meglanthae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Meglanthae* (Blakely) Chippend. -- Fl. Australia 19: 501. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Meglanthae* (Blakely) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Melanoxylon* Brooker -- Austral. Syst. Bot. 13(1): 85 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Melliodorae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Merrickianae* Chippend. -- Fl. Australia 19: 501. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Merrickianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Merrickianae* Brooker -- Austral. Forest Res. 9(3): 186, without latin descr. or type. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Michaelianae* Chippend. -- Fl. Australia 19: 501. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Michaelianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Micrantherae* Brooker -- Austral. Syst. Bot. 13(1): 105 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Micrantherae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Micrantherae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Microcarpae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Microcorythae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Microcorythae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Micromembranae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Miniatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Minutifructus* Brooker -- Austral. Syst. Bot. 13(1): 122 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Moluccanae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Moluccanae* Chippend. -- Fl. Australia 19: 501. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Muricatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Myrtiformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Naviculares* Maiden -- Crit. Rev. *Eucalyptus* 7: 109. 1929 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Nebulosa* Brooker -- Austral. Syst. Bot. 13(1): 126 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Neglectae* L.A.S.Johnson ex Brooker & Slee -- *Muelleria* 9: 81. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Neocorymbosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Neuroptera* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Neuropterae* (Maiden) Brooker -- Austral. Syst. Bot. 13(1): 131 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Normales* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Normales* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Notiales* Brooker -- Austral. Syst. Bot. 13(1): 86 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Obliquae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Obliquiantherae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Oblongae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Obscurae* Brooker -- Austral. Syst. Bot. 13(1): 113 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Occidentales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Ochrophloiae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Ochroxylon* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Odontocarpae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Odontocarpae* Chippend. -- Fl. Australia 19: 502. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Odoratae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Oleaginae* Brooker -- Austral. Syst. Bot. 13(1): 106 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Oliganthae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Olsenianae* L.A.S.Johnson & Blaxell -- *Telopea* 1(6): 397, without latin descr. 1980 [14 Mar 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Olsenianae* Chippend. -- *Fl. Australia* 19: 502. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Olsenianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Orbiculares* Brooker & Slee -- *Muelleria* 9: 80. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Orbiculares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Orbifoliae* Brooker & Hopper -- *Nuytsia* 9(1): 40 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Orbifoliae* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Oritae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Ovatae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Ovatae* Brooker -- Austral. Syst. Bot. 13(1): 108 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Oviformes* Brooker -- Austral. Syst. Bot. 13(1): 105 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Ovoideae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Ovulares* Brooker -- Brunonia 4(1): 3 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Ovulares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Ovulares* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Pachyphloiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pachyphloiae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pachyspermae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Paniculatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Papilionantherae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Parallelantherae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Patelliformes* Brooker -- Austral. Syst. Bot. 13(1): 91 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Patentes* L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 131 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pauciflorae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pauciflorae* L.A.S.Johnson ex Brooker & Slee -- *Muelleria* 9: 84. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Paucijugae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Pedaria* L.A.S.Johnson ex Brooker -- *Austral. Syst. Bot.* 13(1): 130 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pedicellatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pelliculares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Peltiformes* Brooker -- *Austral. Syst. Bot.* 13(1): 87 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Perfoliatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Phaenophylla* Brooker -- Austral. Syst. Bot. 13(1): 103 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Phaeoxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Phaeoxylon* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 97 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Phoeniceosae* A.K.Gibbs & Ladiges -- Austral. Syst. Bot. 22(3): 174. 2009 [10 Jun 2009]



Purified (Shodhit) *Eucalyptus* subsect. *Pileatae* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Piperitales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Planchoniana* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Planchoniana* Chippend. -- Fl. Australia 19: 503, nom. nov. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Platyantherae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Platydiscae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Platysperma* Brooker -- Austral. Syst. Bot. 13(1): 98 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pleurocarpae* A.K.Gibbs & Ladiges -- Austral. Syst. Bot. 22(3): 175. 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus* subser. *Pluriflorae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pluriloculares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Porantherae* (Benth.) Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Porantherae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Porantheroideae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Porantheroideae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Porantheroideae* (Maiden) Chippend. -- Fl. Australia 19: 503. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Prealtae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Preissianae* L.D.Pryor & L.A.S.Johnson ex Brooker & Slee -- *Nuytsia* 10(1): 10 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Preissianae* Pryor & Johnson ex Brooker & Slee -- *Eucalyptus* series *Preissianae* (Purified (Shodhit)), a new series of Western Australian eucalypts and the description of a new subspecies in the series 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Primitiva* Brooker -- *Austral. Syst. Bot.* 13(1): 124 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Protrusae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Proximae* Brooker -- *Austral. Syst. Bot.* 13(1): 133 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Psathyroxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pseudo-stringybarks* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Pseudophloius* Brooker -- Austral. Syst. Bot. 13(1): 124 (2000), nom. nov., replaced synonym not validly publ. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Ptychocarpace* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pumilae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pumilae* Chippend. -- Fl. Australia 19: 503. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Pumilio* Brooker -- Austral. Syst. Bot. 13(1): 98 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pyramidales* Brooker -- Austral. Syst. Bot. 13(1): 98 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Pyramidales*-d Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Pyriformes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Pyriformes* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Quadricostatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Racemus* Brooker -- Austral. Syst. Bot. 13(1): 94 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Radiatae* Chippend. -- Fl. Australia 19: 504. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Radiatae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Recurvae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Regnantes* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Regnantes* Chippend. -- Fl. Australia 19: 504. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Regulares* Brooker -- Austral. Syst. Bot. 13(1): 127 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Remanentes* Brooker -- Austral. Syst. Bot. 13(1): 115 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Renantherae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Renantherae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Renantherae* (Benth.) Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Renantheriadeae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Reticulatae* Brooker -- Austral. Syst. Bot. 13(1): 92 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Rhagopora* Nied. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Rhodoxyla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rhodoxyla* (Blakely) Chippend. -- Fl. Australia 19: 504. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rhodoxyla* (Blakely) Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Rhytipholiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rigentes* Brooker & Hopper -- Nuytsia 7(1): 7 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rigentes* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Robustae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rostratae* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 96 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Rostratae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rubiginosae* Chippend. -- Fl. Australia 19: 504. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rubiginosae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rufispermae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Rugatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rummeryanae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Rummeryanae* Chippend. -- Fl. Australia 19: 504. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Salmonophloiae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Salmonophloiae* Chippend. -- Fl. Australia 19: 505. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Saxicola* Brooker -- Austral. Syst. Bot. 13(1): 113 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Schizopholiae* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Scutelliformes* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Scutiformes* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Sejunctae* Brooker -- Austral. Syst. Bot. 13(1): 94 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Semidecorticae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Seminudae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Semiunicolores* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Septentrionales* Brooker -- Austral. Syst. Bot. 13(1): 86 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Sessiles* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Setosae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Siderophloiae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Similares* Brooker -- Austral. Syst. Bot. 13(1): 95 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Similes* A.K.Gibbs & Ladiges -- Austral. Syst. Bot. 22(3): 174. 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus* ser. *Singulares* Brooker -- Austral. Syst. Bot. 13(1): 97 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Solidae* Brooker -- Austral. Syst. Bot. 13(1): 122 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Sphaerocarpaceae* Brooker -- Austral. Syst. Bot. 13(1): 129 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Spirales* Brooker -- Austral. Syst. Bot. 13(1): 106 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Squamosae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus* ser. *Squamosae* Chippend. -- Fl. Australia 19: 505. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Steatoxylon* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Stenostomae* Brooker -- Austral. Syst. Bot. 13(1): 129 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Striatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Stricklandianae* Brooker -- Austral. Syst. Bot. 13(1): 102 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Strictae* L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 127 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Striolatae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Sturgissianae* L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 117 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subangustae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subbuxae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subcornutae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subereae* Chippend. -- Fl. Australia 19: 506. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subereae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subexsertae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subexsertae* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subglaucae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Submelliodora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Submelliodorae* (Blakely) Brooker -- Austral. Syst. Bot. 13(1): 120 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subplatyphyllae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subsessilis* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Subtruncatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Subulatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Subviridis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subgen. *Symphyomyrtus* (Schauer) Brooker -- Austral. Syst. Bot. 13(1): 93 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Synandrae* Brooker -- Austral. Syst. Bot. 13(1): 107 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Tereticornes* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Terminales* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Terminales* (Maiden) Brooker -- Austral. Syst. Bot. 13(1): 121 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Terminales* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Terminaliptera* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Tessellatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Tetradontae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Tetraedrae* Brooker -- Austral. Syst. Bot. 13(1): 91 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Tetrapterae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Tetradontae* Chippend. -- Fl. Australia 19: 506. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torellianae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torellianae* Chippend. -- Fl. Australia 19: 506. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torquatae* L.D.Pryor & L.A.S.Johnson ex Brooker -- Austral. Syst. Bot. 13(1): 110 (2000), isonym;. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torquatae* Chippend. -- Fl. Australia 19: 506. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torquatae* L.D.Pryor & L.A.S.Johnson ex Brooker -- see Chippend. in Fl. Australia 19: 506 (1988). 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Torquatae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus* ser. *Trachyphloiae* Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Trachyphloiae* Chippend. -- Fl. Australia 19: 507. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Transversae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Triangulares* Brooker -- Austral. Syst. Bot. 13(1): 112 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Truncatae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* sect. *Typeucalyptus* Kuntze -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subsect. *Unicae* Brooker -- Austral. Syst. Bot. 13(1): 133 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Urceolares* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* ser. *Vagitae* D.Nicolle -- J. Adelaide Bot. Gard. 19: 91. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* subser. *Variabiles* Brooker -- Austral. Syst. Bot. 13(1): 93 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ser. Viminalis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ser. White-mahoganies* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ser. Xylocarpae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abbreviata* Blakely & Jacobs -- Blakely, Key Eucalypts 77 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abbreviata* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abdita* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abdita* Brooker & Hopper -- Nuytsia 8(1): 61 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abergiana* F.Muell. -- Fragm. (Mueller) 11(89): 41. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus abergiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus absita* Grayling & Brooker -- Nuytsia 8(2) 1992 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus absita* Grayling & Brooker -- *Nuytsia* 8(2): 210 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acaciiformis* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acaciiformis* Deane & Maiden -- *Proc. Linn. Soc. New South Wales* xxiv. 454. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acaciiformis* var. *acaciiformis* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acaciiformis* var. *linearis* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acacioides* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acacioides* A.Cunn. ex Ewart -- Fl. Vict. 843 (1935), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus accedens* W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus accedens* Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 21. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acervula* Hook.f. -- Fl. Tasm. i. 135. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acervula* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acervula* Miq. -- Ned. Kruidk. Arch. iv. (1859) 137. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acervula* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acies* Brooker -- Nuytsia 1(3): 245. 1972 [14 Nov 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acies* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acmenoides* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acmenoides* Schauer -- Repert. Bot. Syst. (Walpers) 2(5): 924. 1843 [28-30 Dec 1843] (as '*acmenioides*') (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acmenoides* var. *acmenoides* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acmenoides* var. *carnea* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acmenoides* var. *tenuipes* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus acroleuca* L.A.S.Johnson & K.D.Hill -- Systematic studies in the eucalypts. 6. A revision of the coolibahs, *Eucalyptus* subgenus *Symphyomyrtus* section *Adnataria* series *Oliganthae* subseries *Microthecosae* (Purified (Shodhit)) 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acroleuca* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4): 748. 1994 [26 Apr 1994] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acroleuca* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4) 1994 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acuminata* Hook. -- J. Exped. Trop. Australia [Mitchell] 390. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acuminata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acutangula* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 338. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus acutangula* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus adesmophloia* (Brooker & Hopper) D.Nicolle & M.E.French -- Nuytsia 22(6): 448. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus adjuncta* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 167. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus adjuncta* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aenea* K.D.Hill -- Telopea 7(2) 1997 [8 Jul 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aenea* K.D.Hill -- *Telopea* 7(2): 101. 1997 [8 Jul 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aequans* Blakely -- *Journ. Roy. Soc. N. S. Wales* 1927, lxi. 154. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aequans* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aequioperta* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aequioperta* Brooker & Hopper -- *Nuytsia* 9(1): 58 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus affinis* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus affinis* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxv. 104. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus agglomerata* Maiden -- Journ. Roy. Soc. N. S. Wales 1921, lv. 266 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus agglomerata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aggregata* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aggregata* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiv. 614. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus agnata* Domin -- Repert. Spec. Nov. Regni Veg. 12: 389. 1913 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus agnata* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alata* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alaticaulis* R.J.Watson & Ladiges -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alaticaulis* R.J.Watson & Ladiges -- *Brunonia* 10(2): 175 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* Reinw. ex Blume -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* Blume -- *Bijdr. Fl. Ned. Ind.* 1827 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* Reinw. ex Blume -- *Bijdr. Fl. Ned. Ind.* 17: 1101. [Oct 1826-Nov 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* var. *alba* Blume -- *A Key to the Eucalypts* 1934 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* var. *australasica* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albens* Miq. -- Ned. Kruidk. Arch. iv. (1859) 138. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albens* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albens* var. *albens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albens* var. *elongata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albicans* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albicans* F.Muell. -- Fragn. (Mueller) 7(52): 42. 1869 [Oct 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albicaulis* G.Don -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albicaulis* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alba* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 175. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albida* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus albopurpurea* (Boomsma) D.Nicolle -- J. Adelaide Bot. Gard. 19: 90. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus algeriensis* Trab. -- in Maiden, Crit. Rev. *Eucalyptus* vi. 72 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus algeriensis* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alipes* (L.A.S.Johnson & K.D.Hill) D.Nicolle & Brooker -- *Nuytsia* 15(3): 412. 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus alligatrix* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 237. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alligatrix* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alligatrix* L.A.S.Johnson & K.D.Hill subsp. *limaensis* Brooker, Slee & J.D.Briggs -- *Austral. Syst. Bot.* 8(4): 510 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alligatrix* L.A.S.Johnson & K.D.Hill subsp. *miscella* Brooker, Slee & J.D.Briggs -- *Austral. Syst. Bot.* 8(4): 512 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alligatrix* subsp. *miscella* Brooker, Slee & J.D.Briggs -- *Australian Systematic Botany* 8(4) 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alpina* R.Br. ex Maiden -- Rep. Australas. Assoc. Advancem. Sci. 9: 365. 1903 ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alpina* Lindl. -- Three Exped. Australia [Mitchell] 2: 175, in adnot. 1838 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alpina* Lindl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alpina* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus alpina* Lindl. -- in Mitch. Three Exped. ii. 175. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus altior* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus altior* Maiden -- Crit. Rev. *Eucalyptus* vi. 272 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ambigua* DC. -- Prodr. [A. P. de Candolle] 3: 219. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ambigua* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ammophila* Brooker & Slee -- A new species of red gum (*Eucalyptus* subser. *Phaeoxyla* Blakely) from central and southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ammophila* Brooker & Slee -- *Austrobaileya* 4(2): 265 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ammophila* Brooker & Slee -- A new species of red gum (*Eucalyptus* subser. *Phaeoxyla* Blakely) from central and southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* Naudin -- Descr. *Emploi Eucalypt.* 28. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* subsp. *amplifolia* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* var. *amplifolia* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* subsp. *sessiliflora* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* Naudin subsp. *sessiliflora* (Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 52. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amplifolia* var. *sessiliflora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 130. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* Labill. -- Nov. Holl. Pl. 2: 14, t. 154. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *alpina* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *amygdalina* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *angustifolia* Burt Davy -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *hypericifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *latifolia* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *nitida* (Hook.f.) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *numerosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus amygdalina* var. *radiata* (DC.) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus amygdalina* var. *regnans* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus anceps* (Maiden) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus anceps* (R.Br.) Blakely -- Key Eucalypts 118 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ancophila* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ancophila* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 82. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andreana* Carrière -- Rev. Hort. [Paris]. (1890) 346 fig. 104 et 105. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andreana* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andreana* var. *andreana* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andreana* var. *stenophylla* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andrewsii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andrewsii* Maiden -- Proc. Linn. Soc. New South Wales xxix. 472. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andrewsii* subsp. *andrewsii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andrewsii* subsp. *campanulata* (R.T.Baker & H.G.Sm.) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 381. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus andrewsii* subsp. *campanulata* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus androsaemifolia* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus androsaemifolia* Hoffmanns. -- Verz. Pfl.-Kult. Nachtr. 2: 113. 1826 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angophoroides* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 676. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angophoroides* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angularis* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angularis* Brooker & Hopper -- Nuytsia 9(1): 8 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angulosa* Schauer -- Repert. Bot. Syst. (Walpers) ii. 925. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angulosa* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angulosa* var. *angulosa* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angulosa* var. *ceratocorys* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angulosa* var. *robusta* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angusta* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angusta* Maiden -- Crit. Rev. *Eucalyptus* vi. 265 (1922). ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustata* Brooker -- Austral. Syst. Bot. 13(1): 135 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustifolia* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 337. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustifolia* Desf. ex Link -- Enum. Hort. Berol. Alt. 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustifolia* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustifolia* R.Br. ex Maiden -- Crit. Rev. *Eucalyptus* 1(6): 152, 170. 1905 [Apr 1905] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustifolia* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustissima* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustissima* F.Muell. -- Fragn. (Mueller) 4(24): 25. 1863 [Sep 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustissima* subsp. *angustissima* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustissima* subsp. *quaerenda* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus angustissima* F.Muell. subsp. *quaerenda* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 598. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus annettae* D.Nicolle & M.E.French -- *Nuytsia* 22(6): 441. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus annulata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus annulata* Benth. -- *Fl. Austral.* 3: 234. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus annuliformis* Grayling & Brooker -- Nuytsia 8(2): 213 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus annuliformis* Grayling & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus anomala* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus anomala* Blakely -- Journ. Roy. Soc. N. S. Wales 1928, lxii. 209. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* × *antipolitensis* Trab. -- Bull. Stat. Recherch. Forest. Nord Afr. i. 151 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus antipolitensis* Trab. ex Maiden -- in Maiden, Crit. Rev. *Eucalyptus* vi. 10, 70 (1922). hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aparrerinja* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apiculata* R.T.Baker & H.G.Sm. -- Research on *Eucalypts* 198. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apiculata* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apocynifolia* (Salisb.) Brooker -- Austral. Syst. Bot. 13(1): 135 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* Blakely & Jacobs -- Blakely, Key Eucalypts 165 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* var. *apodophylla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* var. *brachyphylla* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* subsp. *provecta* Brooker & Kleinig -- Field Guide to Eucalypts. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient

in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apodophylla* Blakely & Jacobs subsp. *provecta* Brooker & Kleinig -- Field Guide to Eucalypts 3: 371 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apothalassica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 84. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus apothalassica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus approximans* Maiden -- J. & Proc. Roy. Soc. New South Wales 1919, liii. 65. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus approximans* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus approximans* subsp. *approximans* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus approximans* subsp. *codonocarpa* (Blakely & McKie) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus approximans* Maiden subsp. *codonocarpa* (Blakely & McKie) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 453. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aquatica* (Blakely) L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 56. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aquatica* (Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aquilina* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aquilina* Brooker -- *Nuytsia* 1(4): 297. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arachnaea* Brooker & Hopper -- *Nuytsia* 8(1): 68 (1991), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arachnaea* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arachnaea* subsp. *arachnaea* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arachnaea* Brooker & Hopper subsp. *arrecta* Brooker & Hopper -- Nuytsia 8(1): 70 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arachnaea* subsp. *arrecta* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arborella* Brooker & Hopper -- Nuytsia 14(3): 336 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arcana* (D.Nicolle & Brooker) Rule -- Muelleria 27(2): 230. 2009 [28 Jul 2009]

Purified (Shodhit) *Eucalyptus archeri* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus archeri* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 58 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arenacea* Marginson & Ladiges -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arenacea* Marginson & Ladiges -- Austral. Syst. Bot. 1(2): 163 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arenaria* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arenaria* Blakely -- Key Eucalypts 81 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and



*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arenicola* Rule -- *Muelleria* 26(2): 91 (-94; figs. 1-2). 2008 [1 Jul 2008]

Purified (Shodhit) *Eucalyptus argentea* Cord. ex Blakely -- Key Eucalypts 315 (1934), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argentea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argillacea* W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argillacea* W.Fitzg. ex Maiden. -- *Crit. Rev. Eucalyptus* iv. 132 (1918). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argophloia* Blakely -- Key Eucalypts 256 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argophloia* Blakely -- A Key to the Eucalypts 1934 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argutifolia* Grayling & Brooker -- Nuytsia 8(2) 1992 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argutifolia* Grayling & Brooker -- Nuytsia 8(2): 215 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argyphaea* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus argyphea* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 603. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aridimontana* D.Nicolle & M.E.French -- *Nuytsia* 22(1): 21. 2012 [23 Mar 2012] [epublished]

Purified (Shodhit) *Eucalyptus armillata* D.Nicolle & M.E.French -- *Nuytsia* 22(6): 456. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus arnhemensis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus arnhemensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 78 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromaphloia* Pryor & J.H.Willis -- *Vict. Naturalist* 71: 125. 1954 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromaphloia* L.D.Pryor & J.H.Willis -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromatica* (Salisb.) Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromatica* Colla -- Herb. Pedem. ii. 423 (1834), in obs., nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromatica* Colla -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aromatica* Domin -- Biblioth. Bot. lxxxix. 461 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus articulata* Brooker & Hopper -- Nuytsia 9(1): 14 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus articulata* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspera* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspera* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 95. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspersa* Brooker & Hopper -- Nuytsia 9(1): 28 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspersa* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspratilis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aspratilis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 572, nom. nov. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus assimilans* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 308. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus astringens* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus astringens* (Maiden) Maiden -- Crit. Rev. *Eucalyptus* vii. 55 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus astringens* (Maiden) Maiden subsp. *redacta* Brooker & Hopper -- *Nuytsia* 14(3): 353 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus atrata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus atrata* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 334. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus atrovirens* Brooker & Kleinig -- *Field Guide to Eucalypts* 3: 371 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus atrovirens* Brooker & Kleinig -- Field Guide to Eucalypts. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus auburnensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus auburnensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 116 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aurantiaca* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aurantiaca* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 91. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus aureola* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 430 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aureola* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus aurifodina* Rule -- *Muelleria* 30(2): 101. 2012 [9 Jul 2012]

Purified (Shodhit) *Eucalyptus australiana* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australiana* R.T.Baker & H.G.Sm. -- J. & Proc. Roy. Soc. New South Wales 1915, xlix. 514 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australiana* var. *australiana* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australiana* var. *latifolia* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australiana* var. *nitida* (Hook.f.) Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 41 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus australis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus badjensis* Beuzev. & M.B.Welch -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus badjensis* Beuzev. & Welch -- Journ. Roy. Soc. N. S. Wales 1924, lviii. 177. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baeuerlenii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baileyana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baileyana* F.Muell. -- Fragm. (Mueller) 11(89): 37. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baiophylla* D.Nicolle & Brooker -- Nuytsia 18: 192 (-195; figs. 1, 3, map). 2008 [21 Aug 2008]

Purified (Shodhit) *Eucalyptus bakeri* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 87. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bakeri* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balanites* Grayling & Brooker -- Nuytsia 8(2) 1992 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balanites* Grayling & Brooker -- Nuytsia 8(2): 216 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balanopelex* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balanopelex* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 605. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balladoniensis* Brooker -- *Nuytsia* 2(2): 103. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balladoniensis* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balladoniensis* subsp. *balladoniensis* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balladoniensis* subsp. *sedens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus balladoniensis* Brooker subsp. *sedens* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 617. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bancroftii* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bancroftii* (Maiden) Maiden -- Crit. Rev. *Eucalyptus* iv. 14 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus banksii* Maiden -- Proc. Linn. Soc. New South Wales xxix. 774. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus banksii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barberi* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 288. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barberi* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barklyensis* L.A.S.Johnson & K.D.Hill -- Telopea 5(4): 753. 1994 [26 Apr 1994] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barklyensis* L.A.S.Johnson & K.D.Hill -- Systematic studies in the eucalypts. 6. A revision of the coolibahs, *Eucalyptus* subgenus *Symphyomyrtus* section *Adnataria* series *Oliganthae* subseries *Microthecosae* (Purified (Shodhit)) 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barklyensis* L.A.S.Johnson & K.D.Hill -- Telopea 5(4) 1994 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barmannensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 108 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus barmannensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baudiniana* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baudiniana* D.J.Carr & S.G.M.Carr -- Proc. Roy. Soc. Victoria 88(1-2): 12. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baueriana* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus baueriana* Schauer -- Repert. Bot. Syst. (Walpers) ii. 924. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baueriana* var. *baueriana* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baueriana* var. *conica* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baueriana* Schauer subsp. *deddickensis* Rule -- *Muelleria* 29(1): 13 (-14, 6; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus baueriana* Schauer subsp. *thalassina* Rule -- *Muelleria* 29(1): 12 (-13, 6; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus bauerlesii* F.Muell. -- in *Vict. Natural.* vii. (Oct. 1890) 76; et ex *Bot. Centralbl.* xlv. (1890) 236. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* vii. 451 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* (Benth.) J.M.Black -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* R.Br. ex Benth. -- Fl. Austral. 3: 207. 1867 [5 Jan 1867] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* var. *baxteri* (Benth.) Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus baxteri* var. *pedicellata* J.M.Black -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beaniana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 330. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beaniana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beardiana* Brooker & Blaxell -- *Nuytsia* 2(4) 1978 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beardiana* Brooker & Blaxell -- *Nuytsia* 2(4): 220. 1978 [7 Feb 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beaselyi* Blakely -- Key Eucalypts 234 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beaselyi* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beauchampiana* Elwes & A.Henry -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus behriana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus behriana* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 34. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus behriana* var. *behriana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus behriana* var. *purpurascens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bella* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bennettiae* D.J.Carr & S.G.M.Carr -- Austral. J. Bot. 28(5–6): 541 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bennettiae* D.J.Carr & S.G.M. Carr -- Australian Journal of Botany 28(5-6) 1980 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bensonii* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bensonii* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 91. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus benthamii* Maiden & Cambage -- *Journal and Proceedings of the Royal Society of New South Wales* 48 1915 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus benthamii* Maiden & Cambage -- *J. & Proc. Roy. Soc. New South Wales* 1914, xlviii. 418 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus benthamii* var. *benthamii* Maiden & Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus benthamii* var. *dorrigoensis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beyeri* R.T.Baker -- Hardwoods of Austral. 282 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beyeri* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beyeri* subsp. *beyeri* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beyeriana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 83. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus beyeriana* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus biangularis* J.H.Simmonds -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus biangularis* Simmonds -- Maiden, Crit. Rev. *Eucalyptus* vii. 382 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicolor* A.Cunn. ex T.Mitch. -- J. Exped. Trop. Australia [Mitchell] 390. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicolor* A.Cunn. ex T.Mitch. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus bicolor* A.Cunn. ex T.Mitch. var. *bicolor* A.Cunn. ex T.Mitch. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicolor* var. *parviflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicolor* var. *xanthophylla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicostata* Maiden, Blakely & Simmonds -- Simmonds, Trees from other Lands for Shelter & Timber in N. Zel., Eucalypts 133. (1927); Cambage & Blakely in Maiden, Crit. Rev. Eucalyptus, viii. 24(1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bicostata* Maiden, Blakely & Simmonds -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bigalerita* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 96. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bigalerita* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus binacag* Elmer -- Leaf. Philipp. Bot. viii. 2776 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bipileata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bipileata* Blakely -- Key Eucalypts 253 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus biterranea* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 505. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus biturbinata* L.A.S.Johnson & K.D.Hill -- *Fl. Australia* 19: 507, 204. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus biturbinata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blackburniana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blackburniana* Maiden ex R.T.Baker & H.G.Sm. -- *Trans. & Proc. Roy. Soc. South Australia* 1916, xl. 478. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blackwelliana* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blackwelliana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 162 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakei* (K.D.Hill & L.A.S.Johnson) Brooker -- *Austral. Syst. Bot.* 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakelyi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakelyi* Maiden -- *Crit. Rev. Eucalyptus* iv. 43 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakelyi* var. *blakelyi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakelyi* var. *irrorata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blakelyi* var. *parvifructa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blaxellii* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 564. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blaxellii* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4) 1992 [12 Mar 1992] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blaxlandii* Maiden & Cabbage -- J. & Proc. Roy. Soc. New South Wales 1918, lii. 495 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus blaxlandii* Maiden & Cabbage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bleeseri* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bleeseri* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 175. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bloxsomei* Maiden -- Journ. Roy. Soc. N. S. Wales 1925, lix. 156. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bloxsomei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus boliviana* J.B.Williams & K.D.Hill -- *Telopea* 9(2): 409. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus boormanii* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus boormanii* Deane & Maiden -- *Proc. Linn. Soc. New South Wales* 1901, xxvi. 339. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bosistoana* F.Muell. -- in *Australas. Journ. Pharm.* x. (1895) 293; et ex *Bot. Centralbl.* lxiv. (1895)365. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bosistoana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus botryoides* Sm. -- Trans. Linn. Soc. London 3: 286. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus botryoides* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus botryoides* var. *botryoides* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus botryoides* var. *lynei* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus botryoides* var. *platycarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bottii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bottii* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 163. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bourlieri* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bourlieri* Trab. -- in Rev. Hort. Alger. 327 (1903); Maiden, Crit. Rev. *Eucalyptus*, vi. 75 (1922),hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bowmanii* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bowmanii* F.Muell. ex Benth. -- Fl. Austral. 3: 219. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachyandra* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachyandra* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 97. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycalyx* Blakely -- Key Eucalypts 119 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycalyx* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycalyx* var. *brachycalyx* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycalyx* var. *chindoo* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycalyx* var. *protrusa* (J.M.Black) H.Eichler -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycarpa* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycarpa* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycarpa* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 223 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycorys* Blakely -- Key *Eucalypts* 119 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachycorys* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachyphylla* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 186 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachyphylla* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachypoda* Benth. -- Fl. Austral. 3: 223, partim. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachypoda* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brachypoda* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 21. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brandiana* Hopper & McQuoid -- Austral. Syst. Bot. 22(3): 188 (-191; figs., map). 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus brassiana* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brassiana* S.T.Blake -- *Austrobaileya* 1(1): 1. 1977 [1 Dec 1977] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevifolia* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 84. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevipes* Brooker -- *Nuytsia* 5(3): 365 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevipes* Brooker -- *Nuytsia* 5(3) 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevirostris* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus × brevirostris* Blakely -- Key Eucalypts 183 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevistylis* Brooker -- Nuytsia 1(4): 310. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brevistylis* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiii. 164. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* var. *amblycorys* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* var. *bridgesiana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* subsp. *bridgesiana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bridgesiana* subsp. *malacoxylon* (Blakely) N.C.W.Beadle -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus brockwayi* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 185 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brockwayi* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brookeriana* A.M.Gray -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brookeriana* A.M.Gray -- Austral. Forest Res. 9(2): 111. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus broviniensis* A.R.Bean -- Austrobaileya 6(1): 117 (2001). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brownii* Maiden & Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brownii* Maiden & Cambage -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 215. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brunnea* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus brunnea* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 40. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bucknellii* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bucknellii* Cambage -- Proc. Linn. Soc. New South Wales li. 325 (1926). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bunites* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bunites* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 423 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus bunyip* Rule -- *Muelleria* 30(2): 84. 2012 [9 Jul 2012]

Purified (Shodhit) *Eucalyptus buprestium* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus buprestium* F.Muell. -- *Fragm. (Mueller)* 3(19): 57. 1862 [Jul 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus burdettiana* Blakely & Steedm. -- Contr. New South Wales Natl. Herb. 1: 35. 1939 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus burdettiana* Blakely & H.Steedman -- Contr. New South Wales Natl. Herb. 1(1) 1939 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus burgessiana* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus burgessiana* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 286. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus burracoppinensis* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 178. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Eucalyptus burracoppinensis Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Eucalyptus bynoeana D.J.Carr & S.G.M.Carr -- Eucalyptus II 266 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Eucalyptus bynoeana S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Eucalyptus byrnesii S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) Eucalyptus byrnesii D.J.Carr & S.G.M.Carr -- Eucalyptus II 159 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cadens* J.D.Briggs & Crisp -- *Muelleria* 7(1): 7. 1989 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cadens* J.D.Briggs & Crisp -- *Muelleria* 7(1) 1989 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cadophora* (K.D.Hill & L.A.S.Johnson) Brooker -- *Austral. Syst. Bot.* 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caerulea* R.T.Baker & H.G.Sm. -- *Research Eucalypts*, ed. 2 271 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caerulescens* Naudin -- *Descr. Emploi Eucalypt.* 47. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caerulescens* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caesia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caesia* Benth. -- Fl. Austral. 3: 227. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caesia* subsp. *caesia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caesia* subsp. *magna* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caesia* Benth. subsp. *magna* Brooker & Hopper -- *Nuytsia* 4(1): 117 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cajuputea* F.Muell. ex Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 126. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cajuputea* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcareana* Boomsma -- *J. Adelaide Bot. Gard.* 1(6): 361. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcareana* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicola* Brooker -- Nuytsia 1(4): 302. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicola* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicola* Brooker subsp. *unita* D.Nicolle -- Nuytsia 15(1): 71 (2002). [6 Dec 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicultrix* (Miq.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicultrix* var. *calcultrix* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicultrix* var. *obscura* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calcicultrix* var. *porosa* (Miq.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caleyi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caleyi* Maiden -- Proc. Linn. Soc. New South Wales 1905, xxx. 512 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caleyi* subsp. *caleyi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caleyi* Maiden subsp. *ovendenii* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 246. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caleyi* subsp. *ovendenii* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus californica* Kinney -- *Eucalyptus* 191 (1895). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus californica* Kinney -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caliginosa* Blakely & McKie -- Blakely, *Key Eucalypts* 181 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus caliginosa* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus callanii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus callanii* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 160. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* R.Br. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* Lindl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* R.Br. -- Journ. Geogr. Soc. i. 1831 (1833) 20, nomen; Lindl. Bot. Reg. (1841) Misc. 72. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *calophylla* Lindl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *hawkeyi* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *maideniana* Hochr. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *multiflora* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *parviflora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *rosea* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *rubra* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calophylla* var. *typica* Hochr. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 338. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* var. *calycogona* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* var. *celastroides* (Turcz.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* var. *gracilis* (F.Muell.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* Turcz. subsp. *miracula* D.Nicolle & M.E.French -- *Nuytsia* 19(1): 101 (-105; figs. 1-2, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Eucalyptus calycogona* Turcz. subsp. *spaffordii* D.Nicolle -- *Nuytsia* 13(2): 310 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* var. *staffordii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calycogona* Turcz. subsp. *trachybasis* D.Nicolle -- Nuytsia 13(2): 307 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calyculata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calyculata* Herb.Link ex Maiden -- Crit. Rev. *Eucalyptus* 156. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus calyerup* McQuoid & Hopper -- Nuytsia 15(1): 64 (2002). [6 Dec 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. -- Cat. Pl. Horti Camald., ed. 2 20. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* var. *acuminata* (Hook.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *acuta* Brooker & M.W.McDonald -- Austral. Syst. Bot. 22(4): 270 (-273; fig. 7). 2009 [31 Aug 2009]

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *arida* Brooker & M.W.McDonald -- Austral. Syst. Bot. 22(4): 273 (-275; fig. 8). 2009 [31 Aug 2009]

Purified (Shodhit) *Eucalyptus camaldulensis* var. *brevirostris* (Miq.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* var. *camaldulensis* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *minima* Brooker & M.W.McDonald -- Austral. Syst. Bot. 22(4): 275 (-277; fig. 9). 2009 [31 Aug 2009]

Purified (Shodhit) *Eucalyptus camaldulensis* var. *obtusa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *obtusa* (Blakely) Brooker & M.W.McDonald -- Austral. Syst. Bot. 22(4): 277. 2009 [31 Aug 2009]

Purified (Shodhit) *Eucalyptus camaldulensis* var. *pendula* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *refulgens* Brooker & M.W.McDonald -- Austral. Syst. Bot. 22(4): 279 (-281; fig. 11). 2009 [31 Aug 2009]

Purified (Shodhit) *Eucalyptus camaldulensis* subsp. *simulata* Brooker & Kleinig -- Field Guide to Eucalypts. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* Dehnh. subsp. *simulata* Brooker & Kleinig -- Field Guide to Eucalypts 3: 371 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camaldulensis* var. *subcinerea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambageana* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 91. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambageana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambagei* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxv. 106. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambagei* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambagei* var. *cambagei* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cambagei* var. *pallens* (Benth.) H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cameronii* Blakely & McKie -- Blakely, Key Eucalypts 180 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cameronii* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camfieldii* Maiden -- Journal and Proceedings of the Royal Society of New South Wales 54 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camfieldii* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 66. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campanifructa* Blakely -- Key Eucalypts 228 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campanifructa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campanulata* R.T.Baker & H.G.Sm. -- J. & Proc. Roy. Soc. New South Wales 1911, xlv. 288 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campanulata* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campaspe* S.Moore -- J. Linn. Soc., Bot. 34: 193. 1899 [1898-1900 publ. 1899] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus campaspe* S.Moore -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiv. 298. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* subsp. *camphora* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* subsp. *humeana* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* R.T.Baker subsp. *humeana* L.A.S.Johnson & K.D.Hill - - *Telopea* 4(1): 55. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* R.T.Baker subsp. *relicta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 54. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus camphora* subsp. *relicta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus canaliculata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus canaliculata* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 171. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus candida* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus canescens* D.Nicolle -- Nuytsia 11(3): 377 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus canescens* D.Nicolle subsp. *beadellii* D.Nicolle -- *Nuytsia* 11(3): 381 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cannonii* R.T.Baker -- *Hardwoods of Austral.* 200 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cannonii* R.T.Baker -- *The Hardwoods of Australia and their Economics* 1919 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus canobolensis* (L.A.S.Johnson & K.D.Hill) J.T.Hunter -- *Telopea* 8(1) 1998 [21 Dec 1998] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus canobolensis* (L.A.S.Johnson & K.D.Hill) J.T.Hunter -- *Telopea* 8(1): 157. 1998 [21 Dec 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capillosa* Brooker & Hopper -- Nuytsia 8(1): 41 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capillosa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capillosa* subsp. *capillosa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capillosa* Brooker & Hopper subsp. *polyclada* Brooker & Hopper - Nuytsia 8(1): 45 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capillosa* subsp. *polyclada* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capitanea* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 270. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capitellata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capitellata* Sm. -- Bot. N. Holl. 42. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capitellata* var. *capitellata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capitellata* var. *latifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capricornia* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 100 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus capricornia* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus captiosa* Brooker & Hopper -- *Nuytsia* 9(1): 55 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus captiosa* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnabyi* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnabyi* Blakely & Steedman -- Austral. Naturalist 10: 259. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnea* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnea* R.T.Baker -- Proc. Linn. Soc. New South Wales 1906, xxxi. 303. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnei* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carnei* C.A.Gardner -- J. Roy. Soc. Western Australia xiv. 82 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus carolanae* Rule -- *Muelleria* 30(2): 93. 2012 [9 Jul 2012]

Purified (Shodhit) *Eucalyptus castrensis* K.D.Hill -- *Telopea* 9(4): 773. 2002 [5 Jul 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus celastroides* Turcz. -- *Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg* 10: 338. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus celastroides* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus celastroides* subsp. *celastroides* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus celastroides* subsp. *virella* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus celastroides* Turcz. subsp. *virella* Brooker -- Nuytsia 5(3): 359 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus centralis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus centralis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 61 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cephalocarpa* Blakely -- Key *Eucalypts* 164 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cephalocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ceracea* Brooker & Done -- Nuytsia 5(3) 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ceracea* Brooker & Done -- Nuytsia 5(3): 382 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cerasiformis* Brooker & Blaxell -- Nuytsia 2(4): 226. 1978 [7 Feb 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cerasiformis* Brooker & Blaxell -- Nuytsia 2(4) 1978 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus ceratocorys* (Blakely) L.A.S.Johnson & K.D.Hill -- Fl. Australia 19: 508. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ceratocorys* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cernua* Brooker & Hopper -- Nuytsia 14(3): 342 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chapmaniana* Cameron -- Vict. Naturalist 64: 52. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chapmaniana* Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chartaboma* D.Nicolle -- *Nuytsia* 13(2): 324 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chartacea* (K.D.Hill & L.A.S.Johnson) Brooker -- *Austral. Syst. Bot.* 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chippendalei* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chippendalei* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 50 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chisholmii* Maiden & Blakely -- in Maiden, *Crit. Rev. Eucalyptus* vii. 61 (1924), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chisholmii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chloroclada* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chloroclada* (Blakely) L.A.S.Johnson & K.D.Hill -- Fl. Australia 19: 508. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chlorophylla* Brooker & Done -- Nuytsia 5(3): 389 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chlorophylla* Brooker & Done -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chrysantha* Blakely & H.Steedman -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus chrysantha* Blakely & Steedm. -- Proc. Linn. Soc. New South Wales 1938, lxiii. 66, cum descr. ampl. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* F.Muell. ex Benth. -- Fl. Austral. 3: 239. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* var. *cinerea* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* subsp. *cinerea* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* var. *multiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* var. *nova-anglica* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* F.Muell. ex Benth. subsp. *triplex* (L.A.S.Johnson & K.D.Hill) Brooker, Slee & J.D.Briggs -- Austral. Syst. Bot. 8(4): 507 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cinerea* F.Muell. ex Benth. subsp. *victoriensis* Rule & N.G.Walsh - *Muelleria* 36: 87. 2018

Purified (Shodhit) *Eucalyptus citriodora* Hook. -- J. Exped. Trop. Australia [Mitchell] 235. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus citriodora* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cladocalyx* F.Muell. -- Linnaea 25: 388. 1853 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cladocalyx* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clandestina* A.R.Bean -- Austrobaileya 4(2) 205-208. 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clandestina* A.R.Bean -- Austrobaileya 4(2) 205-208. 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clandestina* A.R.Bean -- *Austrobaileya* 4(2): 205 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clarksoniana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 209. 1987 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* A.Cunn. ex Schauer -- *Repert. Bot. Syst.* (Walpers) ii. 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* var. *clavigera* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* var. *dallachiana* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* var. *diffusa* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clavigera* var. *gilbertensis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clelandi* Maiden -- Crit. Rev. *Eucalyptus* ii. 189 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clelandii* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:



Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cliftoniana* W.Fitzg. ex Maiden -- Crit. Rev. *Eucalyptus* iv. 209 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cliftoniana* W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clivicola* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus clivicola* Brooker & Hopper -- Nuytsia 8(1): 92 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cloeziana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cloeziana* F.Muell. -- Fragn. (Mueller) 11(89): 44. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cneorifolia* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cneorifolia* DC. -- Prodr. [A. P. de Candolle] 3: 220. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coccifera* Hook.f. -- London J. Bot. 6: 477. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coccifera* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coccifera* var. *coccifera* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coccifera* var. *parviflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coccifera* var. *viridifolia* Summerh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus codonocarpa* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus codonocarpa* Blakely & McKie -- Proc. Linn. Soc. New South Wales 1930, lv. 589. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coerulea* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus collina* W.Fitzg. -- in The Western Mail of Perth, W. Austral. June 2, 1906; Maiden, Crit. Rev.*Eucalyptus*, vi. 419 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus collina* W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus colossea* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus colossea* F.Muell. -- *Fragm. (Mueller)* 7(52): 42. 1869 [Oct 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus comitae-vallis Maiden* -- in Maiden, Crit. Rev. *Eucalyptus* vi. 431 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus comitae-vallis Maiden* -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus communalis* Brooker & Hopper -- *Nuytsia* 9(1): 19 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus communalis* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus concinna* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 49 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus concinna* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus concolor* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus concolor* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 129. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conferruminata* D.J.Carr & S.G.M.Carr -- Austral. J. Bot. 28(5-6): 535 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conferruminata* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conferruminata* D.J.Carr & S.G.M.Carr subsp. recherche D.Nicolle & M.E.French -- *Nuytsia* 18: 202 (-205; figs. 3, 5, map). 2008 [21 Aug 2008]

Purified (Shodhit) *Eucalyptus conferta* Rule -- *Muelleria* 30(2): 89. 2012 [9 Jul 2012]

Purified (Shodhit) *Eucalyptus confertiflora* Kippist ex F.Muell. -- *J. Proc. Linn. Soc., Bot.* 3: 96. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus confertiflora* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus confluens* W.Fitzg. ex Maiden -- *J. & Proc. Roy. Soc. New South Wales* 1915, xlix. 317 (1916); Maiden, *Crit. Rev.Eucalyptus*, iv. 1 74. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus confluens* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus congener* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 36 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus congener* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* Maiden -- in Maiden, Crit. Rev. *Eucalyptus* vi. 273 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* var. *anceps* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus conglobata* subsp. *conglobata* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* var. *conglobata* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* subsp. *fraseri* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* Maiden subsp. *fraseri* Brooker -- Nuytsia 1(3): 251. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglobata* Maiden subsp. *perata* Brooker & Slee -- Nuytsia 15(2): 157 (-162; figs. 1-3). 2004

Purified (Shodhit) *Eucalyptus conglomerata* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 5 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conglomerata* Maiden & Blakely -- A Critical Revision of the Genus *Eucalyptus* 8(1) 1929 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conica* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conica* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiv. 612. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coniophloia* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 97 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coniophloia* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conjuncta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conjuncta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 93. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus connata* Dum.Cours. -- *Bot. Cult.*, ed. 2. 7: 280. 1814 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus connata* Dum.Cours. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus connerensis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus connerensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 45 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conoidea* Benth. -- *Fl. Austral.* 3: 227. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conoidea* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conoidea* var. *conoidea* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conoidea* var. *marginata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus consideneana* Maiden -- Proc. Linn. Soc. New South Wales xxix. 475. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus consideniana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conspicua* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 235. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conspicua* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conspicua* L.A.S.Johnson & K.D.Hill subsp. *dispara* Rule & N.G.Walsh -- Muelleria 36: 85. 2018

Purified (Shodhit) *Eucalyptus contracta* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 228. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus conveniens* L.A.S.Johnson & K.D.Hill -- *Telopea* 7(4): 393. 1998 [29 May 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* Blakely & Jacobs -- Blakely, Key Eucalypts 245 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* subsp. *arida* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* Blakely & Jacobs subsp. *arida* (Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 66. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* var. *arida* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* subsp. *coolabah* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* var. *coolabah* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* Blakely & Jacobs subsp. *excerata* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 66. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* subsp. *excerata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coolabah* var. *rhodoclada* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cooperiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cooperiana* F.Muell. -- Fragn. (Mueller) 11(91): 83. 1880 [Feb 1880] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus copulans* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 261. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus copulans* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordata* G.Lodd. -- *Bot. Cab.* 4(3): t. 328. 1820 [Jan 1820] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordata* Labill. -- *Nov. Holl. Pl.* 2: 13, t. 152. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordata* Lodd. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordata* Labill. subsp. *quadrangulosa* D.Nicolle, B.M.Potts & McKinnon -- Pap. & Proc. Roy. Soc. Tasmania 142(2): 75 (-77; figs., map). 2008 [28 Nov 2008]

Purified (Shodhit) *Eucalyptus cordieri* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordieri* Trab. ex Maiden -- in Maiden, Crit. Rev. *Eucalyptus* vi. 73 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* × *cordieri* Trab. -- Bull. Stat. Recherch. Forest. Nord Afr. i. 149 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordieri* var. *brachypoma* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordieri* var. *cordieri* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cordieri* var. *nortonii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coriacea* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 925. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coriacea* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coriacea* var. *alpina* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coriacea* var. *coriacea* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cornuta* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cornuta* Labill. -- Voy. Rech. Pérouse 1: 457 (t. 20). 1800 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coronata* C.A.Gardner -- Enum. Pl. Austral. Occ. 87, nomen. 1931 ; C. A. Gardner in Journ. Roy. Soc. W. Austral. 1932-3, 19: 86 (1934), descr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coronata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coronata* Tausch ex Maiden -- Bull. Herb. Boissier 1902, Ser. II. ii. 570, in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus coronata* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corrugata* Luehm. ex Diels -- Bot. Jahrb. Syst. 35(2-3): 443, nomen. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corrugata* Luehm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corrugata* Luehm. -- Vict. Naturalist 13: 168. 1897 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corticosa* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corticosa* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 108. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corymbosa* Sm. -- Bot. N. Holl. 43; et in Trans. Linn. Soc. iii. (1797) 287. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corymbosa* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corymbosa* var. *corymbosa* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corymbosa* var. *terminalis* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corymbosus* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corynocalyx* F.Muell. -- Fragn. (Mueller) 2(12): 43. 1860 [May 1860] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corynocalyx* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corynodes* A.R.Bean & Brooker -- *Austrobaileya* 4(2): 191 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corynodes* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus corynodes* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. (1855) 32. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* var. *cosmophylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus cosmophylla* forma *cosmophylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* forma *leprosula* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* var. *leprosula* (Miq.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cosmophylla* var. *rostrigera* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus costata* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus costata* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. (1855) 33. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus costata* F.Muell. subsp. *murrayana* L.A.S.Johnson & K.D.Hill -- Telopea 9(2): 269. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus costuligera* L.A.S.Johnson & K.D.Hill -- Telopea 8(4): 527. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cotinifolia* Colla -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cotinifolia* Colla -- Herb. Pedem. ii. 423 (1834), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crassifolia* (G.J.Leach) Brooker -- Austral. Syst. Bot. 13(1): 136 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crawfordii* Maiden & Blakely -- in Maiden, Crit. Rev. Eucalyptus viii. 54 (1929), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crawfordii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crebra* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crebra* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 87. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crebra* var. *citrata* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crebra* var. *crebra* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crebra* var. *macrocarpa* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crenulata* Blakely & Beuzev. -- Contr. New South Wales Natl. Herb. 1: 37. 1939 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crenulata* Blakely & Beuzev. -- Contr. New South Wales Natl. Herb. 1(1) 1939 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus creta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus creta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 213. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cretata* P.J.Lang & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cretata* P.J.Lang & Brooker -- *J. Adelaide Bot. Gard.* 13: 71. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crispata* Brooker & Hopper -- *Nuytsia* 8(1): 100 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crispata* Brooker & Hopper -- Nuytsia 8(1) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus croajingolensis* L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 99. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus croajingolensis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* Maiden -- Crit. Rev. *Eucalyptus* vi. 514 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* subsp. *crucis* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* subsp. *crucis* Maiden -- Nuytsia 4(1) 1982 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* subsp. *lanceolata* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* Maiden subsp. *lanceolata* Brooker & Hopper -- Nuytsia 4(1): 120 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* subsp. *praecipua* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus crucis* Maiden subsp. *praecipua* Brooker & Hopper -- Nuytsia 9(1): 40 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cullenii* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cullenii* Cambage -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 48. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cullenii* var. *cullenii* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cullenii* var. *trivalvis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus cultrifolia* Naudin -- Descr. Emploi Eucalypt. 64. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cultrifolia* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cunninghamii* Sweet -- Hort. Brit. [Sweet], ed. 2. 209. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cunninghamii* G.Don -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cunninghamii* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cuprea* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cuprea* Brooker & Hopper -- *Nuytsia* 9(1): 64 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cuprea* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cupularis* C.A.Gardner -- *J. Roy. Soc. Western Australia* 47: 60. 1964 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cupularis* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus currabubula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus currabubula* Blakely -- Key Eucalypts 229 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curtipes* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curtipes* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 149 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curtisii* Blakely & C.T.White -- Proc. Roy. Soc. Queensland 42: 82. 1931 [1930 publ. 1931] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curtisii* Blakely & C.T.White -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curvula* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus curvula* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 195. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cuspidata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cuspidata* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 21. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyanoclada* Blakely -- Key Eucalypts 242 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyanoclada* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyanophylla* Brooker -- Trans. Roy. Soc. South Australia 101(1): 15. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyanophylla* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyathiformis* Blakely & McKie -- Blakely, Key Eucalypts 179 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyathiformis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyclostoma* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cyclostoma* Brooker -- Brunonia 4(1): 21 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cylindriflora* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cylindriflora* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 180. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cylindrocarpa* Blakely -- Key Eucalypts 116 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cylindrocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cypellocarpa* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 114. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus cypellocarpa* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dalrympleana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dalrympleana* Maiden -- Forest Fl. N.S.W. vii. 137 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dalrympleana* subsp. *dalrympleana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dalrympleana* subsp. *heptantha* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dampieri* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 260 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus daphnoides* Miq. -- Ned. Kruidk. Arch. 4: 133. 1859 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus daphnoides* Miq. -- Ned. Kruidk. Arch. 4: 133. 1859 ; nom. illeg. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus darwinensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 131 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dawsonii* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiv. 295. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dawsonii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus de-beuzevillei* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 68. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dealbata* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 924. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dealbata* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dealbata* var. *chloroclada* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dealbata* var. *dealbata* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dealbata* var. *populnea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deanei* Maiden -- Proc. Linn. Soc. New South Wales xxix. 471. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deanei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus debeuzevillei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decaisneana* Blume -- Mus. Bot. 1(6): 83. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decepta* Blakely -- Key Eucalypts 249 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decepta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* Endl. -- Enum. Pl. [Endlicher] 49. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* Endl. subsp. *adesmophloia* Brooker & Hopper -- Nuytsia 9(1): 22 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* var. *angustifolia* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* Endl. subsp. *chalaria* Brooker & Hopper -- Nuytsia 9(1): 23 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* subsp. *decipiens* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* subsp. *decipiens* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* var. *decipiens* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* subsp. *decipiens* Endl. -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decipiens* var. *latifolia* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decolor* A.R.Bean & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decolor* A.R.Bean & Brooker -- *Austrobaileya* 3(1): 41 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decorticans* Maiden -- *Crit. Rev. Eucalyptus* v. 231 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decorticans* (Bailey) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decurrens* Pharm. ex Wehmer -- *Pfl.-Stoffe* 540 (1911), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decurva* F.Muell. -- Fragn. (Mueller) 3(22): 130. 1863 [Mar 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus decurva* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deflexa* Brooker -- Nuytsia 2(2): 106. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deflexa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deformis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deformis* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 152. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deglupta* Blume -- Mus. Bot. 1(6): 83. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delegatensis* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delegatensis* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 305. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delegatensis* subsp. *delegatensis* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delegatensis* subsp. *tasmaniensis* Boland -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it



Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delegatensis* R.T.Baker subsp. *tasmaniensis* Boland -- Austral. Forest Res. 15(2): 177. 1985 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus delicata* L.A.S.Johnson & K.D.Hill -- Telopea 8(2): 182. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dendromorpha* (Blakely) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 286. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dendromorpha* (Blakely) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus densa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus densa* Brooker & Hopper -- Nuytsia 8(1): 149 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus densa* subsp. *densa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus densa* subsp. *improcera* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus densa* Brooker & Hopper subsp. *improcera* Brooker & Hopper -- Nuytsia 8(1): 154 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus denticulata* I.O.Cook & Ladiges -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus denticulata* I.O.Cook & Ladiges -- Austral. Syst. Bot. 4(2): 388 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus depauperata* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 587. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus depauperata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus derbyensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 189 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deserticola* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deserticola* D.J.Carr & S.G.M.Carr -- et in Fl. Australia 19: 495 (1988), with replaced synonym ref. 1987 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deserticola* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 311 (1987), nom. nov., without replaced synonym ref.;. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desertorum* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desertorum* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 102 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desertorum* Naudin -- Descr. Emploi Eucalypt. 56. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desertorum* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desmondensis* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 183. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus desmondensis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deuaensis* Boland & P.M.Gilmour -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus deuaensis* Boland & P.M.Gilmour -- *Brunonia* 9(1): 105 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dextropinea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dextropinea* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxiii. 417. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dichromophloia* F.Muell. -- *J. Proc. Linn. Soc., Bot.* 3: 89. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dichromophloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dielsii* C.A.Gardner -- J. Roy. Soc. Western Australia xii. 67 (1927). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dielsii* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diminuta* Brooker & Hopper -- Nuytsia 14(3): 358 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diptera* C.R.P.Andrews -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diptera* C.R.P.Andrews -- J. Western Australia Nat. Hist. Soc. 1: 42. 1904 [May 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus disclusa* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 226. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus disclusa* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus discolor* Desf. -- *Tabl. École Bot.*, ed. 2. 198, nomen. 1815; ed. 3, 408 (1829). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus discolor* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus discreta* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus discreta* Brooker -- *Brunonia* 2(1): 148. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dissimulata* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dissimulata* Brooker -- *Nuytsia* 6(3): 332 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dissita* K.D.Hill -- *Telopea* 7(2) 1997 [8 Jul 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dissita* K.D.Hill -- *Telopea* 7(2): 104. 1997 [8 Jul 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus distans* Brooker, Boland & Kleinig -- Austral. Forest Res. 10(1): 95. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus distans* Brooker, Boland & Kleinig -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus distuberosa* D.Nicolle -- Nuytsia 19(1): 85 (-90; figs. 6-7, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Eucalyptus distuberosa* D.Nicolle subsp. *aerata* D.Nicolle -- Nuytsia 19(1): 90 (-92; figs. 9-10, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Eucalyptus divaricata* McAulay & Brett -- Pap. & Proc. Roy. Soc. Tasmania 1937, 94 (1938). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus divaricata* Brett -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversicolor* F.Muell. -- *Fragm.* (Mueller) 2(15): 131. 1861 [Feb 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversicolor* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversifolia* Woolls -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversifolia* Bonpl. -- *Descr. Pl. Malmaison* 35. t. 13. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversifolia* Bonpl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversifolia* Bonpl. subsp. *hesperia* I.J.Wright & Ladiges -- *Austral. Syst. Bot.* 10(5): 677 (1997). (Short duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus diversifolia* Bonpl. subsp. *megacarpa* I.J.Wright & Ladiges -- Austral. Syst. Bot. 10(5): 678 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dives* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dives* Schauer -- Repert. Bot. Syst. (Walpers) 2(5): 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dixonii* Wakefield -- in Maiden, Crit. Rev. *Eucalyptus* viii. 20 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dixonii* F.W.Wakef. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolichocarpa* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 216 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolichocera* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 196. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolichorhyncha* (Brooker) Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolichorhyncha* (Brooker) Brooker & Hopper -- *Nuytsia* 9(1): 57 (1993):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolorosa* Brooker & Hopper -- *Nuytsia* 9(1): 6 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dolorosa* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dongarraensis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dongarraensis* Maiden & Blakely -- *Journ. Roy. Soc. N. S. Wales* 1925, lix. 184. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus doratoxylon* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus doratoxylon* F.Muell. -- *Fragm. (Mueller)* 2(12): 55. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorisiana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorisiana* Blakely -- Key Eucalypts 227 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorrienii* Domin -- Repert. Spec. Nov. Regni Veg. 12: 388. 1913 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorrienii* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorrigensis* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dorrigoensis* (Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 63. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drepanophylla* F.Muell. ex Benth. -- *Fl. Austral.* 3: 221. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drepanophylla* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drepanophylla* var. *drepanophylla* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drepanophylla* var. *leptophleba* (F.Muell.) Burt Davy -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*



Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drummondii* Benth. -- Fl. Austral. 3: 237. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drummondii* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drysdalensis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus drysdalensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 84 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* J.Oxley -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 925. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* A.Cunn. ex Oxley -- Journ. Exped. N. S. Wales 63 (1820), in obs.; Schau. in Walp. Rep. ii. Suppl.1, 925 (1843). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* var. *conglobata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* var. *dumosa* J.Oxley -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* subsp. *dumosa* J.Oxley -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* var. *puncticulata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* var. *rhodophloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dumosa* var. *scyphocalyx* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dundasii* Maiden -- J. & Proc. Roy. Soc. New South Wales 1915, xlix. 309 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dundasii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dunlopiana* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dunnii* Maiden -- Proc. Linn. Soc. New South Wales 30(2): 336. 1905 [27 Sep 1905] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dunnii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dura* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dura* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 343. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus durackiana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 168 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dwyeri* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus dwyeri* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 160. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* Maiden -- Crit. Rev. *Eucalyptus* v. 169 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* subsp. *ebbanoensis* Maiden -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* subsp. *ebbanoensis* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* Maiden subsp. *glauciramula* L.A.S.Johnson & K.D.Hill -- Telopea 7(4): 402. 1998 [29 May 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ebbanoensis* Maiden subsp. *photina* Brooker & Hopper -- Nuytsia 9(1): 2 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ecostata* (Maiden) D.Nicolle & M.E.French -- Nuytsia 22(6): 428. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus ednaeana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ednana* Blakely -- Key Eucalypts 247. 1934 (as "ednaeana") (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus educta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 627. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus educta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus effusa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus effusa* Brooker -- Nuytsia 2(2): 108. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus effusa* subsp. *effusa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus effusa* subsp. *exsul* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus effusa* Brooker subsp. *exsul* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 216. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elaeophloia* Chappill, Crisp & Prober -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus elaeophloia* Chappill, Crisp & Prober -- Austral. Syst. Bot. 3(2): 275 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elaeophora* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elaeophora* F.Muell. -- Fragn. (Mueller) 4(26): 52. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elata* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elata* Dehnh. -- Cat. Pl. Hort. Camald. 26. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elegans* A.R.Bean -- *Austrobaileya* 7(1): 113 (-115, 117; fig. 1, map 1). 2005 [21 Dec 2005]

Purified (Shodhit) *Eucalyptus ellipsoidea* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 299 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elliptica* (Blakely & McKie) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 60. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elongata* Link -- *Enum. Hort. Berol. Alt.* 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus elongata* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus enervifolia* Walp. -- *Repert. Bot. Syst. (Walpers)* ii. 164, sphalm. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus enervifolia* Walp. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus epruinata* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 530. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erectifolia* Brooker & Hopper -- *Nuytsia* 5(3): 351 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erectifolia* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremaea* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 38 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremaea* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremicola* Boomsma -- S. Austral. Naturalist 50(2): 28. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremicola* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremicola* Boomsma subsp. *peeneri* (Blakely) D.Nicolle -- Austral. Syst. Bot. 18(6): 542. 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus eremophila* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 71. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* (Diels) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* subsp. *eremophila* (Diels) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* var. *eremophila* (Diels) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* var. *grandiflora* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* var. *pterocarpa* Blakely & H.Steedman -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* subsp. *pterocarpa* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eremophila* Maiden subsp. *pterocarpa* (Blakely & Steedman) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 454. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erosa* A.R.Bean -- *Austrobaileya* 7(1): 141 (-144; fig. 1). 2005 [21 Dec 2005]

Purified (Shodhit) *Eucalyptus erubescens* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erubescens* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 184 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erubescens* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous

anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrandra* Blakely & Steedm. -- Proc. Linn. Soc. New South Wales 1938, lxiii. 65, cum descr. ampl. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrandra* Blakely & H.Steedman -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrocalyx* F.Muell. -- Fragn. (Mueller) 2(12): 32. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrocalyx* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrocorys* F.Muell. -- Fragn. (Mueller) 2(12): 33. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrocorys* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythronema* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythronema* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg sér. 2, 10: 337. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythronema* var. *erythronema* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythronema* Turcz. subsp. *inornata* D.Nicolle & M.E.French -- Nuytsia 22(6): 461. 2012 [18 Dec 2012]



Purified (Shodhit) *Eucalyptus erythronema* var. *marginata* (Benth.) Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythronema* var. *roei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrophloia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus erythrophloia* Blakely -- Key Eucalypts 80 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eucentrica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 326. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eucentrica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eudesmioides* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eudesmioides* var. *eudesmioides* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eudesmioides* var. *globosa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eudesmoides* F.Muell. -- Fragn. (Mueller) 2(12): 35. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eugenoides* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 195. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eugenoides* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eugenoides* var. *eugenoides* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eugenoides* var. *nana* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus euryphylla* (L.A.S.Johnson & G.J.Leach) Brooker -- Austral. Syst. Bot. 13(1): 136 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ewartiana* Maiden -- J. & Proc. Roy. Soc. New South Wales 1919, liii. 111. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ewartiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exigua* Brooker & Hopper -- Nuytsia 9(1): 60 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exigua* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exilipes* Brooker & A.R.Bean -- Brunonia 10(2): 189 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exilipes* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exilis* Brooker -- Nuytsia 1(4): 305. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exilis* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eximia* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eximia* Schauer -- Repert. Bot. Syst. (Walpers) ii. 925. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eximia* var. *eximia* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus eximia* var. *leichhardtii* (Bailey) Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus expressa* S.A.J.Bell & D.Nicolle -- *Telopea* 14: 69. 2012 [23 Aug 2012] [epublished]

Purified (Shodhit) *Eucalyptus exserta* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exserta* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 85. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exserta* var. *exserta* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exserta* var. *parvula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus extensa* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 218. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus extensa* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus extrica* D.Nicolle -- *Nuytsia* 13(2): 322 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus exul* (K.D.Hill) Brooker -- *Austral. Syst. Bot.* 13(1): 136 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fabrorum* Schltdl. -- Linnaea 20: 657. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fabrorum* Schltdl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falcata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falcata* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 163. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falcata* Turcz. var. *ecostata* Maiden -- J. Nat. Hist. Sci. Soc. Western Australia 3: 173. 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus falcata* var. *falcata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falcifolia* Miq. -- Ned. Kruidk. Arch. iv. (1859) 136. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falcifolia* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus falciformis* (Newnham, Ladiges & Whiffin) Rule -- *Muelleria* 26(2): 94. 2008 [1 Jul 2008]

Purified (Shodhit) *Eucalyptus famelica* Brooker & Hopper -- *Nuytsia* 7(1): 12 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus famelica* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus farinosa* K.D.Hill -- *Telopea* 7(3): 191. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fasciculosa* F.Muell. -- *Trans. & Proc. Victorian Inst. Advancem. Sci. i.* (1855) 34. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fasciculosa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fastigata* Deane & Maiden -- *Proc. Linn. Soc. New South Wales* xxi. 809. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fastigata* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fergusonii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fergusonii* R.T.Baker -- Hardwoods of Austral. 269 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fergusonii* subsp. *dorsiventralis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 80. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fergusonii* subsp. *dorsiventralis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fergusonii* subsp. *fergusonii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ferritcola* Brooker & W.B.Edgecombe -- Nuytsia 5(3): 373 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ferritcola* Brooker & Edgecombe -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ferruginea* Schauer -- Repert. Bot. Syst. (Walpers) ii. 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ferruginea* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fibrosa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fibrosa* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 87. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fibrosa* subsp. *fibrosa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fibrosa* subsp. *nubila* (Maiden & Blakely) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3(3) 1962 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* F.Muell. -- Fragn. (Mueller) 2(13): 85. 1860 [Aug 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *alba* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *alba* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *bakeri* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *carmina* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *ficifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *guilfoylei* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ficifolia* var. *rosea* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus filiformis* Rule -- Muelleria 20: 24 (-27; figs. 1, 6-7). 2004

Purified (Shodhit) *Eucalyptus firma* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. 133 (1856), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus firma* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fissilis* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fitzgeraldii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fitzgeraldii* Blakely -- Key Eucalypts 239 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flavescens* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flavida* Brooker & Hopper -- Nuytsia 8(1): 99 (1991), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flavida* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus flavieri* Anon. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fletcheri* R.T.Baker -- Proc. Soc. N. S. Wales xxv. 682. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fletcheri* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flexilis* Regel -- Gartenflora (1858) 284. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flexilis* Regel -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flindersii* Boomsma -- J. Adelaide Bot. Gard. 2(3): 293. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flindersii* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flocktoniae* Maiden -- Journ. Roy. Soc. N. S. Wales 1915, xlix. 316 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flocktoniae* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus flocktoniae* Maiden subsp. *hebes* D.Nicolle -- Austral. Syst. Bot. 12(2): 225 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus floribunda* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus floribunda* Hügel -- Enum. Pl. [Endlicher] 42. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus floribunda* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 96. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus florida* Brooker -- Austral. Syst. Bot. 13(1): 136. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foecunda* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foecunda* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 130. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foecunda* var. *foecunda* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foecunda* var. *loxophleba* (Benth.) W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foelscheana* F.Muell. -- Melb. Chem. & Drug. (Nov. 1882). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foelscheana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foliosa* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus foliosa* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 595. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fordeana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 53 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fordeana* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus formanii* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus formanii* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 186 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forresterae* Molyneux & Rule -- *Muelleria* 29(2): 201. 2011 [1 Jul 2011]

Purified (Shodhit) *Eucalyptus forresterae* Molyneux & Rule -- *Muelleria* 29(1): 22 (-24, 18; figs. 1 & 3). 2011 [10 Jan 2011] ; nom. inval.

Purified (Shodhit) *Eucalyptus forrestiana* Diels -- *Bot. Jahrb. Syst.* 35(2-3): 439. 1904 [6 Dec 1904] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* Diels -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* subsp. *dolichorhyncha* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* Diels subsp. *dolichorhyncha* Brooker -- *J. Roy. Soc. Western Australia* 56(3): 74. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* subsp. *forrestiana* Diels -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* subsp. *stoatei* (C.A.Gardner) C.J.Rob. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forrestiana* Diels subsp. *stoatei* (C.A.Gardner) C.J.Rob. -- *Nuytsia* 5(2): 197. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forsythii* Maiden -- Crit. Rev. *Eucalyptus* vi. 115 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forsythii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forthiana* Blakely -- Contr. New South Wales Natl. Herb. 1: 37. 1939 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus forthiana* Blakely -- Contr. New South Wales Natl. Herb. 1(1) 1939 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fracta* K.D.Hill -- *Telopea* 7(2): 106. 1997 [8 Jul 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fracta* K.D.Hill -- *Telopea* 7(2) 1997 [8 Jul 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraseri* (Brooker) Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraseri* (Brooker) Brooker -- Austral. Forest Res. 7(2): 66. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraseri* (Brooker) Brooker subsp. *melanobasis* L.A.S.Johnson & K.D.Hill -- Telopea 9(2): 298. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraxinoides* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraxinoides* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiii. 412. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraxinoides* var. *fraxinoides* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fraxinoides* var. *triflora* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus frenchiana* D.Nicolle -- Nuytsia 19(1): 92 (-95; fig. 11, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Eucalyptus froggattii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus froggattii* Blakely -- Key Eucalypts 225 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fruticetorum* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fruticetorum* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 131. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fruticosa* Brooker -- *Brunonia* 2(1): 129. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fruticosa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fulgens* Rule -- *Muelleria* 9: 136. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fusiformis* Boland & Kleinig -- *Brunonia* 10(2): 202 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus fusiformis* Boland & Kleinig -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gamophylla* F.Muell. -- Fragn. (Mueller) 11(89): 40. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gamophylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gardneri* Maiden -- Crit. Rev. *Eucalyptus* vii. 53 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gardneri* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gardneri* subsp. *gardneri* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gardneri* subsp. *ravensthorpensis* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gardneri* Maiden subsp. *ravensthorpensis* Brooker & Hopper -- Nuytsia 8(1): 145 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus georgei* Brooker & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus georgei* Brooker & Blaxell -- Nuytsia 2(4): 224. 1978 [7 Feb 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus georgei* Brooker & Blaxell subsp. *fulgida* Brooker & Hopper -- Nuytsia 9(1): 47 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus georgei* subsp. *georgei* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus georgei* subsp. *georgei* Brooker & Blaxell -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantangion* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantangion* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 322. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantea* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantea* Hook.f. -- London J. Bot. 6: 479. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantea* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gigantea* Dehnh. -- Cat. Pl. Horti Camald., ed. 2 20. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gilbertensis* (Maiden & Blakely) S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gilbertensis* (Maiden & Blakely) S.T.Blake -- Austral. J. Bot. 1: 220. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gilleni* Ewart & L.R.Kerr -- Proc. Roy. Soc. Victoria n.s., xxxix. 7 (1926). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gilleni* Ewart & L.R.Kerr -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gillii* Maiden -- Crit. Rev. Eucalyptus ii. 177 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gillii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus gillii* var. *gillii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gillii* var. *petiolaris* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gittinsii* Brooker & Blaxell -- Nuytsia 2(4): 228. 1978 [7 Feb 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gittinsii* Brooker & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gittinsii* Brooker & Blaxell subsp. *illucida* D.Nicolle -- Nuytsia 13(2): 319 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glandulosa* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glandulosa* Desf. -- Tabl. École Bot., ed. 3 (Cat. Pl. Horti Paris.) 408. 1829 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glauca* DC. -- Prodr. [A. P. de Candolle] 3: 221. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glauca* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glauca* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucescens* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 56 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucescens* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucina* (Blakely) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3(3) 1962 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucina* (Blakely) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 104. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucophylla* Hoffmanns. -- Verz. Pfl.-Kult. Nachtr. 2: 113. 1826 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glaucophylla* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globoidea* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 157. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globoidea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globoidea* var. *globoidea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globoidea* var. *largifructa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globoidea* var. *subsphaerica* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globularis* hort. ex DC. -- Prodr. [A. P. de Candolle] 3: 219. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globularis* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulosus* St.-Lag. -- Ann. Soc. Bot. Lyon vii. (1880) 125. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulosus* St.-Lag. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* Labill. -- Voy. Rech. Pérouse 1: 153, t. 13. 1800 [22 Feb-4 Mar 1800] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* subsp. *bicostata* J.B.Kirkp. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* Labill. subsp. *bicostata* (Maiden.Blakely & Simmonds) J.B.Kirkp. -- Bot. J. Linn. Soc. 69(2): 101. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* var. *bicostata* Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* var. *compacta* H.M.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* var. *compacta* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* var. *globulus* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* subsp. *globulus* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* Labill. subsp. *maidenii* (F.Muell.) J.B.Kirkp. -- Bot. J. Linn. Soc. 69(2): 101. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* subsp. *maidenii* (F.Muell.) J.B.Kirkp. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* Labill. subsp. *pseudoglobulus* (Naudin ex Maiden) J.B.Kirkp. -- Bot. J. Linn. Soc. 69(2): 101. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* subsp. *pseudoglobulus* (Maiden) J.B.Kirkp. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus globulus* var. *stjohnii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glomericassis* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 516. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glomerosa* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after



enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus glomerosa* Brooker & Hopper -- *Nuytsia* 9(1): 32 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gneorifolia* G.Don -- *Gen. Hist.* 2: 820, sphalm. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gneorifolia* G.Don -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocephala* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocephala* DC. -- *Prodr.* [A. P. de Candolle] 3: 220. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocephala* var. *gomphocephala* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocephala* var. *rhodoxylon* Blakely & H.Steedman -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocornuta* Trab. -- in Rev. Hort. Alger. (1904); Maiden, Crit. Rev. *Eucalyptus*, vi. 76 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gomphocornuta* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gongylocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gongylocarpa* Blakely -- Trans. & Proc. Roy. Soc. S. Austral. 1936, lx. 153. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xx. (1847) I. 163. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* var. *clelandii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* subsp. *goniantha* Turcz. -- Nuytsia 2(2) 1976 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* var. *goniantha* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* Turcz. subsp. *kynoura* D.Nicolle & M.E.French -- *Nuytsia* 22(6): 436. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus goniantha* Turcz. subsp. *notactites* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 610. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* subsp. *notactites* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* Turcz. subsp. *semiglobosa* Brooker -- *Nuytsia* 2(2): 110. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniantha* subsp. *semiglobosa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* F.Muell. ex Miq. -- Ned. Kruidk. Arch. 4(1): 134. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* var. *acuminata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* F.Muell. ex Miq. subsp. *exposita* D.Nicolle -- J. Adelaide Bot. Gard. 19: 87. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* F.Muell. ex Miq. subsp. *fallax* Rule -- *Muelleria* 29(1): 11 (-12, 6; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus goniocalyx* var. *goniocalyx* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* F.Muell. ex Miq. subsp. *laxa* Rule -- *Muelleria* 29(1): 9 (-11, 6; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus goniocalyx* var. *nitens* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* var. *pallens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* var. *parviflora* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocalyx* F.Muell. ex Miq. subsp. *viridissima* Rule -- *Muelleria* 29(1): 8 (-9, 6; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus goniocarpa* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 582. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus goniocarpa* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilipes* Naudin -- Descr. Emploi Eucalypt. 37. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilipes* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 35. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* Sieber ex Benth. -- Fl. Austral. 3: 222. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *breviflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *erecta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* subsp. *gracilis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *gracilis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *thozetii* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *viminea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gracilis* var. *yilgarnensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandifolia* R.Br. ex Benth. -- Fl. Austral. 3: 250. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandis* W.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandis* W.Hill -- Cat. Nat. Industr. Prod. Queensland 25. 1862 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandis* var. *grandiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grandis* var. *grandis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus granitica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 332. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus granitica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus granularis* Sieber ex Benth. -- *Fl. Austral.* 3: 240. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus granularis* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grasbyi* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grasbyi* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 40 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gratiae* (Brooker) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gratiae* (Brooker) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 571. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus greeniana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 123 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus greeniana* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gregoriensis* N.G.Walsh & Albr. -- *Muelleria* 11: 41. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gregsoniana* L.A.S.Johnson & Blaxell -- *Contr. New South Wales Natl. Herb.* 4(6): 380, nom. nov. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gregsoniana* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus griffithsii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus griffithsii* Maiden -- *Journ. Nat. Hist. Sc. Soc. W. Austral.* iii. 177 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus griffithsii* var. *angustiuscula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus griffithsii* var. *griffithsii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grisea* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 509. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grossa* F.Muell. ex Benth. -- *Fl. Austral.* 3: 232. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grossa* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus grossifolia* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 271. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus guilfoylei* Maiden -- *Journ. Nat. Hist. Sc. Soc. W. Austral.* iii. 180 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus guilfoylei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gullicki* R.T.Baker & H.G.Sm. -- *Research Eucalypts*, ed. 2 128 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gullickii* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gummifera* Hochr. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gummifera* Hochr. -- Candollea ii. 464 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gummifera* var. *gummifera* Hochr. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gummifera* var. *intermedia* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* F.Muell. -- Fragn. (Mueller) 2(12): 62. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* Hook.f. -- London J. Bot. 3: 499. 1844 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* Miq. -- Ned. Kruidk. Arch. iv. (1859) 126. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *acervula* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* Hook.f. subsp. *divaricata* (McAulay & Brett) B.M.Potts -- Pap. & Proc. Roy. Soc. Tasmania 135: 57 (2001). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *elata* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *glaucula* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *gunnii* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *maculosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *montana* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *ovata* (Labill.) H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *rubida* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *undulata* H.V.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gunnii* var. *undulata* Rehder -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gymnoteles* L.A.S.Johnson & K.D.Hill -- Systematic studies in the eucalypts. 6. A revision of the coolibahs, *Eucalyptus* subgenus *Symphyomyrtus* section *Adnataria* series *Oliganthae* subseries *Microthecosae* (Purified (Shodhit)) 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gymnoteles* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4): 754. 1994 [26 Apr 1994] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gymnoteles* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4) 1994 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus gypsophila* D.Nicolle -- *Nuytsia* 11(3): 373 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 130. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* Sm. -- Trans. Linn. Soc. London 3: 286. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *capitata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *haemastoma* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* subsp. *haemastoma* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *inophloia* C.T.White -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *micrantha* (DC.) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *montana* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haemastoma* var. *sclerophylla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haematoxylon* Maiden & Maiden -- J. & Proc. Roy. Soc. New South Wales 1914, xlviii. 432 (1915), descr. ampl. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus haematoxylon* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hallii* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hallii* Brooker -- Austral. Forest Res. 7(1): 11. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus halophila* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus halophila* D.J.Carr & S.G.M.Carr -- Nuytsia 3(2): 173. 1980 [24 Dec 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hamersleyana* D.J.Carr & S.G.M.Carr -- Eucalyptus II 256 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hawkeri* Rule -- *Muelleria* 20: 17 (-22; figs. 1, 4). 2004

Purified (Shodhit) *Eucalyptus hebetifolia* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hebetifolia* Brooker & Hopper -- *Nuytsia* 8(1): 51 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helenae* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4) 1994 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helenae* L.A.S.Johnson & K.D.Hill -- *Telopea* 5(4): 759. 1994 [26 Apr 1994] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helenae* L.A.S.Johnson & K.D.Hill -- *Systematic studies in the eucalypts*. 6. A revision of the coolibahs, *Eucalyptus* subgenus *Symphyomyrtus* section *Adnataria* series *Oliganthae* subseries *Microthecosae* (Purified (Shodhit)) 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after



enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helidonica* K.D.Hill -- *Telopea* 8(2): 225. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helmsii* Maiden & Blakely -- in Maiden, *Crit. Rev. Eucalyptus* viii. 47 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus helmsii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemilampra* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemilampra* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 85. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* F.Muell. -- Fragn. (Mueller) 2(12): 62. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *albens* C.Moore & Betcher -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *albens* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *hemiphloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *microcarpa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *parviflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hemiphloia* var. *purpurascens* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hendersonii* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus henryi* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus henryi* S.T.Blake -- *Austrobaileya* 1(1): 4. 1977 [1 Dec 1977] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus herbertiana* Maiden -- *Crit. Rev. Eucalyptus* vi. 429 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus herbertiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hesperis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 253 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus heterophylla* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 141. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus heterophylla* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hillii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hillii* Maiden -- Journ. Roy. Soc. N. S. Wales 1919, liii. 63. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hillii* var. *alleniana* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hillii* var. *hillii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hirsuta* Link -- Enum. Hort. Berol. Alt. 2: 31. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hirsuta* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hispida* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hispida* (Sm.) Brooker -- Austral. Syst. Bot. 13(1): 136 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hispida* R.Br. ex Maiden. -- Crit. Rev. *Eucalyptus* iv. 211 (1919), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus histophylla* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus histophylla* Brooker & Hopper -- Nuytsia 8(1): 89 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hookeri* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 90. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hookeri* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus horistes* L.A.S.Johnson & K.D.Hill -- Fl. Australia 19: 509, 254. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus horistes* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus houseana* W.Fitzg. ex Maiden -- J. & Proc. Roy. Soc. New South Wales 1915, xlix. 318 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus houseana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus howittiana* F.Muell. -- S. Sci. Rec. ii. (1882) 171. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus howittiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus huberiana* Naudin -- Descr. Emploi Eucalypt. 42. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus huberiana* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hybrida* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 85, hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hybrida* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hylandii* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hylandii* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 199 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hylandii* var. *campestris* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hylandii* D.J.Carr & S.G.M.Carr var. *campestris* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 203 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hylandii* var. *hylandii* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypericifolia* Dum.Cours. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypericifolia* Dum.Cours. -- Bot. Cult., ed. 2. 7: 279. 1814 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypericifolia* R.Br. ex Benth. -- Fl. Austral. 3: 203. 1867 [5 Jan 1867] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypochlamydea* Brooker -- Nuytsia 6(3): 328 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypochlamydea* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypolaena* L.A.S.Johnson & K.D.Hill -- Telopea 8(2): 203. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypoleuca* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypoleuca* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 131. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypostomatica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus hypostomatica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 72. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ignorabilis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 242. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ignorabilis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus imitans* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 252. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus imitans* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus imlayensis* Crisp & Brooker -- *Telopea* 2(1): 41. 1980 [23 Dec 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus imlayensis* Crisp & Brooker -- *Telopea* 2(1) 1980 [23 Dec 1980] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus impensa* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus impensa* Brooker & Hopper -- Nuytsia 9(1): 35 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incerata* Brooker & Hopper -- Nuytsia 14(3): 347 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* Sieber -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* Labill. -- Nov. Holl. Pl. 2: 12, t. 150. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* subsp. *angulosa* (Schauer) F.C.Johnstone & Hallam -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *angulosa* (Schauer) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *conglobata* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *costata* (F.Muell.) N.T.Burb. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* subsp. *costata* (F.Muell.) F.C.Johnstone & Hallam -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *dumosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *goniantha* (Turcz.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *grossa* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* subsp. *incrassata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus incrassata* var. *incrassata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incrassata* var. *protrusa* J.M.Black -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incurva* Boomsma -- S. Austral. Naturalist 50(2): 31. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus incurva* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus indurata* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus indurata* Brooker & Hopper -- *Nuytsia* 9(1): 26 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus infera* A.R.Bean -- *Austrobaileya* 3(2): 291 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus infera* A.R.Bean -- *Austrobaileya* 3(2) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus infracorticata* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 310. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus inophloea* Brogli -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus inophloea* Brogli -- Beitr. Anat. Myrtac.-Rinden 20 (1926). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus inopina* (K.D.Hill) Brooker -- Austral. Syst. Bot. 13(1): 136 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insignis* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insignis* Naudin -- Descr. Emploi Eucalypt. 30. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insingiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insizwaensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insizwaensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 82 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insulana* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insulana* F.M.Bailey -- Queensland Agric. J. xvii. 103 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insularis* Brooker -- Nuytsia 1(4) 1974 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insularis* Brooker -- *Nuytsia* 1(4): 308. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus insularis* Brooker subsp. *continentalis* D.Nicolle & Brooker -- *Nuytsia* 24: 251. 2014 [21 Aug 2014] [epublished]

Purified (Shodhit) *Eucalyptus intermedia* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intermedia* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxv. 674. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus interstans* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus interstans* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 47. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 308. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* var. *diminuta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* var. *fruticosa* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* var. *intertexta* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intertexta* var. *magna* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus intrasilvatica* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 214. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus irbyi* R.T.Baker & H.G.Sm. -- *Research Eucalypts*, ed. 2 242 (1920); Maiden, *Crit. Rev. Eucalyptus*, vi. 15(1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus irbyi* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus irritans* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 233. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus isingiana* Maiden -- Crit. Rev. *Eucalyptus* vi. 353 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus isingiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jacksonii* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 219. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jacksonii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jacobsiana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus jacobsoniana* Blakely -- Key Eucalypts 92 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jensenii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jensenii* Maiden -- Crit. Rev. *Eucalyptus* vi. 255 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jimberlanica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 208. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jimberlanica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus johnsoniana* Brooker & Blaxell -- Nuytsia 2(4) 1978 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus johnsoniana* Brooker & Blaxell -- Nuytsia 2(4): 222. 1978 [7 Feb 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus johnstonii* Maiden -- Crit. Rev. *Eucalyptus* vi. 280 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus johnstonii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus joyceae* Blakely -- Journ. Roy. Soc. N. S. Wales 1928, lxii. 201. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus joyceae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jucunda* C.A.Gardner -- J. Roy. Soc. Western Australia 47: 60. 1964 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jucunda* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jugalis* Naudin -- Descr. Emploi Eucalypt. 37. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jugalis* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jutsoni* Maiden -- J. & Proc. Roy. Soc. New South Wales 1919, liii. 61. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jutsonii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus jutsonii* Maiden subsp. *kobela* D.Nicolle & M.E.French -- *Nuytsia* 17: 284 (-287; figs. 2-3, map). 2007 [5 Dec 2007]

Purified (Shodhit) *Eucalyptus kabiana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 328. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kabiana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kakadu* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 138 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kalangadooensis* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 165, hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kalangadooensis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kalganensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kalganensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 349 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kartzoffiana* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7) 1973 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kartzoffiana* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 455. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kenneallyi* K.D.Hill & L.A.S.Johnson -- Telopea 8(4): 518. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kessellii* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 187. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kessellii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kessellii* subsp. *eugnota* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 613. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kessellii* subsp. *eugnota* K.D.Hill & L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kessellii* subsp. *kessellii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kingsmillii* (Maiden) Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kingsmillii* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 43 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kingsmillii* subsp. *alatissima* Brooker & Hopper -- *Nuytsia* 9(1): 38 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kingsmillii* subsp. *kingsmillii* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kingsmillii* subsp. *kingsmillii* (Maiden) Maiden & Blakely -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kirtoniana* F.Muell. -- *Eucalyptogr.* Dec. I. (1879), in obs., sub *E. resinifera*; et *Eucalyptogr.* Dec.VII.(1880), in obs., sub *E. robusta*. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kirtoniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kitsoniana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:



Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kitsonii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kitsonii* Luehm. ex Maiden -- Vict. Naturalist 21: 112. 1905 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 41 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely subsp. *amaryssia* D.Nicolle -- Austral. Syst. Bot. 18(6): 546 (528, 540, 547-548; figs. 1, 8-9). 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely subsp. *borealis* (C.A.Gardner) D.Nicolle -- Austral. Syst. Bot. 18(6): 545. 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus kochii* subsp. *kochii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely subsp. *plenissima* (Gardner) Brooker -- Austral. J. Bot. 36(2): 129 (1988):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* subsp. *plenissima* (C.A.Gardner) Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kochii* Maiden & Blakely subsp. *yellowdinensis* D.Nicolle -- Austral. Syst. Bot. 18(6): 548 (528, 540, 549-550; figs. 1, 8, 10). 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus kombolgiensis* Brooker & Dunlop -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kombolgiensis* Brooker & Dunlop -- Austral. Forest Res. 8(3-4): 212. 1978 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kondininensis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kondininensis* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 189. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus koolpinensis* Brooker & Dunlop -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus koolpinensis* Brooker & Dunlop -- Austral. Forest Res. 8(3-4): 214. 1978 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kruseana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kruseana* F.Muell. -- in Australas. Journ. Pharm. x. (1895) 233. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kumarlensis* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kumarlensis* Brooker -- Nuytsia 6(3): 333 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kybeanensis* Maiden & Cambage -- J. & Proc. Roy. Soc. New South Wales 1914, xlviii. 417 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus kybeanensis* Maiden & Cabbage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lacrimans* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lacrimans* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 264. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lactea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lactea* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxv. 691. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laeliae* Podger & Chippend. -- Journ. Roy. Soc. W. Austral. li. 65 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laeliae* Podger & Chippend. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevis* L.A.S.Johnson & K.D.Hill -- Telopea 9(2): 275. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevopinea* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiii. 414. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevopinea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevopinea* var. *laevopinea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevopinea* var. *minor* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laevopinea* var. *turbinata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprocalyx* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprocalyx* Blakely -- Key Eucalypts 87, 323 (1934). , 'lamprocarpa' is an error see p. 323. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprocarpa* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 129. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprocarpa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprophylla* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lamprophylla* Brooker & A.R.Bean -- Brunonia 10(2): 195 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus lane-poolei* Maiden -- J. & Proc. Roy. Soc. New South Wales 1919, liii. 107. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lanepoolei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus langii* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 72 (1929), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus langii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus langleyi* L.A.S.Johnson & Blaxell -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus langleyi* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 259. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* F.Muell. & J.E.Br. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* F.Muell. & J.E.Br. -- in J. E. Brown, For. Fl. S. Austral. pt. 9 (1890) [T. 31J. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* subsp. *albopurpurea* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* F.Muell. & J.E.Br. subsp. *albopurpurea* Boomsma - - S. Austral. Naturalist 48(4): 55. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* var. *lansdowneana* F.Muell. & J.E.Br. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lansdowneana* var. *leucantha* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laophila* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laophila* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 256. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largeana* Blakely & Beuzev. -- Blakely, *Key Eucalypts* 232 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largeana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largiflorens* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largiflorens* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 34. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largiflorens* var. *largiflorens* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus largiflorens* var. *xanthophylla* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laseroni* R.T.Baker -- Proc. Linn. Soc. New South Wales 1912, xxxvii. 585 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laseronii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laseronii* var. *doleiformis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laseronii* var. *laseronii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laseronii* var. *maxima* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lata* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 630. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latens* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latens* Brooker -- *Nuytsia* 6(3): 332 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lateritica* Brooker & Hopper -- *Nuytsia* 5(3): 346 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lateritica* Brooker & Hopper -- Nuytsia 5(3) 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latifolia* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 95. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latisinensis* K.D.Hill -- Telopea 8(2): 244. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latiuscula* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus latiuscula* (Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 102. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laurifolia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus laurifolia* Behr. ex Blakely -- Key Eucalypts 324, in syn. (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus le-souefii* Maiden -- *Crit. Rev. Eucalyptus* ii. 187 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lehmannii* (Schauer) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus lehmannii* (Schauer) Benth. -- Fl. Austral. 3: 233. 1867 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lehmannii* (Schauer) Benth. subsp. *parallela* D.Nicolle & M.E.French -- Nuytsia 18: 214 (-217; fig. 12, map). 2008 [21 Aug 2008]

Purified (Shodhit) *Eucalyptus leichhardtii* F.M.Bailey -- Queensland Agric. J. xvii. 493 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leichhardtii* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leiocarpa* (L.A.S.Johnson ex G.J.Leach) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leiophloia* Blakely & Jacobs -- Blakely, Key Eucalypts 82 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leiophloia* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leiophloia* var. *leiophloia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leiophloia* var. *lepidophloia* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lenziana* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 47 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lenziana* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leprophloia* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leprophloia* Brooker & Hopper -- *Nuytsia* 9(1): 12 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptocalyx* Blakely -- *Key Eucalypts* 118 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptocalyx* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptocalyx* Blakely subsp. *petilipes* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 287. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptocarpa* Blakely -- Key Eucalypts 230 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptocarpa* Blakely -- (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptoloma* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 432 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptoloma* Brooker & A.R.Bean -- *Austrobaileya* 3(3) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophleba* F.Muell. -- (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophleba* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 86. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 123. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* var. *densa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* var. *floribunda* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* var. *leptophylla* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptophylla* var. *leptorrhyncha* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* Benth. -- Fl. Austral. 3: 238. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* Benth. subsp. *arctata* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 621. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* subsp. *arctata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* Benth. subsp. *elevata* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 620. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* subsp. *elevata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* subsp. *leptopoda* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* Benth. subsp. *subluta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 621. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leptopoda* subsp. *subluta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lesouefii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucadendron* Reinw. ex de Vriese -- Pl. Ind. Bat. Reinw. 63. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucophloia* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucophloia* Brooker -- Nuytsia 2(2): 112. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucophloia* Brooker subsp. *europa* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 520. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucophylla* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucophylla* Domin -- Biblioth. Bot. lxxxix. 464 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 33. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *angulata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *bellarinensis* Rule -- Muelleria 11: 133. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *connata* Rule -- Muelleria 7(3): 394. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *connata* Rule -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *erythrostema* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *leucoxylon* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *leucoxylon* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *macrocarpa* J.E.Br. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *megalocarpa* Boland -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *megalocarpa* Boland -- Austral. Forest Res. 9(1): 68. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *minor* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *pallens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *pauperita* J.E.Br. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *petiolaris* Boland -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *petiolaris* Boland -- Austral. Forest Res. 9(1): 70. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *pluriflora* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *pruinosa* (Miq.) Boland -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *pruinosa* (F.Muell. ex Miq.) Boland -- Austral. Forest Res. 9(1): 68. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *pruinosa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *purpurea* H.M.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *rostellata* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *rubra* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* var. *rugulosa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* F.Muell. subsp. *stephaniae* Rule -- Muelleria 7(3): 391. 1991 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus leucoxylon* subsp. *stephaniae* Rule -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligulata* Brooker -- Nuytsia 1(4): 300. 1974 [23 May 1974] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligulata* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligulata* Brooker subsp. *stirlingica* D.Nicolle -- Nuytsia 15(1): 75 (2002). [6 Dec 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligustrina* DC. -- Prodr. [A. P. de Candolle] 3: 219. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligustrina* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ligustrina* Miq. -- Ned. Kruidk. Arch. iv. (1859) 134. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus limitaris* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 530. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lindleyana* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lindleyana* DC. -- Prodr. [A. P. de Candolle] 3: 219. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus lindleyana* var. *lindleyana* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lindleyana* var. *stenophylla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus linearis* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus linearis* Dehnh. -- Cat. Pl. Horti Camald., ed. 2 20. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lirata* W.Fitzg. ex Maiden -- Crit. Rev. *Eucalyptus* v. 111 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lirata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus litoralis* Rule -- Muellera 20: 11 (-14; figs. 1-4). 2004

Purified (Shodhit) *Eucalyptus litorea* Brooker & Hopper -- Nuytsia 7(1): 10 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus litorea* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus livida* Brooker & Hopper -- Nuytsia 8(1): 47 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus livida* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lockyeri* Blaxell & K.D.Hill -- *Telopea* 4(2): 231. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lockyeri* Blaxell & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lockyeri* Blaxell & K.D.Hill subsp. *exuta* Brooker & Kleinig -- *Field Guide to Eucalypts* 3: 371 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lockyeri* subsp. *exuta* Brooker & Kleinig -- *Field Guide to Eucalypts*. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longicornis* F.Muell. -- *Phyt. Austral.* xi. 14. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longicornis* (F.Muell.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* Lindl. -- Bot. Reg. 11: t. 947. 1826 [1825 publ. 1826] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* Link -- Enum. Hort. Berol. Alt. 2: 29. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* Lindl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* var. *longifolia* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* var. *multiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longifolia* var. *turbinata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostrata* (Blakely) L.A.S.Johnson & K.D.Hill -- Fl. Australia 19: 509. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostrata* (Blakely) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostris* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostris* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 125. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostris* forma *brevirostris* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longirostris* forma *longirostris* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus longissima* D.Nicolle -- Austral. Syst. Bot. 18(6): 550 (528, 551; fig. 1). 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus loxophleba* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* Benth. -- Fl. Austral. 3: 252. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* var. *fruticosa* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* subsp. *gratae* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* Benth. subsp. *gratae* Brooker -- Nuytsia 1(3): 248. 1972 [14 Nov 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* subsp. *lissophloia* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* Benth. subsp. *lissophloia* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 569. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* subsp. *loxophleba* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* var. *loxophleba* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* Benth. subsp. *supralaevis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 568. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus loxophleba* subsp. *supralaevis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations



after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lucasii* Blakely -- Key Eucalypts 226 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lucasii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lucens* Brooker & Dunlop -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus lucens* Brooker & Dunlop -- Austral. Forest Res. 8(3-4): 209. 1978 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luculenta* L.A.S.Johnson & K.D.Hill -- Telopea 8(2): 208. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luehmanniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luehmanniana* F.Muell. -- Fragn. (Mueller) 11(89): 38. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luehmanniana* var. *altior* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luehmanniana* var. *luehmanniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luteola* Brooker & Hopper -- Nuytsia 8(1): 82 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus luteola* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macarthurii* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macarthurii* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiv. 448. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mackintii* Kottek -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mackintii* Kottek -- Austral. Syst. Bot. 3(4): 685. 1990 [5 Dec 1990]

Purified (Shodhit) *Eucalyptus mackintyi* M.H.Kottek -- Austral. Syst. Bot. 3(4): 685 (1990), as 'mackintii'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macmahonii* Rule -- Muelleria 10: 13. 1997 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrandra* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrandra* F.Muell. ex Benth. -- Fl. Austral. 3: 235. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocalyx* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 339. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocalyx* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocarpa* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocarpa* Hook. -- Icon. Pl. 5: t. 405-407. 1841 [late 1841] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocarpa* Hook. subsp. *elachantha* Brooker & Hopper -- Nuytsia 9(1): 37 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocarpa* subsp. *macrocarpa* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocarpa* subsp. *macrocarpa* Hook. -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocera* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrocera* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macropoda* Blakely -- Key Eucalypts 87 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macropoda* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* F.Muell. ex Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* F.Muell. -- First Gen. Rep. 12; Benth. Fl. Austral. iii. 207. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* var. *brachycorys* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* F.Muell. subsp. *cannonii* (R.T.Baker) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 379. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* subsp. *cannonii* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* forma *grandiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* forma *macrorhyncha* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* subsp. *macrorhyncha* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* var. *macrorhyncha* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus macrorhyncha* var. *minor* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus macta* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 507. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* Hook. -- *Icon. Pl.* 7: t. 619. 1844 [Jan 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* var. *citriodora* (Hook.) F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* var. *citriodora* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* var. *citriodora* Kinney -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculata* var. *maculata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculosa* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maculosa* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiv. 598. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus magnificata* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus magnificata* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 72. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mahagoni* F.Muell. -- *Fragm. (Mueller)* 2(12): 41. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mahoganii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maidenii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maidenii* F.Muell. -- *Proc. Linn. Soc. New South Wales* ser. 2, 4: 1020, tt. 28, 29. 1890 [Feb 1890] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maidenii* var. *maidenii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus maidenii* var. *williamsonii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus major* (Maiden) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus major* (Maiden) Blakely -- Key Eucalypts 100 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus malacoxylon* Blakely -- Key Eucalypts 145 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus malacoxylon* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannensis* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannensis* Boomsma -- Trans. Roy. Soc. South Australia lxxxviii. 115 (1964). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannensis* subsp. *mannensis* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannensis* Boomsma subsp. *vespertina* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 600. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannensis* subsp. *vespertina* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* A.Cunn. ex Benth. -- Fl. Austral. 3: 240. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* Mudie -- Trans. Med.-Bot. Soc. London 1832-33 (1834), 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* Mudie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* subsp. *elliptica* (Blakely & McKie) L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* var. *elliptica* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* subsp. *gullickii* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* subsp. *maculosa* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* subsp. *mannifera* Mudie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* var. *mannifera* Mudie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mannifera* subsp. *praecox* (Maiden) L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* Sm. -- Trans. Linn. Soc. London 6: 302. 1802 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* Sm. subsp. *elegantella* Brooker & Hopper -- Nuytsia 9(1): 4 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* var. *marginata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus marginata* subsp. *marginata* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* subsp. *marginata* Sm. -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* subsp. *marginata* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* var. *staeri* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marginata* Sm. subsp. *thalassica* Brooker & Hopper -- Nuytsia 9(1): 5 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marsdenii* E.C.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marsdenii* E.C.Hall -- Proc. Linn. Soc. New South Wales 1914, xxxix. 485. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus marsdenii* E.C.Hall -- Proc. Linn. Soc. New South Wales 1918, xliii. 747 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mazeliana* Naudin -- Descr. Emploi Eucalypt. 41. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mazeliana* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mcclatchiei* Kinney -- *Eucalyptus* 188 (1895). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mcclatchiei* Kinney -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mcintyrensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 166 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mcintyrensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mckieana* Blakely -- Proceedings of the Linnean Society of New South Wales 55(5) 1930 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mckieana* Blakely -- Proc. Linn. Soc. New South Wales 1930, lv. 594. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mcquoidii* Brooker & Hopper -- Nuytsia 14(3): 336 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus media* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus media* Link -- Enum. Hort. Berol. Alt. 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus medialis* Brooker & Hopper -- Nuytsia 8(1): 131 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus medialis* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mediocris* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 237. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus meeboldii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus meeboldii* Blakely -- Key Eucalypts 121 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus megacarpa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus megacarpa* F.Muell. -- *Fragm. (Mueller)* 2(12): 70. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus megacornuta* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus megacornuta* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 184 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus megasepala* A.R.Bean -- *Austrobaileya* 7(2): 308 (-310; fig. 1, map 2). 2006 [4 Dec 2006]

Purified (Shodhit) *Eucalyptus melana* Brooker -- *Austral. Syst. Bot.* 13(1): 137 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanoleuca* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanoleuca* S.T.Blake -- *Austrobaileya* 1(1): 6. 1977 [1 Dec 1977] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophitra* Brooker & Hopper -- *Nuytsia* 8(1): 135 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophitra* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophloia* F.Muell. -- *J. Proc. Linn. Soc., Bot.* 3: 93. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophloia* var. *melanophloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanophloia* F.Muell. subsp. *nana* D.Nicolle & Kleinig -- *Austrobaileya* 8(3): 350 (-354; figs., map). 2011 [1 Dec 2011]

Purified (Shodhit) *Eucalyptus melanophloia* var. *senta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanoxydon* Maiden -- Crit. Rev. *Eucalyptus* vi. 351 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melanoxydon* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melissiodora* Lindl. -- J. Exped. Trop. Australia [Mitchell] 235. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melissiodora* Lindl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melissiodora* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 95. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* A.Cunn. ex R.T.Baker & H.G.Sm. -- Research on Eucalypts 122. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 924. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* var. *brachycarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* var. *elliptocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* var. *melliodora* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus melliodora* var. *murrurundi* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mensalis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 346. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mensalis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus merrickae* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 192. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus merrickiae* Maiden & Blakely -- Journal and Proceedings of the Royal Society of New South Wales 59 1925 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus michaeliana* Blakely -- Proc. Linn. Soc. New South Wales 1938, lxiii. 67. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus michaeliana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micrantha* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micrantha* DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micrantha* var. *micrantha* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micrantha* var. *signata* (F.Muell.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micranthera* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus micranthera* F.Muell. ex Benth. -- Fl. Austral. 3: 218. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcarpa* Maiden -- Crit. Rev. *Eucalyptus* vi. 438 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcarpa* (Maiden) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcodon* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 348. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcodon* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcorys* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microcorys* F.Muell. -- Fragn. (Mueller) 2(12): 50. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microneura* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 168. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microneura* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microphylla* Willd. -- Enum. Pl. [Willdenow] 1: 515. 1809 [Apr 1809] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microphylla* A.Cunn. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microphylla* A.Cunn. -- Geogr. Mem. New South Wales [Field] 350. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microphylla* Willd. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microschema* Brooker & Hopper -- *Nuytsia* 8(1): 121 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microschema* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microstoma* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microstoma* Blakely -- Key Eucalypts 325, in syn. (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microtheca* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microtheca* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 87. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microtheca* var. *cymbaliformis* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus microtheca* var. *microtheca* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mimica* Brooker & Hopper -- Nuytsia 14(3): 344 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mimica* Brooker & Hopper subsp. *continens* Brooker & Hopper -- Nuytsia 14(3): 345 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus miniata* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 925. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus miniata* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus minniritchi* D.Nicolle -- *Nuytsia* 13(3): 489 (2001). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus misella* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus misella* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 593. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus × missilis* Brooker & Hopper -- *Nuytsia* 14(3): 332 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitchelliana* Cambage -- J. & Proc. Roy. Soc. New South Wales 1918, lii. 457, addendum slip (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitchelliana* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitchellii* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitchellii* Cambage -- J. & Proc. Roy. Soc. New South Wales 1918, lii. 457(1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitrata* C.A.Gardner -- J. Roy. Soc. Western Australia 1935-6, xxii. 127 (1936). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mitrata* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moderata* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 198. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moluccana* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 498. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moluccana* Roxb. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus molyneuxii* Rule -- *Muelleria* 12(2): 163. 1999 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus montana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus montana* (Deane & Maiden) Blakely -- Key Eucalypts 207 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus montivaga* A.R.Bean -- *Austrobaileya* 5(1): 130 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mooreana* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 221. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mooreana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mooreana* W.Fitzg. -- The Western Mail 21 1906 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moorei* Maiden & Cambage -- Proc. Linn. Soc. New South Wales xxx. 191. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moorei* Maiden & Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moorei* var. *arborea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moorei* var. *latiuscula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus moorei* var. *moorei* Maiden & Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisbyi* Brett -- Papers and Proceedings of the Royal Society of Tasmania for 1938 1939 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisbyi* Brett -- Pap. & Proc. Roy. Soc. Tasmania 1938, 129 (1939). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisii* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 312. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisonii* Maiden -- Journ. Nat. Hist. Sc. Soc. W. Austral. iii. 44 (1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus morrisonii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mortoniana* Kinney -- *Eucalyptus* 193 (1895). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mortoniana* Kinney -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mucronata* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mucronata* Link -- Enum. Hort. Berol. Alt. 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus muelleri* Miq. -- Ned. Kruidk. Arch. 4: 130. 1859 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus muelleri* T.B.Moore -- Pap. & Proc. Roy. Soc. Tasmania 208. 1887 [1886 publ. 1887] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus muelleri* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus muelleri* T.B.Moore -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus muelleriana* A.W.Howitt -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus muelleriana* Howitt -- Trans. Roy. Soc. Victoria ii. 89 (1891). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mulleri* Naudin -- Descr. Emploi Eucalypt. 45. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mulleri* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multicaulis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multicaulis* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 172. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multiflora* Rich. ex A.Gray -- U.S. Expl. Exped., Phan. 15: 554. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multiflora* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 2. 594. 1812 [3 Jul 1812] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multiflora* Poir. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multiflora* var. *bivalva* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus multiflora* var. *multiflora* Poir. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mundijongensis* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 223, 225. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus mundijongensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus murphyi* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* vii. 465 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus murphyi* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myriadena* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myriadena* Brooker -- *Brunonia* 4(1): 9 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myriadena* subsp. *myriadena* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myriadena* subsp. *myriadena* Brooker -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myriadena* Brooker subsp. *parviflora* Brooker & Hopper -- *Nuytsia* 9(1): 61 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myrtifolia* Link -- *Enum. Hort. Berol.* Alt. 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myrtifolia* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myrtiformis* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus myrtiformis* Naudin -- Descr. Emploi Eucalypt. 50. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nandewarica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 52. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nandewarica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nanglei* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nanglei* R.T.Baker -- *Hardwoods of Austral.* 277 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus naudiniana* F.Muell. -- in *Austral. Journ. Pharm.* (Jul 1886) 239; et ex *Bot. Centralbl.* xxviii.(1886) 179. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus naudiniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nebulosa* A.M.Gray -- *Kanunnah* 3: 42 (-48; figs. 1-4). 2008 [1 Oct 2008]

Purified (Shodhit) *Eucalyptus neglecta* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus neglecta* Maiden -- Vict. Naturalist 21: 114. 1905 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nelsonii* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nelsonii* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 57 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nepeanensis* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nepeanensis* R.T.Baker & H.G.Sm. -- *Research Eucalypts*, ed. 2 167 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus nervosa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nervosa* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 139. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nervosa* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nesophila* Blakely -- Key Eucalypts 90 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nesophila* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus neutra* D.Nicolle -- Austral. Syst. Bot. 12(2): 232 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus newbeyi* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus newbeyi* D.J.Carr & S.G.M.Carr -- Austral. J. Bot. 28(5–6): 541 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nicholii* Maiden & Blakely -- A Critical Revision of the Genus *Eucalyptus* 8(1) 1929 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nicholii* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 52 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nigra* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nigra* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 689. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nigrifunda* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nigrifunda* Brooker & Hopper -- Nuytsia 8(1): 51 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus niphophila* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 34 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus niphophila* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus niphophloia* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus niphophloia* Blakely & Jacobs -- Blakely, Key Eucalypts 79 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nitens* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nitens* Maiden -- Crit. Rev. *Eucalyptus* ii. 272 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nitida* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nitida* Hook.f. -- Fl. Tasm. i. 137. t. 29. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nobilis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nobilis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 59. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus normantonensis* Maiden & Cabbage -- J. & Proc. Roy. Soc. New South Wales 1918, lii. 489 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus normantonensis* Maiden & Cabbage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nortonii* (Blakely) L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nortonii* (Blakely) L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 112. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus notabilis* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 169. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus notabilis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus notactites* (L.A.S.Johnson & K.D.Hill) D.Nicolle & M.E.French --  
Nuytsia 22(6): 433. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus nova-anglica* Deane & Maiden -- Proc. Linn. Soc. New South  
Wales xxiv. 616. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal  
Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*  
*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic  
Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj  
Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nova-anglica* H.Deane & Maiden -- - (Medium duration  
purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus novoguineensis* S.G.M. -- - (Medium duration purification) as key  
ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:  
Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.  
based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From  
Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus novoguineensis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 192  
(1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal  
Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*  
*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic  
Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj  
Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nowraensis* Maiden -- - (Medium duration purification) as key  
ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:  
Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nowraensis* Maiden -- Crit. Rev. *Eucalyptus* vii. 68 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nubila* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nubilis* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 38 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nudicaulis* A.R.Bean -- *Austrobaileya* 3(3): 467 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nudicaulis* A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus numerosa* Maiden -- Crit. Rev. *Eucalyptus* 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus numerosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nutans* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus nutans* F.Muell. -- Fragm. (Mueller) 3(23): 152. 1863 [Apr 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obconica* Brooker & Kleinig -- Field Guide to Eucalypts. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obconica* Brooker & Kleinig -- Field Guide to Eucalypts 3: 372 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obcordata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obcordata* Turcz. -- Bull. Cl. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 10: 337. 1852 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obesa* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obesa* Brooker & Hopper -- Nuytsia 9(1): 21 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* Decne. -- in Nouv. Ann. Mus. Par. iii. (1834) 454. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* L'Her. -- Sert. Angl. fasc. 3: t. 20. 1792 [Apr 1792] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* L'Hér. -- Sert. Angl. 18. t. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *alpina* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *degressa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *discocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *megacarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *microstoma* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *obliqua* L'Her. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obliqua* var. *pilula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oblonga* DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oblonga* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oblonga* var. *oblonga* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oblonga* subsp. *oblonga* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oblonga* var. *rugulosa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obstans* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obstans* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 258. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* DC. -- *Prodr.* [A. P. de Candolle] 3: 220. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* DC. subsp. *cowcowensis* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 305. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* var. *dendromorpha* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* DC. subsp. *dongarraensis* (Maiden & Blakely) L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 305. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusiflora* var. *obtusiflora* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusifolia* G.Don -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus obtusifolia* G.Don -- Gen. Hist. 2: 820, sphalm. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* Endl. -- Enum. Pl. [Endlicher] 49. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *astringens* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *californica* Kinney -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *eremophila* Diels -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus occidentalis* var. *grandiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *macrandra* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *occidentalis* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *oranensis* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *spathulata* (Hook.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus occidentalis* var. *stenantha* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ochrophloia* F.Muell. -- Fragn. (Mueller) 11(91): 86. 1880 [Feb 1880] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ochrophloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ochrophylla* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 50 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ochrophylla* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odontocarpa* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 98. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odontocarpa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* Behr -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* Behr -- Linnaea 20: 657. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *angustifolia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *calicultrix* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *erythrandra* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *floribunda* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *macrocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *odorata* Behr -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *purpurascens* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *refracta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus odorata* var. *woollsiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oldfieldii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oldfieldii* F.Muell. -- Fragn. (Mueller) 2(12): 37. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oldfieldii* var. *drummondii* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oldfieldii* var. *olfieldii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. ex Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 127. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. -- Fragn. (Mueller) 2(12): 56. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *ampliata* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 179. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *angustifolia* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. var. *borealis* C.A.Gardner -- J. Roy. Soc. Western Australia 34: 77 (-78). 1950 [6 Apr 1950] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *corvina* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 178. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *cylindroidea* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 178. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *flocktoniae* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *glaucula* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *kochii* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *longicornis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* forma *lucida* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus oleosa* var. *obtusa* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *oleosa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. var. *peeneri* Blakely -- Key Eucalypts 270. 1934 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* var. *plenissima* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *repleta* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 176. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *victima* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 179. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oleosa* F.Muell. subsp. *wylieana* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 180. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olida* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olida* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 103. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oligantha* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oligantha* Schauer -- Repert. Bot. Syst. (Walpers) ii. 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oligantha* Schauer subsp. *modica* L.A.S.Johnson & K.D.Hill -- Telopea 8(4): 526. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olivina* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olivina* Brooker & Hopper -- Nuytsia 9(1): 45 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ollaris* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ollaris* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 76 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olsenii* L.A.S.Johnson & Blaxell -- *Telopea* 1(6): 395. 1980 [14 Mar 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus olsenii* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oocarpa* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oocarpa* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 277 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oocarpa* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus opaca* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 63 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus opaca* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ophitica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 67. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ophitica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus opimiflora* D.Nicolle & M.E.French -- *Nuytsia* 22(6): 424. 2012 [18 Dec 2012]

Purified (Shodhit) *Eucalyptus oppositifolia* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oppositifolia* Desf. -- Tabl. École Bot. 222. 1804 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus optima* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 203. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oraria* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oraria* L.A.S.Johnson -- *Contr. New South Wales Natl. Herb.* 3: 103. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orbifolia* F.Muell. -- *Fragm. (Mueller)* 5(33): 50. 1865 [Jul 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orbifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ordiana* Dunlop & Done -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ordiana* Dunlop & Done -- *Nuytsia* 8(2): 197 (1992). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oreades* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxiv. 596. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oreades* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oresbia* J.T.Hunter & J.J.Bruhl -- *Telopea* 8(2): 260. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orgadophila* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orgadophila* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* vii. 462 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orientalis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orientalis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 66 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ornans* Rule & Molyneux -- *Muelleria* 29(1): 18 (-22; figs. 1-2). 2011 [10 Jan 2011] ; nom. inval.

Purified (Shodhit) *Eucalyptus ornans* Molyneux & Rule -- *Muelleria* 29(2): 201. 2011 [1 Jul 2011]

Purified (Shodhit) *Eucalyptus ornata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ornata* Crisp -- *Nuytsia* 5(2): 311. 1985 [1984 publ. 1985] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ornata* Sieber ex Benth. -- *Fl. Austral.* 3: 208. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ornata* Crisp -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orophila* L.D.Pryor -- Austral. Syst. Bot. 8(1): 68 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus orthostemon* D.Nicolle & Brooker -- Nuytsia 15(3): 409 (-412; fig. 3). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus ovalifolia* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 680. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovalifolia* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovalifolia* var. *lanceolata* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovalifolia* var. *ovalifolia* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* Labill. -- Nov. Holl. Pl. 2: 13, t. 153. 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* var. *aquatica* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* var. *camphora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* var. *grandiflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovata* var. *ovata* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oviformis* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 32 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oviformis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovularis* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 194. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ovularis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oxymitra* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oxymitra* Blakely -- Trans. & Proc. Roy. Soc. S. Austral. 1936, lx. 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oxypoma* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus oxypoma* Blakely -- Key Eucalypts 244 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 15 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* Maiden & Blakely subsp. *banyabba* K.D.Hill -- *Telopea* 7(3): 187. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* subsp. *banyabba* K.D.Hill -- *Telopea* 7(3) 1997 [17 Dec 1997] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* subsp. *pachycalyx* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* Maiden & Blakely subsp. *waajensis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 325. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycalyx* subsp. *waajensis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachycarpa* (K.D.Hill & L.A.S.Johnson) Brooker -- *Austral. Syst. Bot.* 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyloma* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyloma* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyloma* Benth. -- *Fl. Austral.* 3: 237. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyphylla* A.Cunn. ex F.Muell. -- *J. Proc. Linn. Soc., Bot.* 3: 98, nomen, in nota. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyphylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyphylla* F.Muell. -- *J. Proc. Linn. Soc., Bot.* 3: 98. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus pachyphylla* var. *pachyphylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachyphylla* var. *sessilis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachypoda* F.Muell. -- Fragm. (Mueller) 7(52): 41. 1869 [Oct 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachypoda* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pachypoda* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paedoglauca* L.A.S.Johnson & Blaxell -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paedoglauca* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 243. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paliformis* L.A.S.Johnson & Blaxell -- *Contr. New South Wales Natl. Herb.* 4(6): 382. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paliformis* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pallens* DC. -- *Prodr. [A. P. de Candolle]* 3: 219. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pallens* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pallida* L.A.S.Johnson & K.D.Hill -- *Telopea* 7(4): 389. 1998 [29 May 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pallidifolia* F.Muell. -- *Fragm. (Mueller)* 3(22): 131. 1863 [Mar 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pallidifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paludicola* D.Nicolle -- A new series, *Incognitae*, of *Eucalyptus* L'Her., including a new species endemic to Fleurieu Peninsula and Kangaroo Island, South Australia 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paludicola* D.Nicolle -- J. Adelaide Bot. Gard. 16: 75. 1995 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paludosa* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paludosa* R.T.Baker -- Proc. Linn. Soc. New South Wales xxiii. 167. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus palustris* Brooker -- Austral. Syst. Bot. 13(1): 137 (2000), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus panda* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus panda* S.T.Blake -- Proc. Roy. Soc. Queensland 69: 87. 1958 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus panda* subsp. *illaquens* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus panda* subsp. *panda* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* Sm. -- Trans. Linn. Soc. London 3: 287. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* var. *angustifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* var. *conferta* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* var. *fasciculosa* (F.Muell.) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* subsp. *matutina* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* Sm. subsp. *matutina* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 77. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* var. *paniculata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paniculata* subsp. *paniculata* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pantoleuca* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 513. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus papillosa* (K.D.Hill & L.A.S.Johnson) Brooker -- *Austral. Syst. Bot.* 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus papuana* F.Muell. -- *Descr. Notes Papuan Pl.* 1(1): 8. 1875 [Nov 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus papuana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus papuana* var. *aparrerinja* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paradoxa* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paradoxa* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 30 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus paralimnetica* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 315. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus parramattensis* E.C.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* E.C.Hall -- Proc. Linn. Soc. New South Wales 1912, xxxvii. 568 (1913). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* subsp. *decadens* L.A.S.Johnson & Blaxell -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* E.C.Hall subsp. *decadens* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 225. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* subsp. *parramattensis* E.C.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* var. *parramattensis* E.C.Hall -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parramattensis* var. *sphaerocalyx* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parviflora* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parviflora* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 90. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parvifolia* Cambage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parvifolia* Cambage -- Proc. Linn. Soc. New South Wales 1909, xxxiv. 336. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parvula* L.A.S.Johnson & K.D.Hill -- Telopea 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus parvula* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 233, nom. nov. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pastoralis* S.Moore -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pastoralis* S.Moore -- J. Bot. 40: 27. 1902 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patellaris* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patellaris* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 84. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patens* Benth. -- Fl. Austral. 3: 247. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patens* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patentiflora* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 125. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patentiflora* F.Muell. -- *Fragm. (Mueller)* 2(12): 64, in syn. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patentiflora* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patentinervis* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus patentinervis* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxiv. 602. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. -- *Syst. Veg.*, ed. 16 [Sprengel] 4(2, *Cur. Post.*): 195. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. subsp. *acerina* Rule -- Muelleria 8(2): 223. 1994 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *alpina* Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *cylindrocarpa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *debeuzevillei* (Maiden) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. subsp. *debeuzevillei* (Maiden) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 379. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *densiflora* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. subsp. *hedraia* Rule -- *Muelleria* 8(2): 227. 1994 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *nana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *niphophila* (Maiden & Blakely) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. subsp. *niphophila* (Maiden & Blakely) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 379. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* Sieber ex Spreng. subsp. *parvifructa* Rule -- Muelleria 8(2): 229. 1994 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *pauciflora* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *pauciflora* Rule -- Three new endemic subspecies of Snow Gum for Victoria and notes on the taxonomy of the informal superspecies *pauciflora* L.D.Pryor and L.A.S.Johnson 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *pauciflora* Rule -- Three new endemic subspecies of Snow Gum for Victoria and notes on the taxonomy of the informal superspecies *pauciflora* L.D.Pryor and L.A.S.Johnson 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal



Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *pauciflora* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* subsp. *pauciflora* Rule -- Three new endemic subspecies of Snow Gum for Victoria and notes on the taxonomy of the informal superspecies *pauciflora* L.D.Pryor and L.A.S.Johnson 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pauciflora* var. *rusticata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peacockeana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peacockeana* Maiden -- Crit. Rev. *Eucalyptus* vi. 113 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peeneri* (Blakely) Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peeneri* (Blakely) Prior & Johnson ex Boomsma -- J. Adelaide Bot. Gard. 1(6): 368. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pellita* F.Muell. -- Fragn. (Mueller) 4(30): 159. 1864 [Nov 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pellita* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* Benth. -- Fl. Austral. 3: 254. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* Benth. subsp. *dimorpha* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 418 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* subsp. *dimorpha* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* Benth. subsp. *leichhardtii* (F.M.Bailey) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 453. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* subsp. *leichhardtii* (Bailey) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peltata* subsp. *peltata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pendens* Brooker -- Nuytsia 1(3): 243. 1972 [14 Nov 1972] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pendens* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pendula* Steud. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pendula* Page ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 600. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus penicillata* hort. ex DC. -- Prodr. [A. P. de Candolle] 3: 218. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus penicillata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus peninsularis* D.Nicolle -- Austral. Syst. Bot. 12(2): 230 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus penrithensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perangusta* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perangusta* Brooker -- Nuytsia 6(3): 330 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus percostata* Brooker & P.J.Lang -- J. Adelaide Bot. Gard. 13: 65. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus percostata* Brooker & P.J.Lang -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perfoliata* R.Br. ex Benth. -- Fl. Austral. 3: 253. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perfoliata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perfoliata* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perfoliata* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perfoliata* Desf. -- Tabl. École Bot., ed. 3 (Cat. Pl. Horti Paris.) 408. 1829 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perplexa* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perplexa* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 3 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perriniana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perriniana* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perriniana* Herb.Perrin ex Maiden -- in Rep. Austral. Assoc. Advanc. Sc. ix. (1903), 377. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus perriniana* Rodway -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persicifolia* DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus persicifolia* Lodd. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persicifolia* G.Lodd. -- Bot. Cab. 6(1): t. 501. 1821 [Jul 1821] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persicifolia* Miq. -- Ned. Kruidk. Arch. iv. (1859) 137. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persistens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persistens* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 336. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persistens* subsp. *persistens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persistens* L.A.S.Johnson & K.D.Hill subsp. *tardecidens* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 337. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus persistens* subsp. *tardecidens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petalophylla* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petalophylla* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 428 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petiolaris* (Boland) Rule -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petiolaris* (Boland) Rule -- *Muelleria* 7(4): 503, without exact basionym page. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petraea* D.J.Carr & S.G.M.Carr -- *Nuytsia* 4(3): 279 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petraea* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petrensis* Brooker & Hopper -- *Nuytsia* 9(1): 16 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petrensis* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petrophila* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus petrophila* Blakely -- Key Eucalypts 199 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaenophylla* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaenophylla* Brooker & Hopper -- Nuytsia 8(1): 76 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaenophylla* Brooker & Hopper subsp. *interjacens* Brooker & Hopper -- Nuytsia 8(1): 81 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaenophylla* subsp. *interjacens* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaenophylla* subsp. *phaenophylla* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaeotricha* Blakely & McKie -- Blakely, Key Eucalypts 182 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phaeotricha* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phellandra* R.T.Baker & H.G.Sm. -- Research Eucalypts, ed. 2 280 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phellandra* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phenax* Brooker & Slee -- Muellera 9: 77. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phenax* Brooker & Slee subsp. *compressa* D.Nicolle -- J. Adelaide Bot. Gard. 19: 84. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phlebophylla* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phlebophylla* F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 140. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phoenicea* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 91. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phoenicea* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phoenix* Molyneux & Forrester -- *Muelleria* 31: 66. 2013 [8 Apr 2013]

Purified (Shodhit) *Eucalyptus phylacis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 591. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus phylacis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4) 1992 [12 Mar 1992] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilbarensis* Brooker & Edgecombe -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilbarensis* Brooker & W.B.Edgecombe -- Nuytsia 5(3): 376 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pileata* Blakely -- Key Eucalypts 120 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pileata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilligaensis* Maiden -- J. & Proc. Roy. Soc. New South Wales 1920, liv. 163. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilligaensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* DC. -- Prodr. [A. P. de Candolle] 3: 218. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* Sm. -- Trans. Linn. Soc. London 3: 284. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* var. *acmenoides* (Schauer) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* var. *muelleriana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* var. *pilularis* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* var. *pyriformis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pilularis* var. *typica* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pimpleana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pimpleana* Maiden -- Crit. Rev. *Eucalyptus* ii. 211 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* Stokes -- Bot. Mat. Med. iii. 69. 1812 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* Sm. -- in White, Journ. Voy. N. S. Wales 226. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* Sm. -- Trans. Linn. Soc. London 3: 286. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* hort. ex DC. -- Prodr. [A. P. de Candolle] 3: 221. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *brachycorys* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *eugenioides* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *laxiflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *orophila* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *pauciflora* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* subsp. *piperita* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* var. *piperita* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* Sm. subsp. *urceolaris* (Maiden & Blakely) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 381. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus piperita* subsp. *urceolaris* (Maiden & Blakely) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus placita* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 80. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus placita* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus planchoniana* F.Muell. -- *Fragm. (Mueller)* 11(89): 43. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus planchoniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus planipes* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 281. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platycorys* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platycorys* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 42 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platydisca* D.Nicolle & Brooker -- *Nuytsia* 16(1): 89 (-93, figs. 2-4A). 2006 [20 Dec 2006]

Purified (Shodhit) *Eucalyptus platyphylla* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 93. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platyphylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platyphylla* var. *platyphylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platyphylla* var. *tintinnans* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypodos* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypodos* Cav. -- Icon. [Cavanilles] iv. 23. t. 341. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* Hook. -- Icon. Pl. 9: t. 849. 1851 [1852 publ. Apr-Dec 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* Hook. subsp. *congregata* Brooker & Hopper -- Nuytsia 14(3): 350 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* var. *heterophylla* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* var. *nutans* (F.Muell.) Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus platypus* var. *platypus* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus plena* (K.D.Hill & L.A.S.Johnson) Brooker -- Austral. Syst. Bot. 13(1): 138 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus plenissima* (C.A.Gardner) Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus plenissima* (C.A.Gardner) Brooker -- Austral. Forest Res. 7(2): 65. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pleurocarpa* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pleurocarpa* Schauer -- in Lehm. Pl. Preiss. 1(1): 132. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pleurocorys* L.A.S.Johnson & K.D.Hill -- Telopea 9(2): 277. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pluricaulis* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pluricaulis* Brooker & Hopper -- *Nuytsia* 8(1): 155 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pluricaulis* subsp. *pluricaulis* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pluricaulis* Brooker & Hopper subsp. *porphyrea* Brooker & Hopper -- *Nuytsia* 8(1): 161 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pluricaulis* subsp. *porphyrea* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus plurilocularis* F.Muell. -- (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus plurilocularis* F.Muell. -- *Fragm. (Mueller)* 2(12): 70. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pocillum* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pocillum* S.G.M. -- *Eucalyptus* 2 The rubber cuticle, and other studies of the *Corymbosae* 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pocillum* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 293 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polita* Brooker & Hopper -- *Nuytsia* 9(1): 51 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polita* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* Schauer -- *Repert. Bot. Syst. (Walpers)* ii. 924. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* Schauer subsp. *longior* Brooker & Slee -- *Muelleria* 9: 82. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* Schauer subsp. *marginalis* Rule -- *Muelleria* 20: 29 (-31). 2004

Purified (Shodhit) *Eucalyptus polyanthemos* subsp. *polyanthemos* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* subsp. *vestita* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polyanthemos* Schauer subsp. *vestita* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 75. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polybractea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polybractea* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 692. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polycarpa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polycarpa* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 88. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polycarpa* var. *oligocarpa* Blakely & Jacobs -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polycarpa* var. *polycarpa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polysciada* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 98. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus polysciada* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pontis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 88 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pontis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* Desf. -- Tabl. École Bot., ed. 3 (Cat. Pl. Horti Paris.) 408. 1829 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus populifolia* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* Hook. -- Icon. Pl. 9: t. 879. 1851 [1852 publ. Apr-Dec 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* Hook. -- J. Exped. Trop. Australia [Mitchell] 204. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* var. *obconica* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populifolia* var. *populifolia* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 93. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* subsp. *bimil* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* F.Muell. subsp. *bimil* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 71. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* var. *obconica* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* var. *populnea* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus populnea* subsp. *populnea* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus porosa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus porosa* Miq. -- Ned. Kruidk. Arch. iv. (1859) 131. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus porrecta* S.T.Blake -- Austral. J. Bot. 1: 251. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus porrecta* S.T.Blake -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus portuensis* K.D.Hill -- Telopea 8(2): 234. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus praecox* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus praecox* Maiden -- J. & Proc. Roy. Soc. New South Wales 1914, xlviii. 123 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus praetermissa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus praetermissa* Brooker & Hopper -- Nuytsia 8(1): 136 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prava* L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 48. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prava* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 131. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* var. *glauca* Regel -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* subsp. *lobata* Brooker & Slee -- Nuytsia 10(1) 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* Schauer subsp. *lobata* Brooker & Slee -- Nuytsia 10(1): 12 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* subsp. *preissiana* Brooker & Slee -- *Eucalyptus* series *Preissianae* (Purified (Shodhit)), a new series of Western Australian eucalypts and the description of a new subspecies in the series 1995 (Medium duration purification) as key

ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* var. *preissiana* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus preissiana* subsp. *preissiana* Schauer -- *Eucalyptus* series *Preissianae* (Purified (Shodhit)), a new series of Western Australian eucalypts and the description of a new subspecies in the series 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus procera* Dehnh. -- Cat. Pl. Horti Camald., ed. 2 20. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus procera* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prolixa* D.Nicolle -- Nuytsia 13(2): 312 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prominens* Brooker -- Nuytsia 2(2): 115. 1976 [25 May 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prominens* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prominula* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 248. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus prominula* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus propinqua* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus propinqua* Deane & Maiden -- Proc. Linn. Soc. New South Wales ser. 2, 10: 541. 1896 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus propinqua* var. major Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus propinqua* var. *propinqua* H.Deane -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus protensa* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus protensa* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 219. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus provecta* A.R.Bean -- *Austrobaileya* 5(4): 681 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus proxima* D.Nicolle & Brooker -- *Nuytsia* 15(3): 423 (-424, 427; fig. 6a,c-d). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus pruiniramis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 563. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruiniramis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4) 1992 [12 Mar 1992] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruinosa* Schauer -- *Repert. Bot. Syst. (Walpers)* ii. 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruinosa* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruinosa* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruinosa* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 23. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pruinosa* Schauer subsp. *tenuata* L.A.S.Johnson & K.D.Hill -- Telopea 8(4): 538. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pryoriana* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pryoriana* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 115. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus psammitica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus psammitica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 85. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pseudoglobulus* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* × *pseudoglobulus* hort. ex Maiden -- Proc. Linn. Soc. New South Wales 1903, xxviii. 899 (1904); et in Proc. Linn.Soc. N. S. Wales, 1905, xxx. 499 (1906); Trab. in Bull. Stat. Recherch.Forest,Nord Afr. i. 151 (1917); Maiden, Crit. Rev. *Eucalyptus*, vi. II. 78(1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pseudopiperita* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pseudopiperita* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 8 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pterocarpa* C.A.Gardner ex P.J.Lang -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pterocarpa* C.Gardner ex P.J.Lang -- Fl. Australia 19: 510, 293. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ptychocarpa* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 90. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ptychocarpa* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulchella* Desf. -- Tabl. École Bot., ed. 3 (Cat. Pl. Horti Paris.) 408. 1829 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulchella* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* Sims -- Bot. Mag. 46: t. 2087. 1819 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* Sims -- Curtis's Botanical Magazine new series 46 1819 No page numbers used. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* Link -- Enum. Hort. Berol. Alt. 2: 31. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* var. *lanceolata* A.W.Howitt -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulverulenta* var. *ovatifolia* Dehnh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulviger* A.Cunn. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pulviger* A.Cunn. -- Geogr. Mem. New South Wales [Field] 350. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pumila* Cambage -- Journ. Roy. Soc. N. S. Wales 1918, lii. 453 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pumila* Cambage -- Journal and Proceedings of the Royal Society of New South Wales 52 1919 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus punctata* DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* var. *didyma* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* var. *grandiflora* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* var. *longirostrata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* var. *major* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus punctata* var. *punctata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus puncticulata* (Benth.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus puncticulata* (Benth.) Blakely -- Key Eucalypts 114 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurascens* Link -- Enum. Hort. Berol. Alt. 2: 31. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurascens* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurascens* var. *petiolaris* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurascens* var. *petiolulata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurascens* var. *purpurascens* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus purpurata* D.Nicolle -- Nuytsia 15(1): 81 (2002). [6 Dec 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pygmaea* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 149. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pygmaea* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyreneae* Rule -- Muelleria 20: 14 (-17; figs. 1, 3). 2004

Purified (Shodhit) *Eucalyptus pyriformis* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 22. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* var. *elongata* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* var. *kingsmillii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* var. *minor* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* var. *pyriformis* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* subsp. *pyriformis* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* var. *rameliana* (F.Muell.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyriformis* subsp. *youngiana* (F.Muell.) Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrocarpa* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrocarpa* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 454, nom. nov. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* Benth. -- Fl. Austral. 3: 257. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* var. *compacta* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* forma *compacta* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* var. *polycarpa* (F.Muell.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* var. *pyrophora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus pyrophora* forma *pyrophora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadrangulata* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadrangulata* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiv. 451. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadrans* Brooker & Hopper -- Nuytsia 9(1): 43 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadrans* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadricostata* Brooker -- Austrobaileya 2(2): 151 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus quadricostata* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus quaerenda* (L.A.S.Johnson & K.D.Hill) Byrne -- *Nuytsia* 15(2): 321. 2004

Purified (Shodhit) *Eucalyptus quinniorum* J.T.Hunter & J.J.Bruhl -- *Telopea* 8(2): 257. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* Cav. -- Icon. [Cavanilles] iv. 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* var. *longiflora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* var. *macrocarpa* (Domin) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* var. *racemosa* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus racemosa* Cav. subsp. *rossii* (R.T.Baker & H.G.Sm.) B.E.Pfeil & Henwood -- *Telopea* 10(3): 721. 2004 [21 Jul 2004]

Purified (Shodhit) *Eucalyptus racemosa* var. *signata* (F.Muell.) R.D.Johnst. & Marryatt -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 218. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* var. *australiana* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* subsp. *radiata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* var. *radiata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* subsp. *robertsonii* (Blakely) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* Sieber ex DC. subsp. *robertsonii* (Blakely) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 380. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* subsp. *sejuncta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* Sieber ex DC. subsp. *sejuncta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 98, nom. nov. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* var. *subexserta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiata* var. *subplatyphylla* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* × *radiodives* R.A.Black -- *Vict. Naturalist* 60: 175. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus radiodives* R.A.Black -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ralla* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ralla* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 250. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rameliana* Trabut. -- *Mem. Assoc. Franc. Marseille* 1891 (1892) 463. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rameliana* Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rameliana* F.Muell. -- *Fragm. (Mueller)* 10(85): 84. 1876 [Oct 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rameliana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rariflora* F.M.Bailey -- *Queensland Agric. J. n.s.*, 1914, i. 62. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rariflora* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus raveretiana* F.Muell. -- *Fragmenta Phytographiae Australiae* 10 1877 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus raveretiana* F.Muell. -- *Fragm. (Mueller)* 10(86): 99. 1877 [Feb 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus raveretiana* var. *jerichoensis* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus raveretiana* var. *raveretiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ravidia* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 206, nom. nov. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ravidia* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus recta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus recta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 604. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus recurva* Crisp -- *Telopea* 3(2): 223. 1988 [26 May 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus recurva* Crisp -- *Telopea* 3(2) 1988 [26 May 1988] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redimiculifera* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 316. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus reducta* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 344. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus reducta* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* Schauer -- Pl. Preiss. [J.G.C.Lehmann] 1(1): 127. 1844 [19-21 Sep 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *angustifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *elata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *melanophloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *oxymitra* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *redunca* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus redunca* var. *subangusta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus regnans* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus regnans* F.Muell. -- in Rep. Acclim. Soc. Vict. (1870) 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus regnans* var. *fastigata* Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus regnans* var. *regnans* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus relictata* Hopper & Ward.-Johnson -- *Nuytsia* 15(2): 235 (-237; fig. 3). 2004

Purified (Shodhit) *Eucalyptus remota* Blakely -- *Key Eucalypts* 197 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus remota* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus repullulans* D.Nicolle -- Nuytsia 11(3): 376 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* Hort.Arg. ex Maiden -- Crit. Rev. Eucalyptus 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* Sm. -- in White, Journ. Voy. N. S. Wales 231. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *grandiflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *hemilampra* (F.Muell.) Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* subsp. *hemilampra* (F.Muell.) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* Sm. subsp. *hemilampra* (F.Muell.) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 46. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *kirtoniana* (F.Muell.) H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *pellita* (F.Muell.) F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* subsp. *resinifera* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *resinifera* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *spectabilis* (F.Muell.) F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus resinifera* var. *typica* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus reticulata* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus reticulata* Link -- Enum. Hort. Berol. Alt. 2: 29. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus retinens* L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 56. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus retinens* L.A.S.Johnson & K.D.Hill -- Telopea 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus retusa* D.Nicolle, M.E.French & McQuoid -- Nuytsia 18: 217 (- 219; figs. 13-14, map). 2008 [21 Aug 2008]

Purified (Shodhit) *Eucalyptus rhodantha* Blakely & H.Steedman -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodantha* Blakely & H.Steedman -- Proc. Linn. Soc. New South Wales 63: 68. 1938 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodantha* var. *petiolaris* Blakely -- The Australian Naturalist 10(8) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodantha* var. *rhodantha* Blakely & H.Steedman -- The Australian Naturalist 10(8) 1941 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodophloia* (Benth.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus rhodophloia* (Benth.) Blakely -- Key Eucalypts 115 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodops* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhodops* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 283 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhombica* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhombica* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhombica* A.R.Bean & Brooker -- *Austrobaileya* 4(2): 187 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rhomboidea* Hopper & D.Nicolle -- *Nuytsia* 17: 189 (185-193; figs. 1-2, map). 2007 [5 Dec 2007]

Purified (Shodhit) *Eucalyptus rigens* Brooker & Hopper -- *Nuytsia* 7(1): 8 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigens* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigescens* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigescens* Blakely -- Key Eucalypts 207 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigida* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigida* Hoffmanns. -- Verz. Pfl.-Kult. Nachtr. 2: 114. 1826 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigida* Sieber ex Benth. -- Fl. Austral. 3: 205. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigida* var. *luehmanniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigida* var. *rigida* Hoffmanns. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigidula* Cambage & Blakely -- Crit. Rev. *Eucalyptus* 7: 403. 1928 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rigidula* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus risdoni* Hook.f. -- London J. Bot. 6: 477. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus risdonii* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus risdonii* var. *elata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus risdonii* var. *hypericifolia* Rodway -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus risdonii* var. *risdonii* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rivularis* Blakely -- Key Eucalypts 253 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rivularis* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robertsonii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robertsonii* Blakely -- Journ. Roy. Soc. N. S. Wales 1927, lxi. 167. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robertsonii* subsp. *hemisphaerica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1) 1990 [26 Sep 1990] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robertsonii* subsp. *hemisphaerica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 101. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robertsonii* subsp. *robertsonii* Blakely -- *Telopea* 4(1) 1990 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robsoniae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robsoniae* Blakely & McKie -- Blakely, Key Eucalypts 236 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robur* (L.A.S.Johnson & K.D.Hill) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robusta* Sm. -- Bot. N. Holl. 39; et in Trans. Linn. Soc. iii. (1797) 283. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robusta* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robusta* var. *bivalvis* (Blakely) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robusta* var. *robusta* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus robusta* var. *rostrata* (Cav.) Pers. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rodwayi* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rodwayi* R.T.Baker & H.G.Sm. -- Research Eucalypts Tasman. 53 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus rosacea* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 623. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rosacea* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rossii* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rossii* R.T.Baker & H.G.Sm. -- Research on the Eucalypts 70. 1902 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* Cav. -- Icon. [Cavanilles] iv. 23. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* Schltdl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* Schltdl. -- Linnaea 20: 655. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* var. *acuminata* (Hook.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* var. *borealis* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* var. *brevirostris* (Miq.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* var. *rostrata* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rostrata* var. *studleyensis* (Maiden) Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rowleyi* D.Nicolle & M.E.French -- Nuytsia 22(1): 25. 2012 [23 Mar 2012] [epublished]

Purified (Shodhit) *Eucalyptus roycei* S.G.M.Carr, D.J.Carr & A.S.George -- Proc. Roy. Soc. Victoria n. s., lxxxiii. 159. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus roycei* S.G.M.Carr, D.J.Carr & A.S.George -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* Deane & Maiden -- Proc. Linn. Soc. New South Wales xxiv. 456. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* subsp. *barbigerorum* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* Deane & Maiden subsp. *barbigerorum* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 240. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* subsp. *barbigerorum* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* Deane & Maiden subsp. *canobolensis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 239. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* subsp. *canobolensis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2) 1991 [1 Mar 1991] (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* subsp. *rubida* H.Deane & Maiden -- *Telopea* 4(2) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* subsp. *septemflora* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubida* Deane & Maiden subsp. *septemflora* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 241. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on

its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubiginosa* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubiginosa* Brooker -- Austral. Forest Res. 14(4): 311. 1984 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubricaulis* Desf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rubricaulis* Desf. -- Tabl. École Bot., ed. 3 (Cat. Pl. Horti Paris.) 408. 1829 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudderi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudderi* Maiden -- Proc. Linn. Soc. New South Wales xxix. 779. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* Endl. -- Enum. Pl. [Endlicher] 49. 1837 [Apr 1837] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* Endl. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* subsp. *cratyantha* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* Endl. subsp. *cratyantha* Brooker & Hopper -- Nuytsia 9(1): 63 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* subsp. *cratyantha* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rudis* subsp. *rudis* Endl. -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rugosa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rugosa* R.Br. ex Blakely -- Key Eucalypts 120 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rugulata* D.Nicolle -- Nuytsia 15(1): 79 (2002). [6 Dec 2002] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rummeryi* Maiden -- Crit. Rev. *Eucalyptus* vi. 427 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rummeryi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rupestris* Brooker & Done -- *Nuytsia* 5(3): 385 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rupestris* Brooker & Done -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rupicola* L.A.S.Johnson & Blaxell -- *Contr. New South Wales Natl. Herb.* 4(5): 287. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rupicola* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rydalensis* R.T.Baker & H.G.Sm. -- Research Eucalypts ii. 48 (1920); Cambage & Blakely in Maiden, Crit. Rev.Eucalyptus, vii. 427 (1928), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rydalensis* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus rydalensis* R.T.Baker & H.G.Sm. -- Res. Eucalypts Essential Oils ed. 2: 48 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sabulosa* Rule -- Muelleria 9: 138. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicifolia* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicifolia* Cav. -- Icon. [Cavanilles] iv. 24. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicifolia* var. *hypericifolia* (Benth.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicifolia* var. *salicifolia* Cav. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicola* Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salicola* Brooker -- Nuytsia 6(3): 329 (1988). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* Sm. -- Trans. Linn. Soc. London 3: 285. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* Hort.Berol. ex Maiden -- Crit. Rev. *Eucalyptus* 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* var. *botryoides* (Sm.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* Hort.Berol. ex Maiden subsp. *botryoides* (Sm.) Passioura & J.E.Ash -- Austral. Syst. Bot. 6(2): 182 (1993):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* subsp. *botryoides* (Sm.) Passioura & J.E.Ash -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* var. *pallidivalvis* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* var. *parviflora* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* var. *protrusa* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* subsp. *saligna* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saligna* var. *saligna* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salmonophloia* F.Muell. -- Fragn. (Mueller) 11(88): 11. 1878 [Mar 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salmonophloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salubris* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salubris* F.Muell. -- *Fragm. (Mueller)* 11(89): 54. 1878 [Nov 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salubris* var. *glaucua* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus salubris* var. *salubris* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 133. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* F.Muell. -- *Trans. & Proc. Victorian Inst. Advancem. Sci.* i. (1855) 35, partim. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* F.Muell. -- Trans. & Proc. Victorian Inst. Advancem. Sci. i. (1855) 35. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* var. *baxteri* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus santalifolia* var. *santalifolia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sarassa* Blume -- Mus. Bot. 1(6): 84. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sargentii* Maiden -- Crit. Rev. *Eucalyptus* vii. 58 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sargentii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sargentii* subsp. *fallens* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 575. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sargentii* subsp. *fallens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sargentii* Maiden subsp. *onesia* D.Nicolle -- *Nuytsia* 15(3): 398 (-399; fig. 1). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus sargentii* subsp. *sargentii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saxatilis* J.B.Kirkp. & Brooker -- Austral. Forest Res. 7(3): 209. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saxatilis* J.B.Kirkp. & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus saxicola* J.T.Hunter -- Telopea 9(2): 403. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scabra* Dum.Cours. -- Bot. Cult., ed. 2. 7: 280. 1814 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scabra* Dum.Cours. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scabrida* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scabrida* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 420 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus schlechteri* Diels -- *Bot. Jahrb. Syst.* 57(4): 423. 1922 [23 May 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 42. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* subsp. *apoda* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* L.A.S.Johnson & K.D.Hill subsp. *apoda* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 44. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* L.A.S.Johnson & K.D.Hill subsp. *callimastha* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 44. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* subsp. *callimastha* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scias* subsp. *scias* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sclerophylla* (Blakely) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(6): 381. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sclerophylla* (Blakely) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scoparia* Maiden -- Proc. Linn. Soc. New South Wales xxix. 777. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scoparia* Maiden -- Proceedings of the Linnean Society of New South Wales 29(4) 1905 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scopulorum* K.D.Hill -- *Telopea* 7(3): 192. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scyphocalyx* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 45 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scyphocalyx* (Benth.) Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scyphocalyx* Maiden & Blakely subsp. *triadica* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 289. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus scyphoidea* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus seeana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus seeana* Maiden -- Proc. Linn. Soc. New South Wales xxix. 469. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus seeana* var. *constricta* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus seeana* subsp. *seeana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus seeana* var. *seeana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus selachiana* L.A.S.Johnson & K.D.Hill -- *Telopea* 7(4): 390. 1998 [29 May 1998] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus semicorticata* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus semicorticata* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 81. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus semiglobosa* (Brooker) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 608. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus semiglobosa* (Brooker) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus semota* C.J.Macph. & Grayling -- *Nuytsia* 10(3): 437 (1996). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sepulcralis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sepulcralis* F.Muell. -- *Eucalypt. Decad. viii.* (1882). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sepulcralis* var. *robusta* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sepulcralis* var. *sepulcralis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serendipita* Brooker & Kleinig -- Field Guide to Eucalypts 3: 371 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serendipita* Brooker & Kleinig -- Field Guide to Eucalypts. Volume 3, Northern Australia 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serpentinicola* L.A.S.Johnson & Blaxell -- Telopea 4(2): 262. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serpentinicola* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serraensis* Ladiges & Whiffin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus serraensis* Ladiges & Whiffin -- Austral. Syst. Bot. 6(4): 367 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sessilis* (Maiden) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sessilis* (Maiden) Blakely -- Key Eucalypts 276 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus setosa* Schauer -- Repert. Bot. Syst. (Walpers) ii. 926. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus setosa* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sheathiana* Maiden -- J. & Proc. Roy. Soc. New South Wales 1915, xlix. 312 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sheathiana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus shiressii* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* vi. 512 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus shiressii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus shirleyi* Maiden -- in Maiden, Crit. Rev. *Eucalyptus* vi. 425 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus shirleyi* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sicilifolia* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sicilifolia* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 339. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* Benth. -- *Fl. Austral.* 3: 220. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* forma *decorticans* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* var. *glauca* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* var. *rostrata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* var. *siderophloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus siderophloia* forma *siderophloia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* A.Cunn. -- J. Exped. Trop. Australia [Mitchell] 339. 1848 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* A.Cunn. ex Woolls -- Proc. Linn. Soc. New South Wales ser. 2, 1: 859. 1886 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* Woolls -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* A.Cunn. ex Woolls subsp. *improcera* A.R.Bean -- *Austrobaileya* 8(2): 139 (-141; fig. 1). 2010 [7 Dec 2010]

Purified (Shodhit) *Eucalyptus sideroxylon* var. *minor* (Benth.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* var. *pallens* (Benth.) Rehder -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* var. *rosea* Guilf. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* var. *rosea* Rehder -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* var. *sideroxylon* Woolls -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* subsp. *sideroxylon* Woolls -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sideroxylon* subsp. *tricarpa* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and



*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberi* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 125. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberi* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberiana* F.Muell. -- *Eucalypt. Decad. ii.* (1879). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberiana* var. *oxleyensis* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sieberiana* var. *sieberiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus signata* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 85. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus signata* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus silvestris* Rule -- *Muelleria* 8(2): 193. 1994 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus silvestris* Rule -- *Eucalyptus silvestris*, a new species of *Eucalyptus* (Purified (Shodhit)) for Victoria and South Australia and notes on Victorian occurrences of *Eucalyptus odorata* 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus similis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus similis* Maiden -- J. & Proc. Roy. Soc. New South Wales 1913, xlvii. 90. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus simmondsii* Maiden -- in Maiden, Crit. Rev. *Eucalyptus* vi. 344 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus simmondsii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus singularis* L.A.S.Johnson & Blaxell -- *Telopea* 9(2): 272. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sinuosa* D.Nicolle, M.E.French & McQuoid -- *Nuytsia* 18: 209 (-212; figs. 9-11, map). 2008 [21 Aug 2008]

Purified (Shodhit) *Eucalyptus smithii* R.T.Baker -- *Proc. Linn. Soc. New South Wales* xxiv. 292. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus smithii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus socialis* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus socialis* F.Muell. ex Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 132. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus socialis* F.Muell. ex Miq. subsp. *eucentrica* (L.A.S.Johnson & K.D.Hill) D.Nicolle -- Austral. Syst. Bot. 18(6): 502. 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus socialis* F.Muell. ex Miq. subsp. *victoriensis* D.Nicolle -- Austral. Syst. Bot. 18(6): 503 (476-477, 504-505; figs. 2, 17). 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus socialis* F.Muell. ex Miq. subsp. *viridans* D.Nicolle -- Austral. Syst. Bot. 18(6): 505 (476-477, 506-507; figs. 4, 18). 2005 [20 Dec 2005]

Purified (Shodhit) *Eucalyptus sparsa* Boomsma -- J. Adelaide Bot. Gard. 1(6): 363. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsa* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsicoma* Brooker & Hopper -- Nuytsia 8(1): 62 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsicoma* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsiflora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsifolia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sparsifolia* Blakely -- Key Eucalypts 190 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* Hook. -- Icon. Pl. 7: t. 611. 1844 [Jan 1844] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* Hook. subsp. *grandiflora* (Benth.) L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(7): 453. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* subsp. *grandiflora* (Benth.) L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* var. *grandiflora* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* Hook. subsp. *salina* D.Nicolle & Brooker -- Nuytsia 15(3): 408 (407-409; fig. 2a,c-d). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus spathulata* subsp. *spathulata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spathulata* var. *spathulata* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spectabilis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spectabilis* F.Muell. -- Fragn. (Mueller) 5(33): 45. 1865 [Jul 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spectatrix* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spectatrix* L.A.S.Johnson & Blaxell -- *Telopea* 4(2): 255. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spenceriana* Maiden -- Ewart & Davies, *Fl. N. Terr.* 307 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations



after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spenceriana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sphaerocarpa* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sphaerocarpa* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 284. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus splachnicarpa* Benth. -- Fl. Austral. 3: 256, in syn. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus splachnicarpa* Hook. -- Bot. Mag. 69: t. 4036. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus splachnicarpon* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus splendens* Rule -- Muelleria 9: 140. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus splendens* Rule subsp. *arcana* D.Nicolle & Brooker -- J. Adelaide Bot. Gard. 18(2): 103. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spodophylla* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spodophylla* F.Muell. -- Fragn. (Mueller) 2(12): 71. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sporadica* Brooker & Hopper -- *Nuytsia* 14(3): 356 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus spreta* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 294. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus squamosa* Deane & Maiden -- *Proc. Linn. Soc. New South Wales* xxii. 561. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus squamosa* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus st-johni* R.T.Baker -- *Hardwoods of Austral.* 218. 1919 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus staeri* Maiden ex Kessell & C.A.Gardner -- in For. Dep. Bull., W. Austral. No. 34, 110 (1924); Maiden in Journ. & Proc. Roy. Soc. N. S. Wales, 1925, lix. 197. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus staeri* (Maiden) Maiden ex Kessell & C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus staerii* Maiden -- Journ. Roy. Soc. N. S. Wales 1925, lix. 197. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus staigeriana* F.Muell. ex Bailey -- Syn. Queensl. Fl. 176. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus staigeriana* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stannariensis* F.M.Bailey -- Queensland Agric. J. xxi. 293 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stannariensis* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stannicola* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stannicola* L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 86. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus steedmanii* C.A.Gardner -- Enum. Pl. Austral. Occ. 88, nomen. 1931 ; C. A. Gardner in Journ. Roy. Soc. W. Austral. 1932-3, 19: 87 (1934), descr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus steedmanii* C.A.Gardner -- Journal of the Royal Society of Western Australia 19 1933 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellaris* Blakely -- Key Eucalypts 192 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellaris* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* Sieber ex DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* var. *alpina* (Lindl.) Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* var. *angustifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* var. *luehmanniana* (F.Muell.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stellulata* var. *stellulata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stenophylla* Link -- Enum. Hort. Berol. Alt. 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stenopylla* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stenostoma* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stenostoma* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 285. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stjohnii* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus × stoataptera* E.M.Benn. -- *Nuytsia* 10(1): 1 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stoataptera* E.M.Benn. -- *Nuytsia* 10(1) 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stoatei* C.A.Gardner -- J. Roy. Soc. Western Australia 1935-6, xxii. 126 (1936). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stoatei* C.A.Gardner -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stockeri* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stockeri* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 288 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stoneana* F.M.Bailey -- *Queensland Agric. J.* xxiii. 259 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stoneana* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stopfordii* Maiden -- *Crit. Rev. Eucalyptus* vi. 114 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stopfordii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stowardii* Maiden -- Journ. Roy. Soc. N. S. Wales 1917, li. 457. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stowardii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus striatocalyx* W.Fitzg. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus striatocalyx* Fitzg. -- Journ. W. Austral. Nat. Hist. Soc. i. 20. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus striatocalyx* Fitzg. subsp. *delicata* D.Nicolle & P.J.Lang -- Nuytsia 11(3): 371 (1997). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricklandii* Maiden -- Journ. Nat. Hist. Sc. Soc. W. Austral. iii. 175 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricklandii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* Sieber ex Spreng. -- Syst. Veg., ed. 16 [Sprengel] 4(2, Cur. Post.): 195. 1827 [Jan-Jun 1827] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* var. *pyrifera* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* var. *rigida* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* var. *stricta* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stricta* var. *subcampanulata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus strzeleckii* Rule -- *Muelleria* 7(4): 497. 1992 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus strzeleckii* Rule -- *Muelleria* 7(4) 1991 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* F.Muell. ex Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 131. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *amblycorys* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *cordata* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *grossa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *longifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *parviflora* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus stuartiana* var. *stuartiana* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus studleyensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 121 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus studleyensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sturgissiana* L.A.S.Johnson & Blaxell -- Contr. New South Wales Natl. Herb. 4(5): 289. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sturgissiana* L.A.S.Johnson & Blaxell -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* (Blakely) Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* (Blakely) Brooker & Hopper -- Nuytsia 8(1): 104 (1991):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus subangusta* (Blakely) Brooker & Hopper subsp. *cerina* Brooker & Hopper -- *Nuytsia* 8(1): 109 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* subsp. *cerina* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* subsp. *pusilla* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* (Blakely) Brooker & Hopper subsp. *pusilla* Brooker & Hopper -- *Nuytsia* 8(1): 108 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* subsp. *subangusta* (Blakely) Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* (Blakely) Brooker & Hopper subsp. *virescens* Brooker & Hopper -- *Nuytsia* 8(1): 115 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subangusta* subsp. *virescens* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subcaerulea* K.D.Hill -- *Telopea* 7(3): 195. 1997 [17 Dec 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subcrenulata* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subcrenulata* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 59 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suberea* Brooker & Hopper -- *Nuytsia* 5(3): 343 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suberea* Brooker & Hopper -- *Nuytsia* 5(3) 1986 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subglucida* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 186. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus submultiplinervis* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus submultiplinervis* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 138. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subtilior* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subtilior* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 89. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subtilis* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subtilis* Brooker & Hopper -- *Nuytsia* 8(1): 118 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subulata* Schauer -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subulata* A.Cunn. ex Schauer -- Repert. Bot. Syst. (Walpers) ii. 924. 1843 [28-30 Dec 1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subvelutina* (F.Muell.) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subviridis* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus subviridis* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 1 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suffulgens* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 341. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suffulgens* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suggrandis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suggrandis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 580. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suggrandis* subsp. *alipes* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suggrandis* L.A.S.Johnson & K.D.Hill subsp. *alipes* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 581. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus suggrandis* L.A.S.Johnson & K.D.Hill subsp. *promiscua* D.Nicolle & Brooker -- *Nuytsia* 15(3): 419 (-421; fig. 5a-b). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus suggrandis* subsp. *suggrandis* -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus surgens* Brooker & Hopper -- *Nuytsia* 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus surgens* Brooker & Hopper -- *Nuytsia* 9(1): 53 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sweetmaniana* Hopper & McQuoid -- *Austral. Syst. Bot.* 22(3): 185 (-187; figs., map). 2009 [10 Jun 2009]

Purified (Shodhit) *Eucalyptus sylvicultrix* F.Muell. ex Benth. -- *Fl. Austral.* 3: 201. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus sylvicultrix* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus symonii* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 36 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus symonii* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus synandra* Crisp -- *Nuytsia* 4(1) 1982 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus synandra* Crisp -- *Nuytsia* 4(1): 129 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus taeniola* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taeniola* R.T.Baker & H.G.Sm. -- Research *Eucalypts* Tasman. 60 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus talyuberlup* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus talyuberlup* D.J.Carr & S.G.M.Carr -- Austral. J. Bot. 28(5-6): 543 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tamala* D.J.Carr & S.G.M.Carr -- Proc. Roy. Soc. Victoria 88(1-2): 12. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tamala* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tardecidens* (L.A.S.Johnson & K.D.Hill) A.R.Bean -- *Austrobaileya* 5(4): 683 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tasmanica* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tasmanica* Blakely -- Key Eucalypts 214 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taurina* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taurina* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taurina* A.R.Bean & Brooker -- *Austrobaileya* 4(2): 189 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taylorii* Maiden -- *Crit. Rev. Eucalyptus* vii. 63 (1924), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus taylorii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tectifica* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tectifica* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 92. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenandrensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 112 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenandrensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenella* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 249. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenella* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenera* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 586. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenera* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuipes* Blakely & C.T.White -- *Proc. Roy. Soc. Queensland* 42: 84. 1931 [1930 publ. 1931] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuipes* (Maiden & Blakely) Blakely & C.T.White -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuiramis* Miq. -- *Ned. Kruidk. Arch.* iv. (1859) 128. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuiramis* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuis* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tenuis* Brooker & Hopper -- Nuytsia 9(1): 48 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tephroclada* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tephroclada* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 586. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tephrodes* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 533. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tephrophloia* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tephrophloia* Blakely -- Key *Eucalypts* 198 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terebra* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 211. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terebra* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* Sm. -- Spec. Bot. New Holland 4: 41. 1795 [6 Jan 1795] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *bancroftii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* Sm. subsp. *basaltica* A.R.Bean -- *Austrobaileya* 9(1): 109. 2013 [17 Dec 2013]

Purified (Shodhit) *Eucalyptus tereticornis* var. *brachycorys* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *brevifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *brevirostris* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *cineolifera* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *dealbata* (Schauer) H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *glaucina* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *latifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *linearis* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *media* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *pruiniflora* (Blakely) Cameron -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *rostrata* Ewart -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* Sm. subsp. *rotunda* A.R.Bean -- *Austrobaileya* 9(1): 111. 2013 [17 Dec 2013]

Purified (Shodhit) *Eucalyptus tereticornis* var. *squamosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tereticornis* var. *tereticornis* Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus teretiuscula* Herb -- Mus. Vind. ex Ettingshausen, Blatt-Skel. Dikot. 203, in obs., t. 85, fig. 17(1861). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus teretiuscula* Ettingsh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 89. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* Sieber ex Benth. -- Fl. Austral. 3: 211. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* var. *carnosa* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* var. *longipedata* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus terminalis* var. *terminalis* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus teretica A.R.Bean* -- *Austrobaileya* 3(3): 468 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus teretica A.R.Bean* -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tessellaris* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tessellaris* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 88. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tessellaris* var. *dallachiana* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tessellaris* var. *tessellaris* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetragona* F.Muell. -- Fragn. (Mueller) 4(26): 51. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetragona* (R.Br.) F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetrapleura* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3(3) 1962 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetrapleura* L.A.S.Johnson -- Contr. New South Wales Natl. Herb. 3: 119. 1962 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetraptera* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 22. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetraptera* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetrodonta* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 97. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tetrodonta* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus thamnoides* Brooker & Hopper -- Nuytsia 14(3): 353 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus thamnoides* Brooker & Hopper subsp. *megista* Brooker & Hopper -- *Nuytsia* 14(3): 354 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tholiformis* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tholiformis* A.R.Bean & Brooker -- *Austrobaileya* 4(2): 188 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tholiformis* A.R.Bean & Brooker -- Four new species of ironbark (*Eucalyptus* L.Herit., Purified (Shodhit)) from southern Queensland 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus thozetiana* F.Muell. ex R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus thozetiana* F.Muell. ex R.T.Baker -- Proc. Linn. Soc. New South Wales 1906, xxxi. 305. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tindalae* Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 61 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tindaliae* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tinghaensis* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tinghaensis* Blakely & McKie -- Proc. Linn. Soc. New South Wales 1930, lv. 591. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tintinnans* (Blakely & Jacobs) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tintinnans* (Blakely & Jacobs) L.A.S.Johnson & K.D.Hill -- Fl. Australia 19: 509. 1988 [27 Jun 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus todtiana* F.Muell. -- S. Sci. Rec. ii. (1882) 171. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus todtiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tokwa* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tokwa* D.J.Carr & S.G.M.Carr -- *Eucalyptus* II 152 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus torelliana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus torelliana* F.Muell. -- *Fragm. (Mueller)* 10(87): 106. 1877 [Oct 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus torquata* Luehm. -- *Vict. Naturalist* 13: 147. 1897 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus torquata* Luehm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tortilis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tortilis* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 209. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trabutii* A.Vilm. ex Trab. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus* × *trabutii* Vilm. -- Cat. Pl. Serreet Orang. etc. 1912-13, 24; Trab. in Bull. Stat. Recherch. Forest.Nord Afr. i. 141 (1917):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trachybasis* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 281. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trachyphloia* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 90. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trachyphloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trachyphloia* forma *fruticosa* F.M.Bailey -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trachyphloia* forma *trachyphloia* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus transcontinentalis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus transcontinentalis* Maiden -- J. & Proc. Roy. Soc. New South Wales 1919, liii. 58. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus transcontinentalis* Maiden subsp. *semivestita* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(2): 201. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus translucens* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus translucens* A.Cunn. ex Maiden -- *Crit. Rev. Eucalyptus* 157. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triantha* Link -- *Enum. Hort. Berol. Alt.* 2: 30. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triantha* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triantha* var. *carnea* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triantha* var. *triantha* Link -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triantha* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tricarpa* (L.A.S.Johnson) L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tricarpa* (L.A.S.Johnson) L.A.S.Johnson & K.D.Hill -- *Telopea* 4(2): 247. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tricarpa* (L.A.S.Johnson) L.A.S.Johnson & K.D.Hill subsp. *decora* Rule -- *Muelleria* 20: 27 (-29). 2004

Purified (Shodhit) *Eucalyptus triflora* (Maiden) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triflora* (Maiden) Blakely -- Key Eucalypts 201 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trinervis* Herb.Mus.Vind. ex Ettingsh. -- Blatt-Skel. Dikot. 204, t. 84, fig. 4 (1861). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trinervis* Ettingsh. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triplex* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus triplex* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 61. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trivalva* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus trivalva* Blakely -- *Trans. & Proc. Roy. Soc. S. Austral.* 1936, lx. 155. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tropica* Cambage ex Maiden -- *Crit. Rev. Eucalyptus* viii. 6 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tropica* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tuberculata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tuberculata* Parm ex DC. -- Prodr. [A. P. de Candolle] 3: 221. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tumida* Brooker & Hopper -- Nuytsia 8(1): 85 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus tumida* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus turbinata* Behr & F.Muell. ex Miq. -- Ned. Kruidk. Arch. iv. (1859) 137. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus turbinata* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus ultima* L.A.S.Johnson & K.D.Hill -- Telopea 8(2): 188. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* Dum.Cours. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* Dum.Cours. -- Bot. Cult., ed. 2. 7: 279. 1814 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* Domin -- Biblioth. Bot. lxxxix. 467 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *dealbata* (Schauer) Domin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *glaucina* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *latifolia* (Benth.) Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *media* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *pruiniflora* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbellata* var. *umbellata* Dum.Cours. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbonata* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbonata* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 95 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbra* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 687. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbra* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbra* subsp. *carnea* L.A.S.Johnson -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbra* subsp. *umbra* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbrawarrensis* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus umbrawarrensensis* Maiden -- Crit. Rev. *Eucalyptus* vi. 257 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* Turcz. -- Bull. Soc. Imp. Naturalistes Moscou xxii. (1849) II. 23. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* var. *latifolia* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* var. *major* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* var. *pedicellata* Hochr. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* var. *rostrata* Benth. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uncinata* var. *uncinata* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus undulata* hort. ex Maiden -- Crit. Rev. *Eucalyptus* 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus undulata* Colla -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus undulata* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus undulata* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 95. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus unialata* R.T.Baker & H.G.Sm. -- Research Eucalypts Tasman. 38 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus unialata* R.T.Baker & H.G.Sm. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urceolaris* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urceolaris* Maiden & Blakely -- in Maiden, Crit. Rev. *Eucalyptus* viii. 10 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urna* D.Nicolle -- Austral. Syst. Bot. 12(2): 227 (1999). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnigera* Hook.f. -- London J. Bot. 6: 477. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnigera* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnigera* var. *elongata* Rodway -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnigera* var. *urnigera* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnularis* D.J.Carr & S.G.M.Carr -- *Eucalyptus* 1, New or little-known spp. *Corymbosae* 87 (1985). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urnularis* S.G.M. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus urophylla* S.T.Blake -- *Austrobaileya* 1(1): 7. 1977 [1 Dec 1977] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus utilis* Brooker & Hopper -- *Nuytsia* 14(3): 349 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus uvida* K.D.Hill -- *Telopea* 8(2): 231. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus valens* L.A.S.Johnson & K.D.Hill -- *Telopea* 9(2): 299. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus varia* Brooker & Hopper -- *Nuytsia* 8(1): 162 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus varia* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus varia* subsp. *salsuginosa* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus varia* Brooker & Hopper subsp. *salsuginosa* Brooker & Hopper -- *Nuytsia* 8(1): 165 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus varia* subsp. *varia* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus variegata* F.Muell. -- J. Proc. Linn. Soc., Bot. 3: 88. 1858 [1859 publ. 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus variegata* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vegrandis* L.A.S.Johnson & K.D.Hill -- Telopea 4(4): 577. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vegrandis* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vegrandis* L.A.S.Johnson & K.D.Hill subsp. *recondita* D.Nicolle & Brooker -- *Nuytsia* 15(3): 423 (421, 427; figs. 5c, 6a). 2005 [16 Dec 2005]

Purified (Shodhit) *Eucalyptus vernicosa* Hook.f. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vernicosa* Hook.f. -- London J. Bot. 6: 478. 1847 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucata* Ladiges & Whiffin -- A new name for *Eucalyptus verrucosa*, Grampian Ranges, Victoria 1995 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucata* Ladiges & Whiffin -- Austral. Syst. Bot. 8(1): 123 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Ladiges & Whiffin -- see Colla, Herb. Pedem. 2: 422 (1834). 1993 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Ladiges & Whiffin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Ladiges & Whiffin -- Austral. Syst. Bot. 6(4): 367 (1993), homonym;. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Huguen. ex Colla -- Herb. Pedem. ii. 422 (1834), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Sweet -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus verrucosa* Colla -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus versicolor* Blume -- Mus. Bot. 1(6): 84. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vesiculosa* Brooker & Hopper -- Nuytsia 14(3): 341 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vicina* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vicina* L.A.S.Johnson & K.D.Hill -- Telopea 4(2): 229. 1991 [1 Mar 1991] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus victoriana* Ladiges & Whiffin -- Austral. Syst. Bot. 6(4): 366 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus victoriana* Ladiges & Whiffin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus victrix* L.A.S.Johnson & K.D.Hill -- Telopea 5(4): 765. 1994 [26 Apr 1994] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus victrix* L.A.S.Johnson & K.D.Hill -- Systematic studies in the eucalypts. 6. A revision of the coolibahs, *Eucalyptus* subgenus *Symphyomyrtus* section *Adnataria* series *Oliganthae* subseries *Microthecosae* (Purified (Shodhit)) 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus victrix* L.A.S.Johnson & K.D.Hill -- Telopea 5(4) 1994 1994 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Hook. -- J. Exped. Trop. Australia [Mitchell] 157. 1848 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. -- Nov. Holl. Pl. 2: 12 (-13; t. 151). 1806 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Hook. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *baeuerlenii* (F.Muell.) H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. subsp. *cygnetensis* Boomsma -- J. Adelaide Bot. Gard. 2(3): 295. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* subsp. *cygnetensis* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *dealbata* (Schauer) C.Moore & Betcher -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. subsp. *hentyensis* Brooker & Slee -- J. Adelaide Bot. Gard. 21: 92. 2007 [8 Feb 2007]

Purified (Shodhit) *Eucalyptus viminalis* var. *huberiana* (Naudin) N.T.Burb. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *macrocarpa* Rodway -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *microcarpa* Miq. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *pedicellaris* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. subsp. *pryoriana* (L.A.S.Johnson) Brooker & Slee -- *Muelleria* 9: 80. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *racemosa* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *racemosa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* var. *rhynchocorys* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* Labill. subsp. *siliceana* Rule -- *Muelleria* 29(1): 5 (-7; map). 2011 [10 Jan 2011]

Purified (Shodhit) *Eucalyptus viminalis* var. *viminalis* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viminalis* subsp. *viminalis* Labill. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virens* Brooker & A.R.Bean -- *Brunonia* 9(2) 1987 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virens* Brooker & A.R.Bean -- *Brunonia* 9(2): 223 (1987). [16 Mar 1987] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* DC. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* Sieber ex DC. -- Prodr. [A. P. de Candolle] 3: 217. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *altior* H.Deane & Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *fraxinoides* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *obtusiflora* (DC.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *stricta* (Spreng.) Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *triflora* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virgata* var. *virgata* Spreng. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.

based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus virginea* Hopper & Ward.-Johnson -- *Nuytsia* 15(2): 229 (-235; fig. 1). 2004

Purified (Shodhit) *Eucalyptus viridis* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viridis* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 316. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viridis* var. *latiuscula* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viridis* var. *ovata* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus viridis* var. *viridis* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus viridis* R.T.Baker subsp. *wimmerensis* (Rule) Brooker & Slee -- Muellera 9: 81. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vitellina* Naudin -- Descr. Emploi Eucalypt. 65. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vitrea* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 303. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vitrea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vitrea* var. *thryptomena* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vitrea* var. *vitrea* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vittata* D.Nicolle -- Nuytsia 19(1): 81 (-85; figs. 1-2, map). 2009 [2 Jun 2009]

Purified (Shodhit) *Eucalyptus vittellina* Naudin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus vokesensis* D.Nicolle & L.A.S.Johnson -- Telopea 8(2): 194. 1999 [30 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus volcanica* L.A.S.Johnson & K.D.Hill -- Telopea 4(1): 58. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus volcanica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus walshii* Rule -- *Muelleria* 20: 22 (-24; figs. 1, 5). 2004

Purified (Shodhit) *Eucalyptus wandoo* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wandoo* Blakely -- Key Eucalypts 112 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wandoo* subsp. *pulverea* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wandoo* Blakely subsp. *pulverea* Brooker & Hopper -- Nuytsia 8(1): 40 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wandoo* subsp. *wandoo* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wardii* Blakely -- Journ. Roy. Soc. N. S. Wales 1928, lxii. 212. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wardii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus watsoniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus watsoniana* F.Muell. -- *Fragm. (Mueller)* 10(86): 98. 1877 [Feb 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus watsoniana* subsp. *capillata* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus watsoniana* F.Muell. subsp. *capillata* Brooker & A.R.Bean -- *Austrobaileya* 3(3): 428 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus watsoniana* subsp. *watsoniana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus websteriana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus websteriana* Maiden -- Journ. Roy. Soc. N. S. Wales 1915, xlix. 313 (1916). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus websteriana* subsp. *norsemanica* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus websteriana* Maiden subsp. *norsemanica* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(4): 627. 1992 [12 Mar 1992] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus websteriana* subsp. *websteriana* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus westonii* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus westonii* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 170, hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wetarensis* L.D.Pryor -- Austral. Syst. Bot. 8(1): 67 (1995). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whitei* Maiden & Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whitei* Maiden & Blakely -- Journ. Roy. Soc. N. S. Wales 1925, lix. 172. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whittingehamei* Landsb. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whittingehamei* Landsb. -- Trans. & Proc. Bot. Soc. Edinb. xx. 516 (1896). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whittingehamensis* Elwes & A.Henry -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus whittingehamensis* G.Nicholson ex Elwes & Henry -- Trees Gt. Brit. & Ireland vi. 1642(1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wiburdi* Blakely -- Key Eucalypts 177 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wiburdii* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eucalyptus wilcoxii* Boland & Kleinig -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wilcoxii* Boland & Kleinig -- Brunonia 6(2): 242 (1984). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wilkinsoniana* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 678. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wilkinsoniana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wilkinsoniana* var. *crassifructa* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wilkinsoniana* var. *wilkinsoniana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus williamsiana* L.A.S.Johnson & K.D.Hill -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus williamsiana* L.A.S.Johnson & K.D.Hill -- *Telopea* 4(1): 87. 1990 [26 Sep 1990] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus willisii* Ladiges, Humphries & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus willisii* Ladiges, Humphries & Brooker -- *Austral. J. Bot.* 31(6): 583 (1983). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus willisii* Ladiges, Humphries & Brooker subsp. *falciformis* Newnham, Ladiges & Whiffin -- Austral. J. Bot. 34(3): 348 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus willisii* subsp. *falciformis* Newnham, Ladiges & Whiffin -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus willisii* subsp. *willisii* Ladiges, Humphries & Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wimmerensis* Rule -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wimmerensis* Rule -- *Muelleria* 7(2): 193. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woodsiana* (F.M.Bailey) Brooker -- Austral. Syst. Bot. 13(1): 137 (2000):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woodwardii* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woodwardii* Maiden -- Journ. Nat. Hist. Sc. Soc. W. Austral. iii. 42 (1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woollsiana* R.T.Baker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woollsiana* R.T.Baker -- Proc. Linn. Soc. New South Wales xxv. 684. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woollsii* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus woollsii* F.Muell. -- Fragn. (Mueller) 2(12): 50. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wubinensis* L.A.S.Johnson & K.D.Hill -- Telopea 9(2): 307. 2001 [6 Jul 2001] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wyolensis* Boomsma -- J. Adelaide Bot. Gard. 11(1): 59. 1988 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus wyolensis* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthoclada* Brooker & A.R.Bean -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthoclada* Brooker & A.R.Bean -- *Brunonia* 10(2): 193 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthonema* Turcz. -- *Bull. Soc. Imp. Naturalistes Moscou* xx. (1847) I. 163. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthonema* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthonema* Turcz. subsp. *apposita* Brooker & Hopper -- *Nuytsia* 8(1): 129 (1991). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthone* subsp. *apposita* Brooker & Hopper -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthone* subsp. *xanthone* Turcz. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthone* A.R.Bean & Brooker -- *Austrobaileya* 3(1): 39 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xanthone* A.R.Bean & Brooker -- *Austrobaileya* 3(1) 1989 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus xerothermica* L.A.S.Johnson & K.D.Hill -- *Telopea* 8(4): 534. 2000 [13 Jul 2000] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yagobiei* Maiden -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yagobiei* Maiden -- Crit. Rev. *Eucalyptus* vi. 118 (1922), hybr. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yalensis* Boomsma -- S. Austral. Naturalist 50(2): 29. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yalensis* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yangoura* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yangoura* Blakely -- Key Eucalypts 180 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it



Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yarraensis* Maiden & Cabbage -- in Maiden, Crit. Rev. *Eucalyptus* vi. 17 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yarraensis* Maiden & Cabbage -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yarriambiack* Rule -- *Muelleria* 30(2): 97. 2012 [9 Jul 2012]

Purified (Shodhit) *Eucalyptus yilgarnensis* (Maiden) Brooker -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yilgarnensis* (Maiden) Brooker -- *Nuytsia* 5(3): 366 (1986):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youmanii* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youmanii* Blakely & McKie -- Proc. Linn. Soc. New South Wales 1930, Iv. 590. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youmanii* var. *sphaerocarpa* Blakely & McKie ex Blakely -- A Key to the Eucalypts (1934) (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youmanii* var. *youmanii* Blakely & McKie -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youngiana* F.Muell. -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus youngiana* F.Muell. -- *Fragm. (Mueller)* 10(81): 5. 1876 [Jan 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yumbarrana* Boomsma -- *J. Adelaide Bot. Gard.* 1(6): 366. 1979 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yumbarrana* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yumbarrana* subsp. *striata* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yumbarrana* Boomsma subsp. *striata* Boomsma -- *J. Adelaide Bot. Gard.* 2(3): 298. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus yumbarrana* var. *yumbarrana* Boomsma -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus zopherophloia* Brooker & Hopper -- Nuytsia 9(1) 1-68. 1993 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus zopherophloia* Brooker & Hopper -- Nuytsia 9(1): 10 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus zygomorpha* Blakely -- Key Eucalypts 88 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eucalyptus zygomorpha* Blakely -- - (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia* R.Br. -- in Flind. Voy. ii. 599. t. 3 (1814). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia* R.Br. -- Voyage to Terra Australis 2 1814 App. III, 599, t. 3. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia erythrocoris* F.Muell. -- Fragn. (Mueller) 2(12): 33. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia erythrocoris* F.Muell. -- Fragmenta Phytographiae Australiae 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia eucalyptoides* F.Muell. -- Fragn. (Mueller) 2(12): 35. 1860 [May 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia eucalyptoides* F.Muell. -- *Fragmenta Phytographiae Australiae* 2 1861 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia tetragona* R.Br. -- in Flind. Voy. ii. 599. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eudesmia tetragona* R.Br. -- *Voyage to Terra Australis* 2 1814 App. III, 599, t. 3 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* L. -- *Species Plantarum* 2 1753 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* L. -- *Genera Plantarum* ed. 5 1754 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* L. -- Sp. Pl. 1: 470. 1753 [1 May 1753] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* Mich. ex L. -- Sp. Pl. 1: 470. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* subgen. *Calycorectes* (O.Berg) Mattos -- *Loefgrenia* 120: 3. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia* sect. *Erythronema* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* sect. *Eueugenia* Benth. & Hook.f. -- *Genera Plantarum* 1838 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* subgen. *Hexachlamys* (O.Berg) Mattos -- *Loefgrenia* 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* sect. *Hexachlamys* (O.Berg) Mazine -- *Phytotaxa* 289(3): 228. 2016 [29 Dec 2016] [epublished]

Purified (Shodhit) *Eugenia* sect. *Jambosa* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* subgen. *Phyllocalyx* (O.Berg) Mattos -- *Loefgrenia* 94: 1 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* sect. *Pilotheceum* (Kiaersk.) D.Legrand -- *Bradea* 2(8): 37. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* sect. *Schizocalomyrtus* (Kausel) Mattos -- *Loefgrenia* 120: 3. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia* sect. *Speciosae* Bunger & Mazine -- *PhytoKeys* 61: 75. 2016 [25 Feb 2015] [epublished]



Purified (Shodhit) *Eugenia* subgen. *Stenocalyx* (O.Berg) Mattos -- *Loefgrenia* 94: 3 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* sect. *Syzygium* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia* subsect. *Tetrapetalae* (Mattos) Mattos -- *Loefgrenia* 120: 3. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia abbottiana* Urb. -- *Repert. Spec. Nov. Regni Veg.* 20: 341. 1925 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abbottiana* Urb. -- *Repert. Spec. Nov. Regni Veg.* 20: 341. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abbreviata* Urb. -- *Symb. Antill. (Urban)*. 6(1): 24. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abbreviata* Elmer -- Leaflet. Philipp. Bot. viii. 2776 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abbreviata* Urb. -- Symb. Antill. (Urban). 6(1): 24. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abegghii* Urb. & Ekman -- Ark. Bot. 21A(5): 35. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abegghii* Urb. & Ekman -- Ark. Bot. 21A(5): 35. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aborensis* Dunn -- Bull. Misc. Inform. Kew 1920(3): 109. [13 May 1920] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abortiva* Gagnep. -- Notul. Syst. (Paris) 3: 316. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aboukirensis* Proctor -- J. Arnold Arbor. 63: 273. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aboukirensis* Proctor -- J. Arnold Arbor. 63(3): 273 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia abunan* M.A.D.Souza & Sobral -- Phytotaxa 219(2): 168. 2015 [8 Jul 2015] [epublished]

Purified (Shodhit) *Eugenia acapulcensis* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 601. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acca* O.Berg -- *Linnaea* 27: 788, sphalm., est nomen generis. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acitillo* Urb. -- *Symb. Antill. (Urban)*. 9(4): 513. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acitillo* Urb. -- *Symb. Antill. (Urban)*. 9(4): 513. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acetosans* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3. 125. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acka* DC. -- *Prodr. [A. P. de Candolle]* 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrantha* Urb. -- Symb. Antill. (Urban). 9(1): 101. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrantha* Urb. -- Symb. Antill. (Urban). 9(1): 101. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acensis* McVaugh -- Fieldiana, Bot. 29: 202. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acensis* McVaugh -- Fieldiana, Bot. xxix. 202 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acris* Wight & Arn. -- Prodr. Fl. Ind. Orient. 1: 331. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrisepala* Govaerts -- World Checkl. Purified (Shodhit) 130. 2008 [Dec 2008]

Purified (Shodhit) *Eugenia acrophila* C.B.Rob. -- Philipp. J. Sci., C 4: 389. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrophylla* O.Berg -- Fl. Bras. (Martius) 14(1) [Suppl.]: 575. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 575. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acrophylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminata* Roxb. -- Hort. Bengal. [37]. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminata* Link (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminata* Roxb. -- Fl. Ind. (Roxburgh) 2: 492. 1832 ; nom. illeg.

Purified (Shodhit) *Eugenia acuminata* Link -- Enum. Hort. Berol. Alt. 2: 28. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 46(2): 67. 1877; For. Fl. Burma, i. 487. (Short duration purification) as key ingredient in indigenous

anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* O.Berg -- Fl. Bras. (Martius) 14(1): 315. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* Kurz -- Prelim. Rep. Forest Pegu App. A. p. lxiii.; App. B. 51, in clavi. 1875 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acuminatissima* Miq. -- Linnaea 19: 440. 1846 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acunae* Alain -- Revista Soc. Cub. Bot. 10: 30. 1953 as *acunai* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after



enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acunae* Alain -- in Rev. Soc. Cubana Bot. x. 30 (1953) (sphalm. acunai). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutangula* L. -- Sp. Pl. 1: 471. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutangula* K.Schum. -- Fl. Kais. Wilh. Land [K.M. Schumann & M.U. Hollrung] (1889) 89. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutata* Miq. -- Linnaea 22: 535. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutata* Miq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutiflora* Kiaersk. -- Enum. Myrt. Bras. 164, tab. 22g. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutiflora* Kiaersk. -- Enum. Myrt. Bras. (1893) 164. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutifolia* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutifolia* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutiloba* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutisepala* Proctor -- Addit. Fl. Jam. (Bull. Inst. Jam., Sci. Ser., No. 16) 29 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutisepala* Proctor -- Bull. Inst. Jamaica, Sci. Ser. 16: 29. 1967 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutisepala* Hayata -- J. Coll. Sci. Imp. Univ. Tokyo 30(Art. 1): 112. 1911 [20 Jun 1911] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutissima* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 502. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia acutissima* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 502. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adamantium* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adamantium* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 342. 1830 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adamantium* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 342. -. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ademireana* Mattos -- Loefgrenia 120: 7. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia adenantha* O.Berg -- Fl. Bras. (Martius) 14(1): 578. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenocalyx* DC. -- Prodr. [A. P. de Candolle] 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 569. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenocarpa* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenoclada* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenoclada* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] Cuba (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenocladia* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenodes* Kiaersk. -- Enum. Myrt. Bras. 176, pl. 10, fig. d, e. 1893 Warming, Symb. Fl. Bras. cent. part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia adenodes* Kiaersk. -- Enum. Myrt. Bras. (1893) 176. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aegiceroides* Korth. ex Miq. -- Anal. Bot. Ind. 1: 22. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aemilii* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aemilii* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aemula* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 76. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aemula* Diels -- Bot. Jahrb. Syst. 40(2, Beibl. 91): 47. 1907 [2 Aug 1907] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aemula* Diels -- Bot. Jahrb. Syst. 40(2, Beibl. 91): 47. 1907 [2 Aug 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aequatoriensis* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(2): 609 (-611; fig. 1). 2009 [25 Nov 2009]

Purified (Shodhit) *Eugenia aërosa* McVaugh -- Fieldiana, Bot. xxix. 203 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aërosa* McVaugh -- Fieldiana, Bot. 29: 203. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aeruginea* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia affinis* Gillies -- Bot. Misc. 3: 321. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia affinis* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia afzelii* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 290. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia agasthiyamalayana* Gopalan & Murugan -- Indian J. Forest. 31(4): 641 (-642; fig. 1). 2008 [Dec 2008]

Purified (Shodhit) *Eugenia agathopoda* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 192. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia agathopoda* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 192. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aggregata* Kiaersk. -- Enum. Myrt. Bras. (1893) 162. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aggregata* Kiaersk. -- Enum. Myrt. Bras. 162. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aggregata* Baker -- J. Linn. Soc., Bot. 22: 475. 1887 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia agrostophylla* F.M.Bailey -- Proc. Roy. Soc. Queensland 11: 16. 1895 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia agusanensis* Elmer -- Leaflet. Philipp. Bot. vii. 2357 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aherniana* C.B.Rob. -- Philipp. J. Sci., C 4: 344. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alagoensis* (O.Berg) Mattos -- *Loefgrenia* 94: 3 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alainii* Borhidi -- *Acta Bot. Acad. Sci. Hung.* 19: 39, f. 3. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alainii* Borhidi -- *Acta Bot. Acad. Sci. Hung.* 19(1-4): 39. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alaotrensis* H.Perrier -- *Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég.* 4: 173. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alata* Ridl. -- *J. Straits Branch Roy. Asiat. Soc.* 86: 293 (Nov 1922); Ridley, Fl. Mal. Penins. i. 743(1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alaternifolia* Benth. ex O.Berg -- *Linnaea* 27: 249. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alba* Roxb. -- Hort. Bengal. [37]; Fl. Ind. ii. 493. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albanensis* Sond. -- Fl. Cap. (Harvey) 2: 522. 1862 [15-31 Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albicans* A.Rich. ex O.Berg -- *Linnaea* 30: 653. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albida* Bonpl. -- Pl. Aequinoct. [Humboldt & Bonpland] 2(15): 107, t. 113. 1813 [1809 publ. Feb 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albidiramea* Merr. -- Univ. Calif. Publ. Bot. xv. 221 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albiflora* Duthie ex Kurz -- Forest Fl. Burma i. 491. 1877 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albimarginata* Urb. & Ekman -- Ark. Bot. 24A(4): 28. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albimarginata* Urb. & Ekman -- Ark. Bot. 24A(4): 28. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albotomentosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 369. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albotomentosa* Cambess. var. *goyazensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 369. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia albotomentosa* Cambess. var. *urussangensis* O.Berg -- Fl. Bras. (Martius) 14(1): 221. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alcinae* Merr. -- Philipp. J. Sci., C 10: 216. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alegrensis* Kiaersk. -- Enum. Myrt. Bras. 180. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alegrensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 180. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alexandri* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 626. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alexandri* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 626. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alfaroana* Standl. -- J. Wash. Acad. Sci. 14: 240. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alfaroana* Standl. -- J. Wash. Acad. Sci. 1924, xiv. 240. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alletiana* Baider & V.Florens -- Phytotaxa 94(1): 2. 2013 [16 Apr 2013] [epublished]

Purified (Shodhit) *Eugenia alnifolia* McVaugh -- Fieldiana, Bot. 29: 425. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alnifolia* McVaugh -- Fieldiana, Bot. xxix. 425 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aloysii* C.J.Saldanha -- Fl. Karnataka 2: 23. 1996 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alpestris* Mattos -- Loefgrenia 129: 1. 2009 [Jul 2009]

Purified (Shodhit) *Eugenia alpigena* DC. -- Prodr. [A. P. de Candolle] 3: 265. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alpigena* DC. -- Prodr. [A. P. de Candolle] 3: 265. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia alpina* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 961. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alternifolia* Benth. -- Pl. Hartw. [Bentham] 175. 1845 [Aug 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alternifolia* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 537; Illustr. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia altipeta* Greves -- J. Bot. 61(Suppl.): 14. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia altissima* Sobral & Faria -- Phytotaxa 224(3): 204. 2015 [2 Sep 2015] [epublished]

Purified (Shodhit) *Eugenia altoalegre* Sobral & M.A.D.Souza -- Phytotaxa 307(1): 55. 2017 [19 May 2017] [epublished]

Purified (Shodhit) *Eugenia alvarezii* C.B.Rob. -- Philipp. J. Sci., C 4: 390. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia alyxifolia* Ridl. -- J. Bot. 62: 296. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amanuensis* Steyerm. -- Fieldiana, Bot. xxviii. 1010 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amanuensis* Steyerm. -- Fieldiana, Bot. 28: 1010. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amatenangensis* Lundell -- Wrightia 3: 10. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amatenangensis* Lundell -- *Wrightia* iii. 10 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amazonica* O.Berg -- *Fl. Bras. (Martius)* 14(1): 322. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ambanizanensis* N.Snow -- *Syst. Bot.* 33(2): 344 (-347; fig. 2). 2008 [23 May 2008]

Purified (Shodhit) *Eugenia ambigua* O.Berg -- *Fl. Bras. (Martius)* 14(1): 241. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amblyophylla* Urb. -- *Symb. Antill. (Urban)*. 9(4): 511. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amblyophylla* Urb. -- *Symb. Antill. (Urban)*. 9(4): 511. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amblyosepala* McVaugh -- Mem. New York Bot. Gard. 18(2): 162. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amblyosepala* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 162 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amboinensis* Nois. ex Link -- Enum. Hort. Berol. Alt. 2: 28. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amboinensis* hort. ex DC. -- Prodr. [A. P. de Candolle] 3: 224. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amboinensis* Greves -- J. Bot. 62(Suppl.): 36. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ambongensis* Ridl. -- J. Bot. 68: 16. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia americana* Hort. Makoy ex É. Morren -- Belgique Hort. x. (1860) t. ad p. 95. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amicornum* A. Gray -- U.S. Expl. Exped., Phan. 15: 524, t. 62. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ammophylla* Barb. Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ammophylla* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amoena* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 114. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amorimii* Fraga & Giaretta -- Phytotaxa 163(2): 114. 2014 [24 Mar 2014] [epublished]

Purified (Shodhit) *Eugenia amosensis* N.Snow -- Candollea 7(1)1: 68, figs. 1-2. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia ampla* M.L.Kawas. & B.Holst -- Selbyana 30(1): 101 (-103; fig. 1). 2009 [16 Jun 2009]

Purified (Shodhit) *Eugenia amplexans* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplexans* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplexens* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplexicaulis* Lindl. -- Bot. Reg. 12: t. 1033. 1827 [1 Jan 1827]

Purified (Shodhit) *Eugenia amplexicaulis* Vell. -- Fl. Flumin. 210. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 44. 1831. [1827 publ. 29 Oct 1831] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplexicaulis* Lindl. -- Bot. Reg. 12: t. 1033. 1827 [1 Jan 1827]

Purified (Shodhit) *Eugenia ampliflora* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 5. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplifolia* Urb. -- Symb. Antill. (Urban). 5(3): 445. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amplifolia* Urb. -- Symb. Antill. (Urban). 5(3): 445. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ampullaria* Stapf -- Trans. Linn. Soc. London, Bot. 4(2): 153. 1894 [1894-96 publ. Dec 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amshoffae* McVaugh -- Mem. New York Bot. Gard. 18(2): 163. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia amshoffae* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 163 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anacardifolia* Craib -- Bull. Misc. Inform. Kew 1929(4): 114. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anafensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16(2): 90. 1920 [13 Sep 1920] ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anafensis* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 337. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anafensis* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 337. 1916 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia analamerensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 171. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anamalaiensis* E.S.S.Kumar, Veldkamp & Shareef -- Webbia 69(1): 101. 2014 [25 Jul 2014]

Purified (Shodhit) *Eugenia anastomosans* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anceps* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anceps* O.Berg -- Fl. Bras. (Martius) 14(1): 260. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ancorifera* Amshoff -- *Adansonia* sér. 2, 14(3): 481. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia andamanica* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 106. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia andapae* N.Snow -- *PhytoKeys* 49: 61. 2015 [28 Apr 2015]  
[epublished]

Purified (Shodhit) *Eugenia andersonii* Ridl. -- *J. Bot.* 68: 36. 1930 (Short duration purification)  
as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia andina* O.Berg -- *Linnaea* 27: 274. 1856 (Short duration purification)  
as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia androsaemoides* Herb. Wight ex Duthie -- *Fl. Brit. India* [J. D.  
Hooker] 2(5): 491. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous  
anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its  
compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal  
Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant  
Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia androsaemoides* Bedd. -- *Fl. Sylv. Anal. Gen.* p. cvii. (Short duration  
purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it  
Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and  
*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern  
medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at  
[pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia androsaemoides* (L.) DC. -- *Prodr.* [A. P. de Candolle] 3: 284. 1828  
[mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia androsiana* Urb. -- Repert. Spec. Nov. Regni Veg. 13: 467. 1915 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia androsiana* Urb. -- Repert. Spec. Nov. Regni Veg. 13: 467. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angelyana* Mattos -- Loefgrenia 94: 2 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angkai* Craib -- Bull. Misc. Inform. Kew 1929(4): 115. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anglohondurensis* Lundell -- *Wrightia* 2: 123. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anglohondurensis* Lundell -- *Wrightia* ii. 123 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angolensis* Engl. -- *Notizbl. Königl. Bot. Gart. Berlin* 2: 288. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angophoroides* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angophoroides* F.Muell. -- *Fragm. (Mueller)* 5(32): 33. 1865 [Jun 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angularis* Elmer -- Leaflet. Philipp. Bot. iv. 1434 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angulata* C.B.Rob. -- Philipp. J. Sci., C 4: 354. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustibracteolata* Baker f. -- J. Linn. Soc., Bot. xlv. 313 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Spreng. -- Nov. Prov. 18. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Blume -- Flora 7(1): 291. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* O.Berg -- Berg., not Lam (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 203. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 490. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* O.Berg var. *angustissima* (O.Berg) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* O.Berg var. *angustissima* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 614. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* O.Berg var. *latifolia* (O.Berg) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustifolia* O.Berg var. *latifolia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 614. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia angustisepala* Mattos -- Loeffgrenia 94: 3 (1989), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia angustissima* O.Berg -- Fl. Bras. (Martius) 14(1): 569. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anisomischa* Sobral & K.Cout. -- Phytotaxa 347(1): 59. 2018 [10 Apr 2018] [epublished]

Purified (Shodhit) *Eugenia anisopetala* R.Parker -- Repert. Spec. Nov. Regni Veg. 31: 125. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anisosepala* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 481. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anjouanensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 172. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ankarensis* (H.Perrier) A.J.Scott -- Kew Bull. 34(3): 546. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anomala* D.Legrand -- *Anales Mus. Nac. Montevideo* ser. 2, 4, no. 11: 61, fig. 47, tab. 1. 1936 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anomala* Barb.Rodr. ex Chodat & Hassl. -- *Bull. Herb. Boissier* Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anomala* D.Legrand -- *Anales Mus. Hist. Nat. Montevideo* ser. 2, iv. No. 11, 61 (1936). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anomala* Barb.Rodr. -- *Bull. Herb. Boissier* ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anomala* D.Legrand var. *coriacea* D.Legrand -- *Anales Mus. Nac. Montevideo* ser. 2, 4, no. 11: 61. 1936 (Long duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anthacanthoides* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 486. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anthacanthoides* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 486. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anthera* Small -- Man. S.E. Fl. [Small] 935. 1933 [30 Nov 1933] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia anthica* Ridl. -- J. Bot. 68: 11. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia antiquae* L.Riley -- Bull. Misc. Inform. Kew 1927(3): 121. [12 Apr 1927] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia antiquae* L.Riley -- Bull. Misc. Inform. Kew 1927(3): 121. [12 Apr 1927] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia antiseptica* Kuntze -- Revis. Gen. Pl. 1: 238. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia antongilensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 173. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia antoniana* Elmer -- Leaflet Philipp. Bot. iv. 1425 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apaensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apaensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aepuensis* Mattos -- Loeftgrenia 122: 1. 2006 [Jun 2006]

Purified (Shodhit) *Eugenia apthosa* Vieill. ex Brongn. & Gris -- Bull. Soc. Bot. France 13: 469. 1868 [1866 publ. 1868] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* DC. var. *arnyan* Hook.f. -- Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 277. 1846 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiculata* DC. var. *arnyan* Hook.f. -- Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 277. 1846 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apiocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 284. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apodantha* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 380. 1938 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apodantha* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 380. 1938 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apodantha* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 380. 1938 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apodophylla* F.Muell. -- Vict. Naturalist 8 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apodophylla* F.Muell. -- in Vict. Natural. viii. (April 1892) 197; et ex Bot. Centralbl. 1. (1892) 311. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia apoensis* Elmer -- Leaflet. Philipp. Bot. iv. 1401 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aprica* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aprica* Trim. -- Handb. Fl. Ceyl. ii. (1894) 186. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aprica* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aprica* O.Berg -- Fl. Bras. (Martius) 14(1): 218. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aquea* Burm.f. -- Fl. Ind. (N. L. Burman) 114. 1768 [1 Mar-6 Apr 1768] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia araujoana* O.Berg -- Fl. Bras. (Martius) 14(1): 219. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia araujoana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arawakorum* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 211. [27 Jun 1932] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arawakorum* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 211. [27 Jun 1932] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arayan* Seem. -- Bot. Voy. Herald [Seemann] 4: 125. 1854 [Feb 1854] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arborea* Baker f. -- J. Linn. Soc., Bot. xlv. 315 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arbutifolia* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arbutifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 306. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arbutifolia* O.Berg in Mart. var. *obscura* O.Berg -- Fl. Bras. (Martius) 14(1): 306. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arbutifolia* O.Berg in Mart. var. *pallida* O.Berg -- Fl. Bras. (Martius) 14(1): 306. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arctostaphyloides* O.Berg -- Fl. Bras. (Martius) 14(1): 217. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arctostaphyloides* var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 567. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arcuatinervia* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 104. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ardisioides* Lundell -- Amer. Midl. Naturalist xxix. 479 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ardisioides* Lundell -- Amer. Midl. Naturalist 29: 479. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ardyceae* N.Snow -- Syst. Bot. 36(3): 677 (-678; fig. 2, map). 2011 [5 Aug 2011]

Purified (Shodhit) *Eugenia arechavaletae* Herter -- Estud. Bot. Reg. Uruguay 4: 93. 1930 Fl. Uruguayensis, Pl. Vasc (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arechavaletae* Herter -- Fl. Urug. Pl. Vasc. (Estud. Bot. Reg. Urug. iv.) 93 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arenaria* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 349. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arenicola* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 181. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arenosa* Mattos -- Loeftgrenia 42: p. [2]. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arenosa* Mattos -- Loeftgrenia 42: 2, fig. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia areolata* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 490. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argentea* Bedd. -- Fl. Sylv. Anal. Gen. p. cx. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argutata* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 146. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argyrea* Lundell -- Wrihtia 3: 10. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argyrea* Lundell -- Wrihtia iii. 10 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argyrocalyx* Warb. -- Bot. Jahrb. Syst. 13(3-4): 391. 1891 [20 Mar 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argyrophylla* B.Holst & M.L.Kawas. -- Brittonia 52(1): 20 (-21; fig. 1). 2000 [21 Mar 2000] (Long duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia argyrophylla* B.Holst & M.L.Kawas. -- Brittonia 52(1): 20 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arivoa* Aubl. -- Hist. Pl. Guiane 1: 510. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia armeniaca* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 190. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia armeniaca* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 190. 1885 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia armstrongii* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia armstrongii* Benth. -- Fl. Austral. 3: 286. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arnoldsonii* Urb. -- Symb. Antill. (Urban). 9(4): 506. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arnoldsonii* Urb. -- Symb. Antill. (Urban). 9(4): 506. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arnottiana* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 999; Illustr. ii. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia arnottiana* Wight var. *benthamiana* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 484. 1878 [Jul 1878]

Purified (Shodhit) *Eugenia aromatica* Sond. ex O.Berg -- Fl. Bras. (Martius) 14(2): 379, in syn. 1872 [1 May 1872] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aromatica* Baill. -- Hist. Pl. (Baillon) 6: 311, 345. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aromatica* Kuntze -- Revis. Gen. Pl. 1: 239. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aromatica* O.Berg -- Linnaea 27: 263. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arrabidaei* O.Berg -- Linnaea 27: 302. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia arrhaphocalyx* Barrie, I.Vergara & McPherson -- Novon 24(4): 333. 2016 [24 May 2016]

Purified (Shodhit) *Eugenia arvensis* Vell. -- Fl. Flumin. 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 37. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia asa-grayi* Krug & Urb. ex Urb. -- Bot. Jahrb. Syst. 19(5): 658. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia asa-grayi* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 658. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aschersoniana* F.Hoffm. -- Beitr. Kenntn. Fl. Centr.-Ost-Afr. (1889) 35. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia asema* Sobral, I.G.Costa & M.C.Souza -- *Phytotaxa* 307(4): 234. 2017 [30 May 2017] [epublished]

Purified (Shodhit) *Eugenia asperifolia* O.Berg -- *Linnaea* 30: 674. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia assamica* Biswas & C.S.Purkay. -- *Bull. Misc. Inform. Kew* 1938(6): 262. [15 Aug 1938] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia assimilis* Bedd. -- *For. Man. Bot.* 107. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia astringens* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 361. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia astronioides* C.B.Rob. -- Philipp. J. Sci., C 4: 393. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia athroopoda* Drake -- Bull. Mens. Soc. Linn. Paris ii. 1222. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atrata* Mattos & D.Legrand -- Loeftgrenia 67: 26. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atrata* Mattos & D.Legrand -- Loeftgrenia no. 67: 26. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atricha* Urb. -- Repert. Spec. Nov. Regni Veg. 19: 305. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atricha* Urb. -- Repert. Spec. Nov. Regni Veg. 19: 305. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atronervia* M.R.Hend. -- Gard. Bull. Singapore 11: 299. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropunctata* Steud. -- Flora 26: 762. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropunctata* C.B.Rob. -- Philipp. J. Sci., C 4: 385. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropunctata* var. *gracilis* O.Berg -- Linnaea 27: 294. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropunctata* var. *robusta* O.Berg -- Linnaea 27: 293. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropurpurea* McVaugh -- Fieldiana, Bot. xxix. 203 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropurpurea* McVaugh -- Fieldiana, Bot. 29: 203. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropurpurea* McVaugh -- Fieldiana, Bot. 29: 204. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia atropurpurea* McVaugh -- Fieldiana, Bot. xxix. 204 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia attenuata* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 121. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia attenuatifolia* Merr. -- Philipp. J. Sci. 18: 299. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia attopuensis* Gagnep. -- Notul. Syst. (Paris) 3: 316. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aubletiana* -- Loefgrenia 120: 9 (-10). 2005 [Mar 2005] ; nom. illeg.

Purified (Shodhit) *Eugenia augustana* Kiaersk. -- Enum. Myrt. Bras. (1893) 153. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia augustana* Kiaersk. -- Enum. Myrt. Bras. 153, pl. 17, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aurantiaca* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 190. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aurata* O.Berg -- Fl. Bras. (Martius) 14(1): 273. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia aurea* Elmer -- Leaflet. Philipp. Bot. iv. 1400 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia auriculata* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 7. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia austin-smithii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 18: 1561. 1938 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia austin-smithii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 18: 1561. 1938 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia australis* Link -- Enumeratio Plantarum Horti Regii Berolinesis 2 1822 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia australis* J.C.Wendl. ex Link -- Enum. Hort. Berol. Alt. 2: 28. 1822 [Jan-Jun 1822] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia australis* Colla -- Hortus Ripulensis 1 (Jun.-Jul. 1824) 54, App. 1 1824 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia australis* Colla -- Mem. Reale Accad. Sci. Torino xxxi. (1827) 123. t. 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia austrocaledonica* Seem. -- Fl. Vit. [Seemann] 76. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia austrocaledonica* Baker f. -- J. Linn. Soc., Bot. xlv. 316 (1921), in clavi, sphalm. pro *E. neocaledonica*. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia avenis* (Miq.) M.R.Hend. -- Gard. Bull. Singapore 12: 171. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia avicenniae* Standl. -- Contr. U.S. Natl. Herb. 23: 1043. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia avicenniae* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1043 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 960. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* G.Don -- Gen. Hist. 2: 866. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* Vell. -- Fl. Flumin. 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 41. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* var. *cozumelensis* (Lundell) Lundell -- *Phytologia* 16: 443. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* var. *microcarpa* Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia axillaris* var. *microcarpa* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 641. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ayacuchae* Steyerl. -- *Fieldiana, Bot.* 28: 1012. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ayacuchae* Steyerl. -- *Fieldiana, Bot.* xxviii. 1012 (1957), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia azeda* Sobral -- J. Bot. Res. Inst. Texas 4(1): 133 (-136; figs. 1-3). 2010 [29 Jul 2010]

Purified (Shodhit) *Eugenia azurensis* O.Berg -- Fl. Bras. (Martius) 14(1): 224. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bacopari* D.Legrand -- Sellowia no. 13: 317. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bacopari* D.Legrand -- Sellowia 13: 317. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia badia* O.Berg -- Fl. Bras. (Martius) 14(1): 266. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baeuerlenii* F.Muell. -- Australas. J. Pharm. 1(6):199 (200). 1886 [June 1886] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bagensis* O.Berg -- Fl. Bras. (Martius) 14(1): 231. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bagensis* O.Berg -- Fl. Bras. (Martius) 14(1): 231. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bagensis* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 231. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bagensis* var. *avenia* O.Berg -- Fl. Bras. (Martius) 14(1): 231. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bagensis* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 231, t. 4, fig. 65. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahamensis* Kiaersk. -- Bot. Tidsskr. 17: 266, t. 8 A et fig. 4. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahamensis* Kiaersk. -- Bot. Tidsskr. 17: 266, pl. 8A. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahiana* Mattos -- Loefgrenia 94: 4 (1989), nom. nov., (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahiensis* DC. -- Prodr. [A. P. de Candolle] 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahorucana* Alain -- *Phytologia* 50: 166 (-168), fig. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bahorucana* Alain -- *Phytologia* 50(3): 166 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baileyi* Britton -- *Bull. Torrey Bot. Club* 48: 334. 1922 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baileyi* Britton -- *Bull. Torrey Bot. Club* 1921, xlviii. 334 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bajaverapazana* Lundell -- *Wrightia* 5(6): 166. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia bajaverapazana* Lundell -- *Wrightia* 5: 166 (-167). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bakeri* Britton & P.Wilson -- *Mem. Torrey Bot. Club* xvi. 91 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bakeri* Britton & P.Wilson -- *Mem. Torrey Bot. Club* 16: 91. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bakeri* Elmer -- *Leafl. Philipp. Bot.* vii. 2355 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balancanensis* Lundell -- *Phytologia* 1: 481. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balcanensis* Lundell -- *Phytologia* i. 481 (1941). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balansae* Guillaumin -- *Bull. Soc. Bot. France* 85: 636. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balbisiana* O.Berg -- *Linnaea* 27: 268. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balbisiana* var. *diversa* O.Berg -- *Linnaea* 27: 269. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balbisiana* var. *triflora* O.Berg -- *Linnaea* 27: 269. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balerensis* C.B.Rob. -- Philipp. J. Sci., C 6: 346. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balfourii* Baker -- Fl. Mauritius 116. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balsamea* Wight -- Ill. Ind. Bot. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia balsamica* Jacq. -- Fragm. Bot. 40. t. 45. f. 2. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banaba* Elmer -- Leaflet. Philipp. Bot. iv. 1443 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banderensis* Urb. -- Symb. Antill. (Urban). 9(4): 495. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banderensis* Urb. -- Symb. Antill. (Urban). 9(4): 495. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banghamii* Standl. -- J. Arnold Arbor. 11: 125. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banghamii* Standl. -- J. Arnold Arbor. 1930, xi. 125. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bankensis* (Hassk.) Backer -- Schoolfl. Java 508 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banksii* S.Moore -- The Journal of Botany 40 1902 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia banksii* Britten & S.Moore -- J. Bot. 40: 26. 1902 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bantamensis* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baramensis* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 218. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barbata* McVaugh -- Fieldiana, Bot. xxix. 204 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barbata* McVaugh -- Fieldiana, Bot. 29: 204. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barbosae* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barbosae* Chodat & Hassl. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barneoudii* O.Berg -- Linnaea 27: 263. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barnesii* (Merr.) Merr. -- Philipp. J. Sci. 1(Suppl. 1): 104. 1906 [15 Apr 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barrana* Sobral -- Phytotaxa 135(1): 46. 2013 [1 Oct 2013]  
[epublished]

Purified (Shodhit) *Eugenia barrerensis* O.Berg -- Fl. Bras. (Martius) 14(1): 313. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barriei* N.Snow -- PhytoKeys 49: 65. 2015 [28 Apr 2015]  
[epublished]

Purified (Shodhit) *Eugenia barringtonii* Hole ex Chalk & Chattaway -- Trop. Woods 1935, No. 41, 24, nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barringtonii* Hole ex Chalk & Chattaway -- C. E. C. Fischer in Kew Bull. 1937, 438, pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barringtonioides* Ridl. -- J. Bot. 68: 12. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barriosana* Lundell -- *Wrightia* 5(4): 82 [-83]. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia barriosana* Lundell -- *Wrightia* 5(4): 82. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bartlettiana* Lundell -- *Contr. Univ. Michigan Herb.* No. 7, 30 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bartlettiana* Lundell -- *Contr. Univ. Michigan Herb.* 7: 30. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bartonii* F.M.Bailey -- *Proc. Roy. Soc. Queensland* 18: 2. 1904 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia baruensis* Jacq. -- Coll. iii. 183; Ic. Rar. t. 486. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baruensis* Bal. ex O.Berg -- Linnaea 29: 238. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baruensis* Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 7: 214. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia basilaris* McVaugh -- Fieldiana, Bot. xxix. 464 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia basilaris* McVaugh -- Fieldiana, Bot. 29: 464. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bataanensis* (Merr.) Merr. -- Philipp. J. Sci. 1(Suppl. 1): 104. 1906 [15 Apr 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia batavorum* (McVaugh) Mattos -- Loeftgrenia 120: 4. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia batingabranca* Sobral -- Napaea 1: 23, fig. 1987 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia batingabranca* Sobral -- Napaea, Rev. Bot. 1: 23 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia batucaryensis* O.Berg -- Coll. iii. 183; Ic. Rar. t. 262. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bauanguica* Blanco -- Fl. Filip. [F.M. Blanco] 418. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia baviensis* Gagnep. -- Notul. Syst. (Paris) 3: 317. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bayatensis* Urb. -- Symb. Antill. (Urban). 9(1): 99. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bayatensis* Urb. -- Symb. Antill. (Urban). 9(1): 99. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beaurepaireana* (Kiaersk.) D.Legrand -- Sellowia 13: 308. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beaurepairiana* (Kiaersk.) D.Legrand -- Sellowia no. 13: 308. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beccarii* Ridl. -- J. Bot. 68: 12. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beddomei* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 476. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belemii* (Mattos) Mattos -- Loefgrenia 120: 4. 2005 [Mar 2005] ; nom. inval.

Purified (Shodhit) *Eugenia belemmitana* McVaugh -- Mem. New York Bot. Gard. 18(2): 166. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belemmitana* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 166 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belizensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 137. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belizensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 137. 1932 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bella* Phil. -- Linnaea 28: 641. 1858 [1856 publ. Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bella* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 362. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belladerensis* Urb. & Ekman -- Ark. Bot. 21A(5): 37. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belladerensis* Urb. & Ekman -- Ark. Bot. 21A(5): 37. 1927; et in Ark. Bot. xxii. A. No. 10, 39 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia belloi* Barrie -- Novon 15(1): 4 (-6; fig. 1). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia bellonis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 611. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bellonis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 611. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bemangidiensis* N.Snow -- PhytoKeys 49: 69. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia benguellensis* Welw. ex Hiern -- Cat. Afr. Pl. (Hiern) i. 360. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia benguetensis* C.B.Rob. -- Philipp. J. Sci., C 4: 374. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia benjamina* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 106. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia benthamiana* Wight ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 484. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia benthamii* O.Berg -- Linnaea 27: 164. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia benthamii* A.Gray -- U.S. Expl. Exped., Phan. 15: 520. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bergiana* Griseb. -- Pl. Wright. (Grisebach) 1: 182. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bergiana* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bergii* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bergii* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia berlynensis* O.Berg -- Linnaea 27: 468. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia bernardi* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 115. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bernardoi* Merr. -- Philipp. J. Sci. 18: 304. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bernieri* Drake -- Bull. Mens. Soc. Linn. Paris ii. 1221. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia berteriana* Spreng. -- Syst. Veg., ed. 16 [Sprengel] 2: 487. 1825 [Jan-May 1825] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beruttii* (Mattos) Mattos -- Loefgrenia 120: 4. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia besukiensis* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 226. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beyeri* Urb. -- Symb. Antill. (Urban). 9(4): 502. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia beyeri* Urb. -- Symb. Antill. (Urban). 9(4): 502. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bibracteata* Greves -- J. Bot. 61(Suppl.): 18. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bicincta* Urb. & Ekman -- Ark. Bot. 21A(5): 33. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bicincta* Urb. & Ekman -- Ark. Bot. 21A(5): 33. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bicolor* O.Berg -- Fl. Bras. (Martius) 14(1): 282. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bifaria* Wall. -- Pl. Asiat. Rar. (Wallich). 2: 47, t. 161. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bifaria* Coleb. -- Numer. List [Wallich] n. 3606. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *lancea* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 631. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *ludibunda* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 630. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *mini* (Aubl.) Amshoff -- Recueil Trav. Bot. Néerl. 42: 12. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *pallens* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 629. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *virgultosa* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 628. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biflora* var. *wallenii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 629. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bifurcata* McVaugh -- Fieldiana, Bot. 29: 205. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bifurcata* McVaugh -- Fieldiana, Bot. xxix. 205 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia billardiana* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 2: 177, sphalm. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 291. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* DC. -- Prodr. [A. P. de Candolle] 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* var. *impunctata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 347. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* O.Berg var. *rubrocincta* Kiaersk. -- Enum. Myrt. Bras. 132. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* var. *tomentosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 347. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bimarginata* var. *umbellaris* Kiaersk. -- Enum. Myrt. Bras. 132. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia binacag* Elmer -- Leaf. Philipp. Bot. vii. 2351 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia binata* Mazine & Sobral -- Phytotaxa 296(3): 266. 2017 [20 Feb 2017] [epublished]

Purified (Shodhit) *Eugenia biniflora* Ridl. -- Bull. Misc. Inform. Kew 1925(2): 80. [6 Apr 1925] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biseriata* Kiaersk. -- Enum. Myrt. Bras. (1893) 180. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia biseriata* Kiaersk. -- Enum. Myrt. Bras. 180. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blanchetiana* O.Berg -- Fl. Bras. (Martius) 14(1): 273. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blancoi* Merr. -- Philipp. J. Sci., C 10: 208. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blanda* Sobral -- Bradea 6(26): 234 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blanda* Sobral -- Bradea 6: 232, fig. 1993 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blastantha* (O.Berg) D.Legrand -- Sellowia 13: 310. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after



enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blastantha* (O.Berg) D.Legrand -- Sellowia no. 13: 310. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bleeseri* O.Schwarz -- Repertorium Specierum Novarum Regni Vegetabilis 24 1927 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bleeseri* O.Schwarz -- Repert. Spec. Nov. Regni Veg. 24: 90. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blepharidantha* Urb. -- Notizbl. Bot. Gart. Berlin-Dahlem 7: 498. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blepharidantha* Urb. -- Notizbl. Bot. Gart. Berlin-Dahlem 7: 498. 1921 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blumeana* Kuntze -- Revis. Gen. Pl. 1: 239. 1891 [5 Nov 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia blumei* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 601. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bocainensis* Mattos -- Loefgrenia 64: 4. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bocainensis* Mattos -- Loefgrenia 64: 4, nom. nov. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boerlagei* Merr. -- Philipp. J. Sci., C 11: 296. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boisiana* Gagnep. -- Notul. Syst. (Paris) 3: 318. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bojeri* Baker -- Fl. Mauritius 115. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boliviana* (D.Legrand) Mattos -- Loeftgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boliviensis* O.Berg -- Fl. Bras. (Martius) 14(1): 221. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boliviensis* Rusby -- Mem. Torrey Bot. Club 3, no. 3: 28. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boliviensis* Rusby -- Mem. Torrey Bot. Club iii. 3 (1893) 28. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bonii* Gagnep. -- Notul. Syst. (Paris) 3: 318. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boninensis* Hayata ex Koidz. -- Bot. Mag. (Tokyo) 32: 135. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bonplandiana* O.Berg -- Linnaea 27: 228. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boporeti* D.Legrand -- Anales Mus. Hist. Nat. Montevideo ser. 2, iv. No. 11, p. 9 (1936), pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boqueronensis* Britton -- Bull. Torrey Bot. Club 51: 10. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia boqueronensis* Britton -- Bull. Torrey Bot. Club 1924, li. 10. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bordenii* Merr. -- Publ. Bur. Sci. Gov. Lab. 35: 47. 1906 [1905 publ. 17 Jan 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia borhidiana* Z.Acosta -- Willdenowia 44(2): 276. 2014 [11 Jul 2014] [epublished]

Purified (Shodhit) *Eugenia borinquensis* Britton -- Sci. Surv. Porto Rico & Virgin Islands 6: 38. 1925 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia borinquensis* Britton -- Sci. Surv. Porto Rico & Virgin Islands vi. 38 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia borneensis* Miq. -- Anal. Bot. Ind. 1: 24. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bosseri* J.Guého & A.J.Scott -- Kew Bull. 34(3): 475. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia botequimensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 156. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia botequimensis* Kiaersk. -- Enum. Myrt. Bras. 156, pl. 17, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachiata* Roxb. -- Hort. Bengal. [37]; Fl. Ind. ii. 488. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachyandra* Maiden & Betche -- Proceedings of the Linnean Society of New South Wales 23(1) 1898 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachyandra* Maiden & Betche -- Proc. Linn. Soc. New South Wales xxiii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachyblastiflora* Barrie, C.A.Ramos & O.Ortiz -- Novon 24(4): 335. 2016 [24 May 2016]

Purified (Shodhit) *Eugenia brachybotrya* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachycalyx* Baker f. -- J. Linn. Soc., Bot. xlv. 314 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachyclada* Urb. & Ekman -- Ark. Bot. 21A(5): 32. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachyclada* Urb. & Ekman -- Ark. Bot. 21A(5): 32. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachymischa* Kiaersk. -- Enum. Myrt. Bras. 165, tab. 23b. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachymischa* Kiaersk. -- Enum. Myrt. Bras. (1893) 165. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachymischa* f. *pedunculata* Kiaersk. -- Enum. Myrt. Bras. 166. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachynema* F.Muell. -- Fragmenta Phytographiae Australiae 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachynema* F.Muell. -- Fragm. (Mueller) 4(26): 59. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachypoda* DC. -- Prodr. [A. P. de Candolle] 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachysepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 125. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachysepala* Kiaersk. -- Enum. Myrt. Bras. 125, pl. 17, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachystachys* O.Berg -- Linnaea 27: 301. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachythrix* Urb. -- Symb. Antill. (Urban). 6(1): 23. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brachythrix* Urb. -- Symb. Antill. (Urban). 6(1): 23. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brackenridgei* A.Gray -- U.S. Expl. Exped., Phan. 15: 521, t. 61. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteata* (Willd.) Roxb. -- Fl. Ind. (Carey & Wallich ed.) 2: 490. 1832 ; isonym (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteata* Vell. -- Fl. Flumin. 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteata* Rich. -- Actes Soc. Hist. Nat. Paris 1: 110. 1792 [Oct 1792] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteata* (Willd.) Raeusch. ex DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteata* (Willd.) Raeusch. ex DC. var. *fasciculata* (Wall. ex Blume) Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 502. 1879 [May 1879]

Purified (Shodhit) *Eugenia bracteata* (Willd.) Raeusch. ex DC. var. *roxburghii* (DC.) Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 502. 1879 [May 1879]

Purified (Shodhit) *Eugenia bracteolaris* Lam. ex DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteolata* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 531; Illustr. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteolosa* Lundell -- Contr. Univ. Michigan Herb. No. 7, 31 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteolosa* Lundell -- Contr. Univ. Michigan Herb. 7: 31. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteosa* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bracteosa* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brantiana* M.R.Hend. -- Gard. Bull. Singapore 11: 313. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* Mattos & D.Legrand -- Loeftgrenia 67: 27. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* Mattos & D.Legrand -- Loeftgrenia no. 67: 27 (-28). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* Aubl. -- Hist. Pl. Guiane 1: 511. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 203. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* var. *erythrocarpa* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brasiliensis* var. *leucocarpa* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brassii* Merr. & L.M.Perry -- J. Arnold Arbor. xxiii. 247 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia breedlovei* Barrie -- Novon 15(1): 6 (-7; fig. 2). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia brejoensis* Mazine -- Bot. J. Linn. Soc. 158(4): 776 (775-777; fig. 1). 2008 [16 Dec 2008]

Purified (Shodhit) *Eugenia bresolinii* D.Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 11 (-15), fig. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bresolinii* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt., Suppl. 1): 11. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia breteleri* Jongkind -- Eur. J. Taxon. 113: 6. 2015 [23 Feb 2015] [epublished]

Purified (Shodhit) *Eugenia breviacuminata* M.A.D.Souza & Sobral -- Phytotaxa 349(1): 18. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia brevifolia* A.Gray -- U.S. Expl. Exped., Phan. 15: 531. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevipaniculata* Merr. -- Philipp. J. Sci., C 11: 23. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevipedunculata* Kiaersk. -- Enum. Myrt. Bras. (1893) 139. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevipedunculata* Kiaersk. -- Enum. Myrt. Bras. 139, pl. 17, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevipes* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 584; et ex Berg. in Linnaea, xxx. (1859-60) 676. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevipetiolata* Britton -- Bull. Torrey Bot. Club 50: 45. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia brevipedunculata* Britton & P. Wilson -- Bull. Torrey Bot. Club 1923, 1. 45. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia breviracemosa* Mazine -- Kew Bull. 64(1): 151 (-153; fig. 4). 2009 [May 2009]

Purified (Shodhit) *Eugenia brevistylis* D. Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 18 (-22), figs. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevistylis* D. Legrand -- Fl. Illustr. Catarin. 1(Mirt., Suppl. 1): 18. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevistylis* Lundell -- Wrightia 5(8): 276. 1976 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevistylis* Lundell -- Wrightia 5(8): 276. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brevistylis* C.B.Rob. -- Philipp. J. Sci., C 6: 347. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bridgesii* Hook. & Arn. -- Bot. Misc. 3: 322. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bridgesii* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brihondurensis* Lundell -- Wrightia 6(3): 50 (1979). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brihondurensis* Lundell -- Wrightia 6: 50 (-51). 1979 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brittoniana* C.B.Rob. -- Philipp. J. Sci., C 4: 398. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brongniartiana* Guillaumin -- Notul. Syst. (Paris) 3(9): 261. 1916

Purified (Shodhit) *Eugenia brownei* Urb. -- Repert. Spec. Nov. Regni Veg. 18: 368. 1922 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brownei* Urb. -- Repert. Spec. Nov. Regni Veg. 18: 368. 1922 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brownsbergii* Amshoff -- Recueil Trav. Bot. Néerl. 42: 14. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brownsbergii* Amshoff -- Recueil Trav. Bot. Néerl. 42: 14. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brownsbergii* var. *glauca* Amshoff -- Recueil Trav. Bot. Néerl. 42: 14. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunea* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunescens* Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunescens* Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunnea* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunnea* C.B.Rob. -- Philipp. J. Sci., C 4: 372. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunnea* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunneopubescens* Mazine -- Novon 19(1): 80(-82; fig. 1A-C). 2009 [19 Mar 2009]

Purified (Shodhit) *Eugenia brunneoramea* Merr. -- Univ. Calif. Publ. Bot. xv. 217 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia brunoii* Mattos -- Loefgrenia 99: 2 (1990), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bryanii* Kaneh. -- Bot. Mag. (Tokyo) 51: 913. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buchholzii* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 291. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buettneriana* K.Schum. -- Fl. Kais. Wilh. Land [K.M. Schumann & M.U. Hollrung] 89. 1889 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bukobensis* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 289. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bullata* Pancher ex Guillaumin -- Bull. Soc. Bot. France 85(9-10): 636, 640 (in clavi). 1939 [dt. 1938; issued 1 May 1939]

Purified (Shodhit) *Eugenia bullata* Pancher ex Guillaumin -- Ann. Mus. Colon. Marseille ser. 1, 9: 152. 1911 ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bullatifolia* M.L.Kawas. & Á.J.Pérez -- Harvard Pap. Bot. 20(1): 84, fig. 2. 2015 [30 Jun 2015]

Purified (Shodhit) *Eugenia bullockii* Hance -- J. Bot. 16: 227. 1878 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bulusanensis* Elmer -- Leaflet. Philipp. Bot. ix. 3135 (1925), in obs., nomen; et Leaflet. Philipp. Bot. x.3808 (1939), pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bumelioides* Standl. -- Publ. Carnegie Inst. Wash. No. 461, 75 (1935). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bumelioides* Standl. -- Publ. Carnegie Inst. Wash. 461: 75. 1935 Bot. Maya Area, Misc. Papers 4 (Long duration purification) as key ingredient in indigenous anti-

cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bunchosiifolia* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bunchosiifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bunchosiifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bungadinnia* F.M.Bailey -- Queensland Agric. J. ii. 285. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia bungadinnia* F.M.Bailey -- Queensland Agricultural Journal 2(4) 1898 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia burebidensis* Elmer -- Leaflet. Philipp. Bot. iv. 1436 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia burkartiana* (D.Legrand) D.Legrand -- Sellowia 13: 321. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia burkilliana* (D.Legrand) D.Legrand -- Sellowia no. 13: 321. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia burkilliana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 94. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* Phil. -- *Linnaea* 28: 640. 1857 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* Willd. -- *Sp. Pl.*, ed. 4 [Willdenow] 2(2): 960. 1799 [Dec 1799] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* Lam. -- *Encycl.* [J. Lamarck & al.] 3(1): 204. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* Spreng. ex DC. -- *Prodr.* [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* (Sw.) Willd. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxifolia* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxoides* Urb. & Urb. -- Symb. Antill. (Urban). 9(4): 510, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxoides* Urb. -- Symb. Antill. (Urban). 9(1): 99. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxoides* Urb. -- Symb. Antill. (Urban). 9(1): 99. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia buxoides* Urb. -- Symb. Antill. (Urban). 9(1): 99. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia byssacea* McVaugh -- Mem. New York Bot. Gard. 18(2): 168. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia byssacea* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 168 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caatingicola* K.Cout. & M.Ibrahim -- Phytotaxa 234(3): 216. 2015 [18 Nov 2015] [epublished]

Purified (Shodhit) *Eugenia cabanasensis* Britton & P.Wilson (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabanasensis* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 88 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabanasensis* Britton (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabanasensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 88. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabanasensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 88. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabanisiana* O.Berg -- Linnaea 27: 235. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabelludo* Kiaersk. -- Enum. Myrt. Bras. (1893) 180. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabelludo* Kiaersk. -- Enum. Myrt. Bras. 180. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabelludo* var. *glazioviana* Kiaersk. -- Enum. Myrt. Bras. 180, pl. 11, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cabelludo* var. *glazioviana* Kiaersk. -- Enum. Myrt. Bras. 180, pl. 11, fig. a. 1893 6114 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cachoeirensis* O.Berg -- Fl. Bras. (Martius) 14(1): 265. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cachoeirensis* O.Berg -- Fl. Bras. (Martius) 14(1): 265. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cachoeirensis* O.Berg var. *sessilifolia* Kiaersk. -- Enum. Myrt. Bras. 132. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cacuminis* Alain -- *Phytologia* 61: 356. 1986 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cacuminis* Alain -- *Phytologia* 61(6): 356 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cacuminis* Craib -- *Bull. Misc. Inform. Kew* 1930(4): 165. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cacuminoides* Govaerts -- *World Checkl. Purified (Shodhit)* 135. 2008 [Dec 2008]

Purified (Shodhit) *Eugenia cacuminum* Standl. & Steyerl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 22: 357. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cacuminum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 357. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caducibracteata* Mazine -- Kew Bull. 64(1): 149 (fig. 2). 2009 [May 2009]

Purified (Shodhit) *Eugenia caducipetala* M.A.D.Souza & Scud. -- Phytotaxa 212(1): 88. 2015 [2 June 2015] [published]

Purified (Shodhit) *Eugenia cagayanensis* Merr. -- Philipp. J. Sci., C 10: 214. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cahosiana* Urb. & Ekman -- Ark. Bot. 21A(5): 28. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cahosiana* Urb. & Ekman -- Ark. Bot. 21A(5): 28. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.



and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cajalbanica* Borhidi & O.Muñiz -- Bot. Közlem. 64: 216. 1978 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cajalbanica* Borhidi & O.Muñiz -- Bot. Közlem. 64(3): 216. 1978 [1977 publ. 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calcadensis* Bedd. -- Fl. Sylv. S. India Forester's Man. Bot.: p. cx. 1872 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calcicola* Merr. -- Philipp. J. Sci., C 10: 209. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calciphila* Lundell -- Wrightia iii. 11 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calciphila* Lundell -- *Wrightia* 3: 11. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calciscopulorum* N.Snow -- *PhytoKeys* 49: 72. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia caldensis* Kiaersk. -- *Enum. Myrt. Bras.* 162. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caldensis* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 162. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calimensis* Parra-Os. -- *Novon* 23(4): 437. 2015 [2014 publ. 9 Jan 2015]

Purified (Shodhit) *Eugenia calleryana* C.B.Rob. -- Philipp. J. Sci., C 6: 348. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia callichroma* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 169 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia callichroma* McVaugh -- Mem. New York Bot. Gard. 18(2): 169. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia callophylla* Reinw. ex de Vriese -- Pl. Ind. Bat. Reinw. 69. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caloneura* Sobral & Rigueira -- Phytotaxa 224(3): 207. 2015 [2 Sep 2015] [epublished]

Purified (Shodhit) *Eugenia calophyllifolia* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 1000. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calophylloides* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calothyrsa* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 189. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calothyrsa* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 189. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calubcob* C.B.Rob. -- Philipp. J. Sci., C 4: 364. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calumettae* Urb. & Ekman -- Ark. Bot. 22A(10): 35. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calumettae* Urb. & Ekman -- Ark. Bot. 22A(10): 35. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calva* McVaugh -- Fieldiana, Bot. xxix. 205 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calva* McVaugh -- Fieldiana, Bot. 29: 205. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calvinii* Elmer -- Leaflet. Philipp. Bot. iv. 1419 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycina* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 352. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycina* Benth. -- Niger Fl. [W. J. Hooker]. 358. 1849 [Nov-Dec 1849] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycina* Cambess. var. *herbacea* (O.Berg) Mattos -- Loeffgrenia 113: 2 (1999):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycolpoides* Griseb. -- Fl. Brit. W.I. [Grisebach] 238. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycorectoides* Guillaumin -- Bull. Mus. Natl. Hist. Nat. sér. 2, 20: 364. 1948 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calycorectoides* O.Berg -- Linnaea 29: 236. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calyosema* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calyosema* O.Berg -- Fl. Bras. (Martius) 14(1): 276. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calyculata* Bello -- in Anal. Soc. Esp. Hist. Nat. x. (1881) 271. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calyptrata* Roxb. ex Wight & Arn. -- Prodr. Fl. Ind. Orient. 1: 329. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calystegia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calystegia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calystegia* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia calystegia* (O.Berg) Mattos -- Loefgrenia 94: 1 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia camarioca* C.Wright -- Fl. Cub. (Sauvalle) 42. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia camarioca* C.Wright -- *Anales Acad. Ci. Med. Habana* 5: 431. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cambessedeaniana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 230. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cambessedeaniana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cambodiana* Gagnep. -- *Notul. Syst. (Paris)* 3: 319. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cambucae* Mattos -- *Loefgrenia* 120: 11. 2005 [Mar 2005] ; nom. inval.

Purified (Shodhit) *Eugenia cambucae* Mattos var. *triflora* (O.Berg) Mattos -- *Loefgrenia* 129: 2. 2009 [Jul 2009] ; nom. inval.

Purified (Shodhit) *Eugenia cambucarana* Kiaersk. -- Enum. Myrt. Bras. 151, pl. 17, fig. f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cambucarana* Kiaersk. -- Enum. Myrt. Bras. (1893) 151. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia camiguinensis* Merr. -- Philipp. J. Sci., C 7: 314. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campechiana* Lundell -- Contr. Univ. Michigan Herb. No. 7, 32 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campechiana* Lundell -- Contr. Univ. Michigan Herb. 7: 32. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campestris* Vell. -- Fl. Flumin. 208. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 35. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campestris* DC. -- Prodr. [A. P. de Candolle] 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campestris* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campestris* var. *nervulosa* Spring -- Flora 20(2, Beibl.): 87. 1837 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia campina* Sobral & M.A.D.Souza -- Phytotaxa 349(1): 20. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia campylocarpa* Gagnep. -- Notul. Syst. (Paris) 3: 320. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia camporum* Morong -- Ann. New York Acad. Sci. 7: 106. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia camporum* Morong -- Ann. New York Acad. Sci. vii. (1893) 106. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia camptophylla* M.R.Hend. -- Gard. Bull. Singapore 11: 311. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cana* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia canapensis* Urb. -- Symb. Antill. (Urban). 9(4): 491. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia canapuensis* Urb. -- Symb. Antill. (Urban). 9(4): 491. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia candelabriformis* C.B.Rob. -- Philipp. J. Sci., C 4: 375. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia candolleana* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia canelonensis* O.Berg -- Fl. Bras. (Martius) 14(1): 232. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia canelonensis* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia canescens* O.Berg -- Linnaea 29: 239. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cantuana* Lundell -- Wrightia iii. 122 (1965). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cantuana* Lundell -- Wrightia 3: 122. 1965 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. -- Gen. S. Afr. Pl. 416 (1838); et in Fl. Cap. 2: 522. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *albanensis* (Sond.) F.White -- *Kirkia* 10(2): 402. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *aschersoniana* (F.Hoffm.) F.White -- *Kirkia* 10(2): 403. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *gracilipes* F.White -- *Kirkia* 10(2): 403. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *gueinzii* (Sond.) F.White -- *Kirkia* 10(2): 403. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *multiflora* Verdc. -- *Kew Bull.* 54(1): 43. 1999 [2 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *natalitia* (Sond.) F.White -- *Kirkia* 10(2): 402. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *nyassensis* (Engl.) F.White -- *Kirkia* 10(2): 403. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *simii* (Dümmer) F.White -- *Kirkia* 10(2): 402. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capensis* Harv. subsp. *zeyheri* (Harv.) F.White -- *Kirkia* 10(2): 402. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capillipes* Borhidi -- *Acta Bot. Hung.* 50(3-4): 279 (-280). 2008

Purified (Shodhit) *Eugenia capitata* Merr. -- *J. Straits Branch Roy. Asiat. Soc.* 77: 208. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capitellata* Arn. -- Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 18(1): 335. 1836 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capitulifera* O.Berg -- Fl. Bras. (Martius) 14(1): 263. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capixaba* Mazine -- Novon 19(1): 82(-83; fig. 2A-C). 2009 [19 Mar 2009]

Purified (Shodhit) *Eugenia capizensis* Merr. -- Philipp. J. Sci. 18: 305. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capoasensis* Merr. -- Philipp. J. Sci., C 10: 209. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capparidifolia* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capparidifolia* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capparidifolia* DC. var. *longipetiolata* Mazine -- Neodiversity 4: 2 (fig. 1A-C). 2009 [14 Dec 2009]

Purified (Shodhit) *Eugenia capparidifolia* DC. var. *major* Mazine -- Neodiversity 4: 2 (fig. 1D-F). 2009 [14 Dec 2009]

Purified (Shodhit) *Eugenia capparidifolia* DC. var. *neglecta* (O.Berg) Mazine -- Bradea 13(1): 2. 2008 [6 Jun 2008]

Purified (Shodhit) *Eugenia capuli* Schltdl. -- Linnaea 5: 560. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capuli* var. *lindeniana* (O.Berg) Lundell -- Wrightia 3: 123. 1965 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capuli* var. *macroterantha* O.Berg -- Linnaea 27: 239. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capuli* var. *micrantha* O.Berg -- Linnaea 29: 238. 1857-1858 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capuli* var. *rigida* O.Berg -- Linnaea 29: 238. 1857-1858 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capulioides* Lundell -- Contr. Univ. Michigan Herb. No. 7, 32 (1942);. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia capulioides* Lundell -- Contr. Univ. Michigan Herb. 7: 32. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cararensis* Barrie & Q.Jiménez -- Novon 15(1): 7 (fig. 3). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia cardiophylla* Merr. -- Philipp. J. Sci. 18: 305. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carimbatayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carimbatayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carissoides* F.Muell. -- Fragm. (Mueller) 3(22): 130. 1863 [Mar 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carissoides* F.Muell. -- *Fragmenta Phytographiae Australiae* 3 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carolinensis* Koidz. -- *Bot. Mag. (Tokyo)* 30: 402. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carranzae* Lundell -- *Wrightia* 4: 92. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carranzae* Lundell -- *Wrightia* iv. 92 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cartagensis* O.Berg -- *Linnaea* 27: 240. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia carthagenensis* Jacq. -- Enum. Syst. Pl. 23. 1760 [Aug-Sep 1760] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cartilaginea* McVaugh -- Fieldiana, Bot. xxix. 205 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cartilaginea* McVaugh -- Fieldiana, Bot. 29: 205. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophylla* St.-Lag. -- Ann. Soc. Bot. Lyon vii. (1880) 126. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophyllaea* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 540; Illustr. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophyllata* Thunb. -- Diss. 1. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophylliflora* Ridl. -- J. Bot. 68: 15. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophyllifolia* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 198. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophylloides* Benth. -- Niger Fl. [W. J. Hooker]. 859. 1849 [Nov-Dec 1849] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caryophyllus* (Spreng.) Bullock & S.G.Harrison -- Kew Bull. 13(1): 52. 1958 [20 May 1958] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia casaretteana* O.Berg -- Fl. Bras. (Martius) 14(1): 520. 1858 [1 Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia casearioides* DC. -- Prodr. [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia casiguranensis* Quisumb. -- Philipp. J. Sci. 41: 337. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cassapensis* O.Berg -- Linnaea 27: 296. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cassinoides* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 205. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia cassinoides* O.Berg -- Fl. Bras. (Martius) 14(1): 286. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cassinoides* var. *difformis* O.Berg -- Fl. Bras. (Martius) 14(1): 580. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cassinoides* var. *gracilis* O.Berg -- Fl. Bras. (Martius) 14(1): 286. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cassinoides* var. *robusta* O.Berg -- Fl. Bras. (Martius) 14(1): 286. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia castanea* Merr. -- Journ. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia castaneiflora* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(2): 611 (fig. 2). 2009 [25 Nov 2009]

Purified (Shodhit) *Eugenia cataphyllea* M.C.Souza & Sobral -- Novon 23(4): 442. 2015 [2014 publ. 9 Jan 2015]

Purified (Shodhit) *Eugenia cataractarum* Guillaumin -- Bull. Soc. Bot. France 85: 636. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catharinae* O.Berg -- Fl. Bras. (Martius) 14(1): 259. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catharinensis* D.Legrand -- Sellowia 8: 73, tab. 2, 3. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catharinensis* D.Legrand -- Sellowia 8: 73. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cati* Britton -- Bull. Torrey Bot. Club 50: 44. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cati* Britton & P.Wilson -- Bull. Torrey Bot. Club 1923, l. 44. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cati* Britton -- Bull. Torrey Bot. Club 50: 44. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catinga* Baill. -- Hist. Pl. (Baillon) 6: 344. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catingiflora* Griseb. -- Cat. Pl. Cub. [Grisebach] 89. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia catingiflora* Griseb. -- Cat. Pl. Cub. [Grisebach] 89. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caudata* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 105. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caudatifolia* Merr. -- Philipp. J. Sci., C 7: 211. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caudatilimba* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 216. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* Miq. -- *Linnaea* 22: 537. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* O.Berg -- *Fl. Bras. (Martius)* 14(1): 268. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* (Mart.) DC. -- *Prodr. [A. P. de Candolle]* 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* O.Berg -- *Fl. Bras. (Martius)* 14(1): 268. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cauliflora* Ridl. -- Trans. Linn. Soc. London, Bot. 3(9): 299. 1893 [1888-94 publ. Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caurensis* Steyerm. -- Fieldiana, Bot. xxviii. 1010 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia caurensis* Steyerm. -- Fieldiana, Bot. 28: 1010. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cavalcanteana* Mattos -- Loefgrenia 94: 1 (1989), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cayoana* Lundell -- Wrightia 4: 143. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cayoana* Lundell -- *Wrightia* 4(4): 143. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ceibana* Urb. -- *Symb. Antill. (Urban)*. 9(4): 497. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ceibana* Urb. -- *Symb. Antill. (Urban)*. 9(4): 497. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ceibensis* Standl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 9: 319. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ceibensis* Standl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 9: 319. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia celebica* Merr. -- Interpr. Herb. Amboin. 397 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cephalophora* Ridl. -- J. Bot. 68: 13. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cerasiflora* Miq. -- Linnaea 22: 793. 1850 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cerasiflora* Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 42(4): 233. 1874 [1873 publ. 26 May 1874] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cerasiformis* DC. -- Prodr. [A. P. de Candolle] 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia cerasina* (Vahl) Mattos -- *Loefgrenia* 124: 3. 2007 [Jul 2007]

Purified (Shodhit) *Eugenia cerasoides* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 488. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cereja* D.Legrand -- *Sellowia* 13: 316. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cereja* D.Legrand -- *Sellowia* no. 13: 316. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cerina* M.R.Hend. -- Gard. Bull. Singapore 11: 322. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cerradensis* Sobral & Faria -- *Phytotaxa* 347(1): 62. 2018 [10 Apr 2018] [epublished]

Purified (Shodhit) *Eugenia cerrocacaoensis* Barrie -- Novon 15(1): 7 (9; fig. 4). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia cervina* Standl. & Steyerl. -- in Publ. Field Mus. Nat. Hist. Chicago, Bot. Ser. xxiii. 128(1944). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cervina* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 128. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chacoensis* (D.Legrand) Kausel -- Lilloa xxxii. 329 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chacoensis* (D.Legrand) Kausel -- Lilloa 32: 329. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chactana* Lundell -- Wrightia 4: 93. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chactean* Lundell -- *Wrightia* iv. 93 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chacueyana* Alain -- *Phytologia* 25: 267. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chacueyana* Alain -- *Phytologia* 25(5): 267. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chahalana* Lundell -- *Wrightia* 4: 93. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chahalana* Lundell -- *Wrightia* iv. 93 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia championii* Hemsl. ex F.B.Forbes & Hemsl. -- J. Linn. Soc., Bot. 23: 296. 1887 [1886-88 publ. 1887] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chanlos* Gagnep. -- Notul. Syst. (Paris) 3: 320. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chapelieri* Drake -- Bull. Mens. Soc. Linn. Paris ii. 1222. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chartacea* McVaugh -- *Fieldiana*, Bot. xxix. 206 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chartacea* McVaugh -- Fieldiana, Bot. 29: 206. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chavaran* Bourd. -- For. Trees Travancore 188 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chavarriae* Barrie -- Novon 15(1): 9 (11; fig. 5). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia chekan* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chepensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 144. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chepensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 144. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chequen* Molina (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chequen* Molina -- Sag. Stor. Nat. Chili, ed. 2. 148. 1810 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiapensis* Lundell -- Amer. Midl. Naturalist 20: 238. 1938 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiapensis* Lundell -- Amer. Midl. Naturalist xx. 238 (1938). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chinajensis* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 129. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chinajensis* Standl. & Steyerl. -- in Publ. Field Mus. Nat. Hist. Chicago, Bot. Ser. xxiii. 129 (1944). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chinensis* Regel -- Cat. Pl. Hort. Aksakov. 57. 1860 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiquimulana* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 358. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiquimulana* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 358. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiquitensis* O.Berg -- Fl. Bras. (Martius) 14(1): 519. 1858 [1 Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chiquitensis* O.Berg var. *pseudoverticillata* (S.Moore) Mazine -- *Phytotaxa* 205(3): 164. 2015 [21 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia chirindensis* Baker f. -- J. Linn. Soc., Bot. xl. 70. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chlorantha* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 487. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chlorocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 220. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chloroleuca* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 113. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia chlorophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 583. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chlorophyta* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chlorophyta* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 174. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. -- Enum. Myrt. Bras. 174, tab. 23h. 1893 Warming, Symbol. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. var. *angustifolia* Kiaersk. -- Enum. Myrt. Bras. 175. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. var. *elliptica* Kiaersk. -- Enum. Myrt. Bras. 175. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. var. *latifolia* Kiaersk. -- Bull. Soc. Bot. France 54(Mém. 3c): 236. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* var. *regnelliana* Kiaersk. -- Enum. Myrt. Bras. 175. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chnoosepala* Kiaersk. var. *regnelliana* Kiaersk. -- Enum. Myrt. Bras. 175. 1893 Warm. Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia choapamensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 93. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia choapamensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 93. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chodatii* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chodatii* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia choungiensis* Byng & N.Snow -- Phytotaxa 252(3): 170. 2016 [14 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia christii* Urb. -- Symb. Antill. (Urban). 7(2): 303. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia christii* Urb. -- Symb. Antill. (Urban). 7(2): 303. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia christovana* Kiaersk. -- Enum. Myrt. Bras. 148, pl. 18, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia christovana* Kiaersk. -- Enum. Myrt. Bras. (1893) 184. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrootricha* Urb. & Ekman -- Ark. Bot. 21A(5): 30. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrootricha* Urb. & Ekman -- Ark. Bot. 21A(5): 30. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrootrichoides* Proctor -- Bull. Inst. Jamaica, Sci. Ser. 16: 30. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrootrichoides* Proctor -- Addit. Fl. Jam. (Bull. Inst. Jam., Sci. Ser., No. 16) 30 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysantha* O.Berg -- Fl. Bras. (Martius) 14(1): 272. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysobalanoides* DC. -- Prodr. [A. P. de Candolle] 3: 285. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysocarpa* O.Berg -- Linnaea 27: 168. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysocarpa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophylla* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 129. 1813 [24 Sep 1813] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 583. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophylloides* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophylloides* Macfad. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophyllum* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 129. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrysophylloides* Macfad. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia chrystaensis* O.Berg -- Fl. Bras. (Martius) 14(1): 222, t. 4, fig. 75. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia churutensis* Cornejo -- Harvard Pap. Bot. 10(1): 61 (-62; fig. 1). 2005 [Nov 2005]

Purified (Shodhit) *Eugenia ciarensis* O.Berg -- Fl. Bras. (Martius) 14(1): 235, t. 4. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ciliaris* Ridl. -- Bull. Misc. Inform. Kew 1928(2): 74. [22 Feb 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ciliatose* Merr. -- Philipp. J. Sci., C 7: 315. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ciliolata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 344. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ciliolata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 344 (-345). 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ciliolata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). vol. 2: 344 (-345). 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cincta* Griseb. -- Pl. Wright. (Grisebach) 1: 182. 1860 [Dec 1860] ; preprinted from Mem. Amer. Acad. Arts ser. 2, 8(1): [153]-192. 1861 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cincta* (Merr. & L.M.Perry) Whitmore -- Gard. Bull. Singapore 22: 16. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cinerascens* Gardner -- London J. Bot. 4: 102. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cinerea* Kurz -- in Pegu For. Rep. Append. B. 50. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cinnamomea* S.Vidal -- Phan. Cuming. Philipp. 173. 1885 [Nov 1885] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cinalapana* Barrie -- Novon 15(1): 11(fig. 6). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia circumdata* Mazine & Sobral -- Phytotaxa 343(2): 161. 2018 [9 Mar 2018] [epublished]

Purified (Shodhit) *Eugenia circumscissa* Gagnep. -- Notul. Syst. (Paris) 3: 321. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 342. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2(19): 342. 1832 [27 Oct 1832] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatensis* Cambess. var. *angustifolia* Lillo -- Seg. Contr. Arb. Argent. 38. 1917 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatensis* Cambess. var. *angustifolia* (O.Berg) Lillo (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatensis* Cambess. var. *gigantea* D.Legrand -- Anales Mus. Nac. Montevideo ser. 2, 4, no. 11: 59. 1936 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatina* Arechav. -- Anales Mus. Nac. Montevideo v. 62. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cisplatina* Arechav. -- Anales Mus. Nac. Montevideo 5: 62. 1902 Arch. Fl. Uruguay, 2: 62. 1902 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia citrifolia* Poir. -- *Encycl. [J. Lamarck & al.] Suppl. 3. 129. 1813* [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia citroides* Lundell -- *Contr. Univ. Michigan Herb. No. 7, 33 (1942).* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia citroides* Lundell -- *Contr. Univ. Michigan Herb. 7: 33. 1942* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clarendonensis* Urb. -- *Symb. Antill. (Urban). 7(3): 305. 1912* [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clarendonensis* Urb. -- *Symb. Antill. (Urban). 7(3): 305. 1912* [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clarens* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 90 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clarens* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 90. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clarkeana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 93. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clausa* C.B.Rob. -- Philipp. J. Sci., C 4: 380. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clavata* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 225. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clavellata* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 104. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia claviflora* Roxb. -- Fl. Ind. (Roxburgh) 2: 488. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clavimyrtus* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 110. 1900 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cleistocalyx* Merr. -- Philipp. J. Sci., C 13: 98. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clementis* C.B.Rob. -- Philipp. J. Sci., C 4: 383. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cleyerifolia* Yatabe -- Bot. Mag. (Tokyo) 6: 405, t. 13. 1892 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clinocarpa* DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cloiselii* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 183. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clusiifolia* A.Gray -- U.S. Expl. Exped., Phan. 15: 528. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clusioides* Brongn. & Gris -- Bull. Soc. Bot. France 12: 180. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia clypeolata* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 82: 185. 1920 [Sep 1920] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coactanea* O.Berg -- Fl. Bras. (Martius) 14(1): 220. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coalita* Greves -- J. Bot. 61(Suppl.): 15. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coarensis* DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cobanensis* Lundell -- Wrightia 5: 69[-70]. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia cobanensis* Lundell -- *Wrightia* 5(3): 69. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coccifera* O.Berg -- *Fl. Bras. (Martius)* 14(1): 278. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coccinea* K.Cout. & M.Ibrahim -- *Phytotaxa* 234(3): 220. 2015 [18 Nov 2015] [epublished]

Purified (Shodhit) *Eugenia coccolobifolia* (Kunth) Burret -- *Notizbl. Bot. Gart. Berlin-Dahlem* 15: 521. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cochinchinensis* Gagnep. -- *Notul. Syst. (Paris)* 3: 322. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cocosensis* Barrie -- *Novon* 15(1): 11 (13; fig. 7). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia cocquericotensis* Lundell -- Bull. Torrey Bot. Club 1937, lxiv. 554. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cocquericotensis* Lundell -- Bull. Torrey Bot. Club 64: 554. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia codyensis* Munro -- Ill. Ind. Bot. 2(1): 13 (-14). 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coetzalensis* Durán-Esp. & Cast.-Campos -- Phytotaxa 349(2): 180. 2018 [11 May 2018] [epublished]

Purified (Shodhit) *Eugenia coffeifolia* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coffeifolia* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coffeifolia* DC. var. *grandifolia* O.Berg -- *Linnaea* 29: 231. 1857-1858 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coffeifolia* DC. var. *parvifolia* O.Berg -- *Linnaea* 29: 231. 1857-1858 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coffeoides* Lundell -- *Wrightia* 5(4): 83. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coffeoides* Lundell -- *Wrightia* 5(4): 83. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coibensis* Barrie -- *Novon* 15(1): 13 (-14; fig. 8). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia colchaguensis* Phil. -- Linnaea 33: 72. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia colchaguensis* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia colipensis* O.Berg -- Linnaea 29: 243. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia collina* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia collina* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia collinsae* Craib -- Bull. Misc. Inform. Kew 1928(6): 237. [8 Aug 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia colnettiana* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. viii. 292 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coloradensis* Standl. -- Trop. Woods 52: 27. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coloradoensis* Standl. -- Trop. Woods 1937, No. 52, 27. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coloradoensis* Standl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia colorata* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 492. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia columbiensis* O.Berg -- Linnaea 27: 469. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia comete* Aubl. -- Pl. Guin. t. 196. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia comitanensis* Lundell -- Wrightia 3: 12. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia comitanensis* Lundell -- Wrightia iii. 12 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia commutata* O.Berg -- Linnaea 27: 174. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia comorensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 174. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia comosa* Wall. -- Numer. List [Wallich] n. 3566 D. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia compactiflora* Spring ex Mart. -- Flora 20(2, Beibl.): 81. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia complanata* Gardner -- London J. Bot. 2: 353. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia complicata* O.Berg -- Fl. Bras. (Martius) 14(1): 313. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia compoensis* Gagnep. -- Notul. Syst. (Paris) 3: 323. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia compressa* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia compressa* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia compta* Rich. ex O.Berg -- Linnaea 30: 677. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia comptonii* Baker f. -- J. Linn. Soc., Bot. xlv. 317 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia concava* B.Holst & M.L.Kawas. -- J. Bot. Res. Inst. Texas 2(1): 299 (fig. 2). 2008 [24 Jul 2008]

Purified (Shodhit) *Eugenia conceptionis* K.Schum. -- Just's Bot. Jahresber. 26(1): 359. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conceptionis* (Kuntze) K.Schum. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conceptionis* K.Schum. -- Bot. Jahresber. (Just) 26, pt. 1: 359. 1900 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conchalensis* D.Legrand & Mattos -- Loeftgrenia 121: 1(-8; figs. 1-4). 2006 [May 2006]

Purified (Shodhit) *Eugenia concinna* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 416. 1864 [Dec 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia concinna* Phil. -- Linnaea 28: 640. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia concinna* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia concolor* Mattos -- Loefgrenia 94: 5 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia condensata* (Miq.) Ridl. -- J. Bot. 68: 14, in obs. 1930 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia condensata* Baker -- J. Bot. 20: 112. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia condensata* Baker var. *thouvenotii* Danguy -- Madag. Bois Analamaz. 106. 1922

Purified (Shodhit) *Eugenia conduplicata* B.Holst -- Selbyana 23(2): 140 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conduplicata* B.Holst -- Selbyana 23(2): 140 (142; fig. 3). 2002 [28 Dec 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia confertiflora* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 106. 1900 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia confertiflora* A.Gray -- U.S. Expl. Exped., Phan. 15: 523, t. 61. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia confusa* DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia congesta* Merr. -- Publ. Bur. Sci. Gov. Lab. 35: 49. 1906 [1905 publ. 17 Jan 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia congestissima* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 190. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia congestissima* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 190. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conglobata* C.B.Rob. -- Philipp. J. Sci., C 4: 359. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conglobata* Sessé & Moc. -- Pl. Nov. Hisp. 83 (Naturaleza (Mexico City), Ser. 2, 1: App.); ed. 2, 77. 1888 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conglobata* Sessé & Moc. -- Naturaleza (Mexico City) ser. 2, 1, app. 83. 1888 *Plantae Novae Hispaniae* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conglomerata* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 497. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia congolensis* De Wild. & T.Durand -- Bull. Soc. Roy. Bot. Belgique 38(1, Comp. Rend.): 124. 1899 [30 Jun 1899] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conjuncta* Amshoff -- Kew Bull. 7(2): 259. 1952 [25 Jul 1952] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conjuncta* Amshoff -- Kew Bull. 7(2): 259. 1952 [25 Jul 1952] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia consanguinea* Merr. -- Philipp. J. Sci. 18: 300. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia consolatae* Chiov. -- Racc. Bot. 45 (1935). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia constanzae* Alain -- Phytologia 61: 357. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia constanzae* Alain -- *Phytologia* 61(6): 357 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia contracta* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3. 125. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia contracta* Wall. -- *Numer. List [Wallich]* n. 3602. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia contrerasii* Lundell -- *Wrightia* ii. 206 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia contrerasii* Lundell -- *Wrightia* 2: 206. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia convexinervia* D.Legrand -- Sellowia no. 13: 307. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia convexinervia* D.Legrand -- Sellowia 13: 307. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conzattii* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1041 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia conzattii* Standl. -- Contr. U.S. Natl. Herb. 23: 1041. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coolminiana* C.Moore. -- Handb. Fl. N.S.W. (1893) 207. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia coolminiana* C.Moore -- Handbook of the Flora of New South Wales 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia copacabanensis* Kiaersk. -- Enum. Myrt. Bras. 172, pl. 23, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia copelandii* C.B.Rob. -- Philipp. J. Sci., C 4: 352. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corallina* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 207. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corcovadensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 126. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corcovadensis* Kiaersk. -- Enum. Myrt. Bras. 126, pl. 18, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordata* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordata* M.A.Lawson -- Fl. Trop. Afr. [Oliver et al.] 2: 438. 1871 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordata* var. *ovata* Kiaersk. -- Bot. Tidsskr. 17: 258. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordata* var. *parvifolia* Schltl. -- Linnaea 5: 199. 1830 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordata* var. *sintenisii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 656. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordatilimba* Merr. -- Philipp. J. Sci. 27: 40. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordifolia* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 544; Illustr. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordifoliata* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 79: 66. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cordillerana* Mattos -- Loefgrenia 124: 1(-2; fig. 1). 2007 [Jul 2007]

Purified (Shodhit) *Eugenia coriacea* O.Berg -- Linnaea 30: 694. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coriacea* F.Dietr. -- Nachtr. Vollst. Lex. Gärt. 3: 263. 1817 [Apr-May 1817] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coriacea* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coriacea* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 229. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coriacea* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 229, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cormiflora* F.Muell. -- Fragmenta Phytographiae Australiae 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cormiflora* F.Muell. -- *Fragm. (Mueller)* 5(31): 23. 1865 [Apr 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coronata* Vahl ex DC. -- *Prodr. [A. P. de Candolle]* 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coronata* Schumach. & Thonn. -- *Beskr. Guin. Pl.* 230. 1827 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coronata* Vahl ex DC. var. *macrophylla* A.Chev. -- *Explor. Bot. Afrique Occ. Franc.* 1: 267. 1920

Purified (Shodhit) *Eugenia corozalensis* Britton -- *Bull. Torrey Bot. Club* 1924 li. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corozalensis* Britton -- Bull. Torrey Bot. Club 51: 11. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corralensis* Phil. -- Linnaea 33: 72. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corralensis* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia correae* O.Berg -- Fl. Bras. (Martius) 14(1): 277. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia correifolia* Hook. & Arn. -- Bot. Misc. 3: 319. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corrientina* Barb.Rodr. -- Myrt. Paraguay 5, pl. 7. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corrientina* Barb.Rodr. -- Myrt. Paraguay 5. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corrugata* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 93. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cortico-papyracea* Elmer -- Leaf. Philipp. Bot. iv. 1405 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corticosa* Lour. -- Fl. Cochinch. 1: 308. 1790 [Sep 1790] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corusca* Barrie -- Novon 15(1): 14 (16; fig. 9). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia corymbifera* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 98. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corymbosa* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 199. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corymbosa* O.Berg -- Linnaea 31: 256 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corymbosa* Roxb. -- Hort. Bengal. [37J; Fl. Ind. ii. 497. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corymbosa* Wall. -- Numer. List [Wallich] n. 3566 F. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corynantha* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corynantha* F.Muell. -- Fragam. (Mueller) 9(78): 145. 1875 [Sep 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia corynocarpa* A.Gray -- U.S. Expl. Exped., Phan. 15: 526. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costaricensis* O.Berg -- Linnaea 27: 213. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* Bello -- in Anal. Soc. Esp. Hist. Nat. x. (1881) 272. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* (Miq.) Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 162. 1900 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* O.Berg -- Fl. Bras. (Martius) 14(1): 577. 1859 [15 Jan 1859] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 359. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* Brongn. & Gris -- Bull. Soc. Bot. France 12: 178. 1865 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costata* Bello (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costatifructa* Mazine -- Novon 19(1): 82(81-84; fig. 1D-F). 2009 [19 Mar 2009]

Purified (Shodhit) *Eugenia costenoblei* Merr. -- Philipp. J. Sci., C 9: 123. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia costulata* C.B.Rob. -- Philipp. J. Sci., C 4: 393. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cotinifolia* Jacq. -- Observ. Bot. [Jacquin] iii. 3; Lam. Encyc. ii. 204. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cotinifolia* Jacq. subsp. *codyensis* (Munro ex Wight) P.S.Ashton -- in M.D. Dassanayake & F.R. Fosberg, Revised Handb. Fl. Ceylon 2: 412 (1981):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cotinifolia* Jacq. var. *gracilis* (Duthie) M.R.Almeida -- Fl. Maharashtra 2: 265 (1998). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cotinifolia* Jacq. subsp. *phyllyraeoides* (Trimen) P.S.Ashton -- in M.D. Dassanayake & F.R. Fosberg, Revised Handb. Fl. Ceylon 2: 413 (1981):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cotinifolioides* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 185. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coumeta* DC. -- Prodr. [A. P. de Candolle] 3: 245. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coumete* Aubl. -- Hist. Pl. Guiane 1: 497. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coursiana* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 170. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cowanii* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 173 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cowanii* McVaugh -- Mem. New York Bot. Gard. 18(2): 173. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cowellii* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 88. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cowellii* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 88 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coyolensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 320. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia coyolensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 320. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cozumelensis* Lundell -- Wrightia iii. 13 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cozumelensis* Lundell -- *Wrightia* 3: 13. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassa* Sobral -- *Novon* 20(3): 338 (-340; fig. 1). 2010 [13 Sep 2010]

Purified (Shodhit) *Eugenia crassibracteata* Merr. -- *Philipp. J. Sci.*, C 10: 210. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassicaulis* Proctor -- *J. Arnold Arbor.* 63(3): 274 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassicaulis* Proctor -- *J. Arnold Arbor.* 63: 274. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassiflora* Kiaersk. -- Enum. Myrt. Bras. (1893) 132. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassiflora* Miq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassiflora* Kiaersk. -- Enum. Myrt. Bras. 132, pl. 19, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassifolia* Miq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassifolia* DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia crassifolia* Ant.Molina -- Ceiba 3: 169. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassifolia* Ant.Molina -- Ceiba iii. 169 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassifolia* Miq. -- Linnaea 19: 439. 1846 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassifolia* Vieill. ex Brongn. & Gris -- Bull. Soc. Bot. France 13: 469. 1866 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassilimba* Merr. -- Philipp. J. Sci. 27: 41. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassimarginata* M.L.Kawas. & B.Holst -- J. Bot. Res. Inst. Texas 3(2): 611 (613-614; fig. 3). 2009 [25 Nov 2009]

Purified (Shodhit) *Eugenia crassipes* C.B.Rob. -- Philipp. J. Sci., C 4: 361. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassipetala* J.Guého & A.J.Scott -- Kew Bull. 34(3): 476. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crassissima* Merr. -- Philipp. J. Sci., C 9: 211. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia craveniana* N.Snow & Peter G.Wilson -- Telopea 12(4): 454 (453-457; figs. 1-2). 2010 [11 Nov 2010]

Purified (Shodhit) *Eugenia creaghii* Ridl. -- J. Bot. 68: 14. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crebrifolia* Steyerm. -- Fieldiana, Bot. xxviii. 101 1 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crebrifolia* Steyerm. -- Fieldiana, Bot. 28: 1011. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crebrinervis* C.T.White -- Proceedings of the Royal Society of Queensland 57 1946 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crebrinervis* C.T.White -- Proc. Roy. Soc. Queensland 57: 25. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenata* Vell -- Fl. Flumin. 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 39. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenata* O.Berg -- *Linnaea* 27: 226. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenularis* Lundell -- *Wrightia* 3: 12. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenularis* Lundell -- *Wrightia* iii. 12 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenulata* Willd. -- *Sp. Pl.*, ed. 4 [Willdenow] 2(2): 961. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenulata* Duthie -- *Fl. Brit. India* [J. D. Hooker] 2(5): 490. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenulata* var. *cubensis* O.Berg -- *Linnaea* 27: 244. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crenulata* var. *domingensis* O.Berg -- *Linnaea* 27: 244. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cribrata* McVaugh -- *Mem. New York Bot. Gard.* 18(2): 174. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cribrata* McVaugh -- *Mem. New York Bot. Gard.* xviii. No. 2, 174 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cricamolensis* Standl. -- *Trop. Woods* No. 16, 20 (1928); et in *Publ. Field Mus. Nat. Hist. Chicago, Bot. Ser.* iv. 242 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristaensis* O.Berg -- Fl. Bras. (Martius) 14(1): 222. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristalensis* Urb. -- Symb. Antill. (Urban). 9(4): 493. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristalensis* Urb. -- Symb. Antill. (Urban). 9(4): 493. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristata* C.Wright -- Anales Acad. Ci. Med. Habana 5: 430. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristata* C.Wright & Sauv. -- Bot. Jahrb. Syst. 19(5): 660. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cristata* C.Wright -- Fl. Cub. (Sauvalle) 41. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crosbyi* Burkill -- J. Linn. Soc., Bot. 35: 38. 1901 [1901-1904 publ. 1901] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crossopterygoides* A.Chev. -- Bull. Soc. Bot. France 55(Mém. 8b): 36. 1908 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crucicalyx* McVaugh -- Fieldiana, Bot. 29: 206. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crucicalyx* McVaugh -- Fieldiana, Bot. xxix. 206 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia crucigera* Däniker -- Vierteljahrsschr. Naturf. Ges. Zürich 1933, lxxviii. Beibl. 19, 295. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cruckshanksii* Hook. & Arn. -- Bot. Misc. 3: 321. 1833 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cruckshanksii* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cruckshanksii* Hook. & Arn. -- Bot. Misc. 3: 321. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cruegeri* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 625. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia cruegeri* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 625. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cryptadena* Amshoff -- Recueil Trav. Bot. Néerl. 42: 17. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cryptadena* Amshoff -- Recueil Trav. Bot. Néerl. 42: 17. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cryptadena* Amshoff var. *gracilis* Amshoff -- Recueil Trav. Bot. Néerl. 42: 18. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cryptophlebia* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cryptophlebia* F.Muell. -- *Fragm. (Mueller)* 9(78): 144. 1875 [Sep 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuaoensis* McVaugh -- *Mem. New York Bot. Gard.* xviii. No. 2, 174 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuaoensis* McVaugh -- *Mem. New York Bot. Gard.* xviii. No. 2, 174 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cucullata* Amshoff -- *Recueil Trav. Bot. Néerl.* 42: 17. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cucullata* Amshoff -- *Recueil Trav. Bot. Néerl.* 42: 17. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia culicina* Sobral -- Phytotaxa 135(1): 48. 2013 [1 Oct 2013]  
[epublished]

Purified (Shodhit) *Eugenia culminicola* McVaugh -- Fieldiana, Bot. 29: 437. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia culminicola* McVaugh -- Fieldiana, Bot. xxix. 437 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia culta* Sobral -- Phytotaxa 50: 28 (-30; fig. 5). 2012 [17 Apr 2012]  
[epublished]

Purified (Shodhit) *Eugenia cumbreana* Lundell -- Wrightia 4(6): 179. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumbreana* Lundell -- Wrightia 4: 179. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumingiana* S.Vidal -- Phan. Cuming. Philipp. 173. 1885 [Nov 1885] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumingii* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumingii* Hook. & Arn. -- Bot. Misc. 3: 319. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumini* Merr. -- Interpr. Herb. Amboin. 394 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cumini* (L.) Druce -- Bot. Exch. Club Brit. Isles Rep. 3(5): 418. 1914 [Feb 1914] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuneata* B.Heyne ex Bedd. -- Fl. Sylv. S. India 15-24: cxii. 1872 ; nom. illeg.

Purified (Shodhit) *Eugenia cuneata* Wall. -- Numer. List [Wallich] n. 3625. 1831 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuneata* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 495. 1878 [Jul 1878] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuneifolia* Baker -- J. Linn. Soc., Bot. 20: 144. 1883 [1884 publ. 1883] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupiliger* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuprea* (O.Berg) Mattos -- Loeftgrenia 94: 1 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuprea* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuprea* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuprea* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuprea* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupulata* Amshoff -- Recueil Trav. Bot. Néerl. 39: 160. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 86, 160 (1942). (Short duration purification) as

key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupulata* Amshoff -- Recueil Trav. Bot. Néerl. 39: 160, fig. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupulata* Amshoff var. *macrophylla* McVaugh -- Mem. New York Bot. Gard. 18: 176. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupulifera* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 190. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupuligera* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cupuligera* Urb. -- Symb. Antill. (Urban). 9(1): 109. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curranii* C.B.Rob. -- Philipp. J. Sci., C 4: 351. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curtiflora* Elmer -- Leaflet. Philipp. Bot. i. 328. 1908 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curtisii* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 129. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curvato-petiolata* Kiaersk. -- Enum. Myrt. Bras. 133, pl. 18, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia curvipilosa* McVaugh -- Fieldiana, Bot. 29: 206. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curvipilosa* McVaugh -- Fieldiana, Bot. xxix. 206 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curvistyla* Gillespie -- Bull. Bernice P. Bishop Mus. 83: 21. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curvivenia* McVaugh -- Fieldiana, Bot. 29: 207. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia curvivenia* McVaugh -- Fieldiana, Bot. xxix. 207 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidata* Wall. -- Numer. List [Wallich] n. 3627. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidata* O.Berg -- Fl. Bras. (Martius) 14(1): 286. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidata* Phil. -- Anales Univ. Chile 84: 755. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidata* Phil. -- Anales Univ. Chile lxxxiv. 755 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidato-obovata* Hayata -- Icon. Pl. Formosan. 3: 116. 1913 [25 Dec 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cuspidifolia* DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyanocarpa* (F.Muell.) Maiden & Betcher -- Proc. Linn. Soc. New South Wales 1904, xxix. 740 (1905). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyanocarpa* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyanocarpa* F.Muell. -- Fragm. (Mueller) 9(78): 146. 1875 [Sep 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyanophylla* P.C.Kanjilal & Das -- in Assam Forest Rec., Bot. ii. 12 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cycliantha* D.Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 15 (-17), fig. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cycliantha* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt., Suppl. 1): 15. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cycloidea* Urb. -- Symb. Antill. (Urban). 9(4): 490. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cycloidea* Urb. -- Symb. Antill. (Urban). 9(4): 490. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyclophylla* Baker -- J. Bot. 20: 111. 1882 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyclophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 287. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyclophylla* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 494. 1878 [Jul 1878] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cydoniifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 229. 1857 [15 May 1857] , as '*cydoniaefolia*' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cylindrica* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 527; Illustr. ii. 14. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cymatodes* O.Berg -- Fl. Bras. (Martius) 14(1): 578. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cymosa* Sieber ex C.Presl -- Oken, Isis xxi. (1828) 274. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cymosa* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 199. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cymosa* Roxb. -- Fl. Ind. (Roxburgh) 2: 492. 1832 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyphophloea* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyphophloea* Griseb. -- Cat. Pl. Cub. [Grisebach] 87. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia cyrtophylloides* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 79: 65. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia daaouiensis* Guillaumin -- Bull. Soc. Bot. France 85: 637. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia daaouiensis* Guillaumin var. *glabriflora* Guillaumin -- Bull. Soc. Bot. France 85(9-10): 637. 1939 [dt. 1938; issued 1 May 1939]

Purified (Shodhit) *Eugenia daenikeri* Guillaumin -- Bull. Soc. Bot. France 85: 637. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dallachiana* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dallachyana* F.Muell. ex Benth. -- Fl. Austral. 3: 287. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia danguyana* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 195. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia daphne* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 45. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia daphnoides* Greves -- J. Bot. 61(Suppl.): 15. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia darcyi* Barrie -- Monogr. Syst. Bot. Missouri Bot. Gard. 104: 358 (357-360; fig. 1). 2005 [10 Jun 2005] ; Festschr. William G. D'Arcy (ed. R.C.Keating et al.).

Purified (Shodhit) *Eugenia darwinii* Hook.f. -- Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 277. 1846 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia darwinii* Hook.f. -- Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 277. 1846 [ante 2 Mar 1846] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia darwinii* Hook.f. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dasyantha* O.Berg -- Fl. Bras. (Martius) 14(1): 572. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dasyblasta* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dasyblasta* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dasyblasta* Arechav. -- *Anales Mus. Nac. Montevideo* v. 60. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dasyblasta* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia davaoensis* Elmer -- *Leaflet Philipp. Bot.* iv. 1439 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dawei* Hutch. & Dalziel -- *Fl. W. Trop. Afr.* [Hutchinson & Dalziel] i. 200 (1927); Hutchinson & Dalziel in *Kew Bull.* 1928, 219. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dealbata* Burkill -- *J. Linn. Soc., Bot.* 35: 37. 1901 [1901-1904 publ. 1901] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia debilis* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 231, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia debilis* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 231. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decidua* Merr. -- Philipp. J. Sci., C 9: 121. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decipiens* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deckeri* Gagnep. -- Notul. Syst. (Paris) 3: 323. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decora* Wall. -- Numer. List [Wallich] n. 3608. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decora* Salisb. -- Prodr. Stirp. Chap. Allerton 353. 1796 [Nov-Dec 1796] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decora* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 115. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decorticans* O.Berg -- Fl. Bras. (Martius) 14(1): 240. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decumbens* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 339. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decussata* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 30: 131, nomen. 1897 [Jul 1897] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia decussata* (Vell.) Mattos -- Loefgrenia 102: 3 (1993):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deflexa* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 124. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delicatissima* N.Snow, Callm. & Phillipson -- PhytoKeys 49: 75. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia delicatula* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delicatula* DC. -- Prodr. [A. P. de Candolle] 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delicatula* DC. var. *conferta* Kiaersk. -- Enum. Myrt. Bras. 180. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delicatula* DC. var. *conferta* (O.Berg ex Mart.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delpechiana* Urb. & Ekman -- Ark. Bot. 22A(10): 37. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia delpechiana* Urb. & Ekman -- Ark. Bot. 22A(10): 37. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deltoidea* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1045 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deltoidea* Standl. -- Contr. U.S. Natl. Herb. 23: 1045. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia demeusei* De Wild. -- Ann. Mus. Congo Belge, Bot. sér. 5, 2[3]: 325. 1908 [1907-1908 publ. Jul 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dempoensis* Greves -- J. Bot. 62(Suppl.): 36. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia denigrata* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 176 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia denigrata* McVaugh -- Mem. New York Bot. Gard. 18(2): 176. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia densepunctata* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia densiflora* Willd. ex O.Berg -- Linnaea 27: 247. 1856 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia densiflora* DC. -- Prodr. [A. P. de Candolle] 3: 287. 1828 [mid Mar 1828] ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia densinervia* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 105. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



\* Purified (Shodhit) *Eugenia densiracemosa* Mazine & Faria -- *Phytotaxa* 151(1): 53. 2013 [6 Dec 2013] [epublished]

Purified (Shodhit) *Eugenia dentata* (O.Berg) Mattos -- *Loefgrenia* 94: 3 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dentata* Nied. -- *Nat. Pflanzenfam.* [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dentata* Nied. -- *Nat. Pflanzenfam.* [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dentata* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia depauperata* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 366. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia depauperata* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 437. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deserti* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia deserti* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 343. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia desvauxiana* O.Berg -- Linnaea 27: 198. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dewevrei* De Wild. & T.Durand -- Bull. Soc. Roy. Bot. Belgique 38(1, Comp. Rend.): 125. 1899 [30 Jun 1899] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diantha* O.Berg -- Fl. Bras. (Martius) 14(1): 239. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diantha* var. *ciliata* O.Berg -- Fl. Bras. (Martius) 14(1): 240. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diantha* var. *glabra* O.Berg -- Fl. Bras. (Martius) 14(1): 240. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diaphana* Kiaersk. -- Enum. Myrt. Bras. (1893) 154. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diaphana* Kiaersk. -- Enum. Myrt. Bras. 154, pl. 18, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dibranchiata* McVaugh -- Fieldiana, Bot. xxix. 207 (1956) (*sphalm. dibranchiata*); et in Publ. FieldMus. Nat. Hist., Chicago. Bot. Ser. xiii. IV. 691 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dibranchiata* McVaugh -- Fieldiana, Bot. 29: 207. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dichotoma* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dichotoma* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dichotoma* DC. var. *fragrans* (Willd.) Nutt. -- N. Amer. Sylv. [Nuttall] 1: [103]. 1842 (Long duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dichroma* O.Berg -- Fl. Bras. (Martius) 14(1): 290. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrana* O.Berg -- Linnaea 27: 259. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrossa* O.Berg -- Fl. Bras. (Martius) 14(1): 291. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrossa* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 292. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrossa* var. *longifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 292. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dicrossa* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 292. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dictyophleba* O.Berg -- Fl. Bras. (Martius) 14(1): 226. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dictyophylla* Urb. -- Repert. Spec. Nov. Regni Veg. 20: 341. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dictyophylla* Urb. & Urb. -- Ark. Bot. 22A(10): 39, descr. ampl. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dictyophylla* Urb. -- Repert. Spec. Nov. Regni Veg. 20: 341. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diffusa* Merr. -- Philipp. J. Sci. 18: 301. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diffusa* Turrill -- J. Linn. Soc., Bot. xliii. 20 (1915). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diminutiflora* Amshoff -- Acta Bot. Neerl. vii. 55 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dimorpha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dimorpha* O.Berg -- Fl. Bras. (Martius) 14(1): 264. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dimorpha* O.Berg var. *australis* Mattos -- Loefgrenia 66: 8. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dimorpha* var. *australis* Mattos -- Loefgrenia no. 66: 8. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dimorpha* O.Berg var. *oeidocarpa* (O.Berg) Mattos -- Loefgrenia 61: 3 (1974):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia dimorpha* var. *oeidocarpa* (O.Berg) Mattos -- Loefgrenia no. 61: 3. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dinklagei* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 338. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diospyrifolia* Merr. -- Philipp. J. Sci. 27: 39. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diospyrifolia* Wall. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 472. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diospyrifolia* Wall. -- Numer. List [Wallich] n. 3617. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diospyroides* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 176. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dipetala* Sobral & L.Kollmann -- J. Bot. Res. Inst. Texas 8(2): 502. 2014 [25 Nov 2014]

Purified (Shodhit) *Eugenia diplocampta* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 191. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diplocampta* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 191. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diplycosiifolia* C.B.Rob. -- Philipp. J. Sci., C 4: 347. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dipoda* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dipoda* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dipoda* var. *brachypoda* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dipoda* f. *grandifolia* Miq. -- Stirp. Surinam. Select. 38. 1850 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discifera* Gamble -- Bull. Misc. Inform. Kew 1918(7): 239. [25 Nov 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolor* -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolor* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolor* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolor* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolorans* C.Wright -- Fl. Cub. (Sauvalle) 41. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolorans* -- Bot. Jahrb. Syst. 19: 655. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discolorans* C.Wright -- *Anales Acad. Ci. Med. Habana* 5: 430. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discophora* Koord. & Valetton -- *Bull. Inst. Bot. Buitenzorg* ii. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discors* McVaugh -- *Publ. Field Columbian Mus., Bot. Ser.* xiii. IV. 692 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discors* McVaugh -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 13(4): 692. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discreta* McVaugh -- *Fieldiana, Bot.* 29: 208. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia discreta* McVaugh -- *Fieldiana*, Bot. xxix. 208 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dispansa* Ridl. -- *Trans. Linn. Soc. London*, Bot. 9(1): 47. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia disperma* Vell. -- *Fl. Flumin.* 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also *Fl. Flumin. Icon.* 5: t. 38. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dissitiflora* Lundell -- *Wrightia* ii. 207 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dissitiflora* Lundell -- *Wrightia* 2: 207. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia distans* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia distans* O.Berg -- *Fl. Bras. (Martius)* 14(1): 263. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia distans* O.Berg -- *Fl. Bras. (Martius)* 14(1): 263. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia disticha* DC. -- *Prodr. [A. P. de Candolle]* 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia disticha* var. *galalonensis* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia disticha* var. *galalonensis* C.Wright ex Griseb. -- Cat. Pl. Cub. [Grisebach] 88. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia distoma* O.Berg -- Linnaea 27: 155. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia distoma* O.Berg -- Linnaea 27: 155. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dittocrepis* O.Berg -- Fl. Bras. (Martius) 14(1): 292. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia divaricata* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* O.Berg -- Linnaea 27: 257. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* O.Berg -- Linnaea 27: 257. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* Willd. ex O.Berg -- Linnaea 27: 199. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 202. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* Benth. -- J. Bot. (Hooker) 2: 319. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* O.Berg var. *obovata* O.Berg -- Linnaea 27: 257. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* Barb.Rodr. var. *ovalis* O.Berg -- Linnaea 27: 258. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricata* O.Berg var. *pauciflora* O.Berg -- *Linnaea* 27: 258. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia divaricato-cymosa* Hayata -- *Icon. Pl. Formosan.* 3: 118. 1913 [25 Dec 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diversiflora* O.Berg -- *Linnaea* 30: 675. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia diversifolia* Brongn. & Gris -- *Bull. Soc. Bot. France* 12: 180. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia djalensis* A.Chev. -- *Explor. Bot. Afrique Occ. Franc.* 1: 267. 1920 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia djalensis* A.Chev., Hutch. & Dalziel -- Fl. W. Trop. Afr. [Hutchinson & Dalziel] i. 200 (1927), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia djouat* Perr. -- Mém. Soc. Linn. Paris 3: 116. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dodoana* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 338. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dodonaeifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 364. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dodonaeifolia* Cambess. var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 581. 1859 [15 Jan 1859] , as '*dodonaeifolia*' (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dolichophylla* Kiaersk. -- Enum. Myrt. Bras. (1893) 157. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dolichophylla* Kiaersk. -- Enum. Myrt. Bras. 157, pl. 18, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia doligophylla* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 78. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dombeyana* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dombeyana* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dombeyi* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 233: 51. 1912 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dombeyi* Skeels -- Bull. Bur. Pl. Industr. U.S.D.A. 233, 51 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia domestica* Baill. -- Hist. Pl. (Baillon) 6: 345. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia domingensis* O.Berg -- Linnaea 27: 296. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia domingensis* var. *membranacea* O.Berg -- Linnaea 29: 245. 1857-1858 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia doniana* O.Berg -- Fl. Bras. (Martius) 14(1): 643 (Index). 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia donosoensis* Barrie, C.A.Ramos & O.Ortiz -- Novon 24(4): 337. 2016 [24 May 2016]

Purified (Shodhit) *Eugenia doubledayi* Standl. -- J. Arnold Arbor. 1930, xi. 36. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia doubledayi* Standl. -- J. Arnold Arbor. 11: 36. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia drummondii* Byng & Christenh. -- Global Fl. 4: 129. 2018 [9 Feb 2018] [epublished]

Purified (Shodhit) *Eugenia duartiana* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 348. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia duchassaingiana* O.Berg -- Linnaea 27: 225. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia duckeana* Mattos -- Loefgrenia No. 28, 1 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dugandii* Standl. -- Trop. Woods 1937, No. 52, 28. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dugandii* Standl. -- Trop. Woods no. 52: 28. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dulcis* O.Berg -- Fl. Bras. (Martius) 14(1): 256. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia dumetorum* DC. -- Prodr. [A. P. de Candolle] 3: 284. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dumicola* -- Myrt. Paraguay 7, pl. 9. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dumicola* Barb.Rodr. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dumicola* Barb.Rodr. -- Myrt. Paraguay 7. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dumosa* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia duplicata* Britton & P.Wilson ex Acev.-Rodr. & M.T.Strong --  
Smithsonian Contr. Bot. 98: 586. 2012 [1 Jan 2012] [epublished]

Purified (Shodhit) *Eugenia duplicata* Britton & P.Wilson ex León & Alain -- Fl. Cuba (León) 3:  
455. 1953 ; nom. inval.

Purified (Shodhit) *Eugenia duplomarginata* Greves -- J. Bot. 61(Suppl.): 15. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dupontii* Baker -- Fl. Mauritius 116. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dura* Merr. -- Philipp. J. Sci., C 11: 24. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia durifolia* A.C.Sm. -- Bull. Bernice P. Bishop Mus. 141: 105. 1936 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dusenii* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 289. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dussii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 646. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dussii* Krug & Urb. ex Urb. -- Bot. Jahrb. Syst. 19(5): 646. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia duthieana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 103. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dyeriana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 88. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dysantha* Benth. -- Pl. Hartw. [Bentham] 175. 1845 [Aug 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia dysenterica* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earhartii* Acev.-Rodr. -- Brittonia 45: 133, fig. 2. 1993 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earhartii* Acev.-Rodr. -- Brittonia 45(2): 133 (1993). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earlei* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 89 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earlei* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 89. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earlei* Britton, P.Wilson & Urb. -- Symb. Antill. (Urban). 9(4): 492, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia earthiana* P.E.Sánchez -- Lankesteriana 4(3): 179 (-181; photogr. 1-3). 2004 [30 Dec 2004]

Purified (Shodhit) *Eugenia ebracteata* Phil. -- Anales Univ. Chile lxxxiv. 758 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ebracteata* F.Phil. -- Anales Univ. Chile 84: 758. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eburnea* Gagnep. -- Notul. Syst. (Paris) 3: 324. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia echinulata* N.Snow -- *PhytoKeys* 49: 78. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia ecostulata* Elmer -- *Leaflet. Philipp. Bot.* iv. 1428 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* (O.Berg) Kiaersk. -- *Enum. Myrt. Bras.* 162. 1893 [Oct-Nov 1893] ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 162. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* Vell. -- *Fl. Flumin.* 208. 1829 [dt; 1825; issued 7 Sep-28 Nov 1829] ; addit. publ.: *Fl. Flumin. Icon.* 5: t. 34. 1831. [dt. 1827; issued 29 Oct 1831] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* (O.Berg) Benth. & Hook.f. ex Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 24: 126. 1879 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* Vell. -- Fl. Flumin. 208. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 34. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia edulis* Benth. & Hook.f. ex Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 24: 126. 1879 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia effusa* A.Gray -- U.S. Expl. Exped., Phan. 15: 524. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* var. *bimarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia egensis* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* DC. var. *tenuiramis* (Miq.) O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia egensis* DC. var. *tenuiramis* (Miq.) O.Berg -- Fl. Bras. (Martius) 14(1): 296. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eggersii* Kiaersk. -- Bot. Tidsskr. 17: 368, t. 12 et fig. 5. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eggersii* Kiaersk. -- Bot. Tidsskr. 17: 268, pl. 12. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ehrenbergiana* O.Berg -- Linnaea 27: 153. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ekmanii* (Urb.) Mattos -- Loeftgrenia 120: 5. 2005 [Mar 2005] ; nom. inval.

Purified (Shodhit) *Eugenia elegans* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elegans* O.Berg -- Fl. Bras. (Martius) 14(1): 232. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eliasii* Lundell -- Phytologia xvi. 443 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eliasii* Lundell -- *Phytologia* 16: 443. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliotii* Engl. & Brehmer -- *Bot. Jahrb. Syst.* 54(4): 331. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ellipsoidea* Kiaersk. -- *Enum. Myrt. Bras.* 134, pl. 19, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ellipsoidea* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 134. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Phil. -- *Anales Univ. Chile* (1865) II. 315. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Lam. -- *Encycl. [J. Lamarck & al.]* 3(1): 206. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Hook. & Arn. -- *Bot. Misc.* 3: 323. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Sieber ex C.Presl -- *Oken, Isis* xxi. (1828) 274. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Wall. -- *Numer. List [Wallich]* n. 3587. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Sm. -- *Transactions of the Linnean Society of London, Botany* 3 1797 (Medium duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Sm. -- Trans. Linn. Soc. London 3: 281. 1797 [25 May 1797] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptica* Lam. var. *levinervis* Fosberg -- Kew Bull. 33(1): 134. 1978 [14 Sept 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptifolia* Merr. -- Philipp. J. Sci. 18: 291. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elliptilimba* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 211. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elmeri* Merr. -- Univ. Calif. Publ. Bot. xv. 218 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elongata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elongata* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elongata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia elopuræ* Ridl. -- J. Bot. 68: 15. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia emarginata* Vahl -- in West, Bidr. Ste-Croix 290. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia emarginata* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 235. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia emarginata* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 235, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia emarginata* DC. -- Prodr. [A. P. de Candolle] 3: 280. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia embelioides* Ridl. -- J. Bot. 68: 36. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia emirnensis* Baker -- J. Linn. Soc., Bot. 20: 145. 1883 [1884 publ. 1883] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia enormis* (McVaugh) Mattos -- *Loefgrenia* 120: 5. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia ependytes* McVaugh -- Publ. Field Columbian Mus., Bot. Ser. xiii. IV. 696 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ependytes* McVaugh -- Publ. Field Mus. Nat. Hist., Bot. Ser. 13(4): 696. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eperforata* Urb. -- *Symb. Antill. (Urban)*. 6(1): 25. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eperforata* Urb. -- *Symb. Antill. (Urban)*. 6(1): 25. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma



when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eriantha* Urb. -- Symb. Antill. (Urban). 9(1): 104. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eriantha* Urb. -- Symb. Antill. (Urban). 9(1): 104. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ericoides* Guillaumin -- Bull. Soc. Bot. France 85: 637. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocalyx* C.T.White -- Contributions from the Arnold Arboretum of Harvard University 4 1933 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocalyx* C.T.White -- Contr. Arnold Arbor. 4: 78. 1933 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocarpa* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocarpa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocarpa* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocaula* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrocaula* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrodoxa* S.Moore -- The Journal of Botany 55 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrodoxa* S.Moore -- J. Bot. 55: 304. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythrophylla* Strey -- Bothalia 10(4): 569. 1972 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia erythroxyloides* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 346. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eschholtziana* O.Berg -- Fl. Bras. (Martius) 14(1): 582. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eschholtziana* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 582. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eschholtziana* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 582. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia escuintlensis* Lundell -- Phytologia ii. 4 (1941). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia escuintlensis* Lundell -- Phytologia 2: 4. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia esculenta* O.Berg -- Linnaea 27: 273. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia esnardiana* Urb. & Ekman -- Ark. Bot. 21A(5): 36. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia esnardiana* Urb. & Ekman -- Ark. Bot. 21A(5): 36. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia espinhacensis* Bunger & Sobral -- Phytotaxa 147(2): 58. 2013 [26 Nov 2013] [epublished]

Purified (Shodhit) *Eugenia esquirolii* H.Lev. -- Repert. Spec. Nov. Regni Veg. 9: 459. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia essequiboensis* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 211. [27 Jun 1932] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia essequiboensis* Sandwith -- Bull. Misc. Inform. Kew 1932(5): 211. [27 Jun 1932] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia essingtoniana* S.Moore -- Journal of the Linnean Society, Botany 45 1920 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia essingtoniana* S.Moore -- J. Linn. Soc., Bot. xlv. 206 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia esteliensis* Barrie -- Novon 15(1): 16 (fig. 10). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia estrellensis* O.Berg -- Fl. Bras. (Martius) 14(1): 250. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia estrellensis* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eucalyptoides* F.Muell. -- *Fragm. (Mueller)* 4(26): 55. 1864 [Feb 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eucalyptoides* (F.Muell.) F.Muell. -- *Fragmenta Phytographiae Australiae* 4 1864 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eucaudata* Elmer ex Merr. -- *Enum. Philipp. Fl. Pl.* iii. 176 (1923), in obs., pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euneura* (Miq.) Craib -- *Fl. Siam.* i. 640 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euonymifolia* F.P.Metcalf -- Lingnan Sci. J. 11: 22. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euosma* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euosma* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euosma* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euosma* O.Berg var. *lutescens* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia euosma* O.Berg var. *rufescens* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euphlebia* Merr. -- Philipp. J. Sci., C 10: 217. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia euphlebia* Hayata -- Icon. Pl. Formosan. 3: 119. 1913 [25 Dec 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurycheila* O.Berg -- Linnaea 27: 213. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurycheila* O.Berg -- Linnaea 27: 213. 1856 [1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurychila* var. *grandifolia* O.Berg -- Linnaea 27: 214. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurychila* var. *parvifolia* O.Berg -- Linnaea 27: 214. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurysepala* Kiaersk. -- Enum. Myrt. Bras. 117, pl. 19, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eurysepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 117. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eustipitata* Lundell -- Wrightia 5(2): 43. 1974 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eustipitata* Lundell -- *Wrightia* 5(2): 43. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eutenuipes* Lundell -- *Wrightia* 2: 106. 1960 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia eutenuipes* Lundell -- *Wrightia* ii. 106 (1960). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia evansii* Ridl. -- *J. Fed. Malay States Mus.* 10: 134. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia everettii* C.B.Rob. -- *Philipp. J. Sci.*, C 4: 371. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exaltata* Rich. ex O.Berg -- *Linnaea* 30: 687. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia excelsa* O.Berg -- *Fl. Bras. (Martius)* 14(1): 277. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia excisa* Urb. -- *Symb. Antill. (Urban)*. 9(1): 100. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia excisa* Urb. -- *Symb. Antill. (Urban)*. 9(1): 100. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia excisa* Urb. -- *Symb. Antill. (Urban)*. 9(1): 100. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia excoriata* O.Berg -- Fl. Bras. (Martius) 14(1): 312. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exechusa* O.Berg -- Fl. Bras. (Martius) 14(1): 269. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exechusa* var. *uniflora* Kiaersk. -- Enum. Myrt. Bras. 122. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia expallens* O.Berg -- Fl. Bras. (Martius) 14(1): 260. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia expallens* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia expansa* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 491. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia expansa* Spring ex Mart. -- Flora 20(2, Beibl.): 84. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. var. *apiculata* O.Berg -- Linnaea 27: 257. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. var. *patagua* O.Berg -- *Linnaea* 27: 256. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. var. *peruviana* O.Berg -- *Linnaea* 27: 255. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. var. *temu* (Hook. & Arn.) O.Berg -- *Linnaea* 27: 256. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia exsucca* DC. var. *temu* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ezechiasii* Mattos -- *Loefgrenia* 120: 6. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia fadyenii* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 622. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fadyenii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 622. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fadyenii* var. *glabra* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 623. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fajardensis* Urb. -- Symb. Antill. (Urban). 9(1): 109, 513. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fajardensis* Urb. -- Symb. Antill. (Urban). 9(1): 109, in obs. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia falkenbergiana* Mattos -- Loefgrenia 120: 4. 2005 [Mar 2005]



Purified (Shodhit) *Eugenia fallax* Rich. -- Actes Soc. Hist. Nat. Paris 1: 110. 1792 [Oct 1792] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia farameoides* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 588. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia farinacea* Barrie -- Novon 15(1): 16 (18; fig. 11). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia farneyi* Faria & Proença -- Phytotaxa 208(3): 204. 2015 [21 May 2015] [epublished]

Purified (Shodhit) *Eugenia fasciculata* Wall. -- Numer. List [Wallich] n. 3622. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fasciculata* Wall. ex Blume -- Mus. Bot. 1(6): 87 (-88). 1850 [1 Jun 1849 publ. Apr 1850]

Purified (Shodhit) *Eugenia fasciculata* J.Guého & A.J.Scott -- Kew Bull. 34(3): 477 (-478). 1980 [28 Feb 1980] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fasciculiflora* O.Berg -- *Linnaea* 27: 233. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fastigiata* Koord. & Valetton -- *Meded. Lands Plantentuin* 40, Bijdr. 6: 104. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia feijoi* O.Berg -- *Fl. Bras. (Martius)* 14(1): 283. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia felisberti* DC. -- *Prodr. [A. P. de Candolle]* 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fenicis* C.B.Rob. -- *Philipp. J. Sci., C* 4: 355. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fenziiana* O.Berg -- Fl. Bras. (Martius) 14(1): 323. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fergusonii* Trim. -- Handb. Fl. Ceyl. ii. (1894) 172; et Pl. illustr. Handb. Fl. Ceyl. (1894) t. 38. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fernandez-alonsoi* Parra-Os. -- Caldasia 33(2): 427. 2011 [30 Dec 2011]

Purified (Shodhit) *Eugenia fernandeziana* Barnéoud -- Fl. Chil. [Gay] 2(3): 392. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fernandopoana* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 337. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferreiraeana* O.Berg -- Fl. Bras. (Martius) 14(1): 285. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferreiraeana* O.Berg -- Fl. Bras. (Martius) 14(1): 285. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferreyrae* McVaugh -- Fieldiana, Bot. xxix. 209 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferreyrae* McVaugh -- Fieldiana, Bot. 29: 209. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 591. 1846 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Hook. & Arn. -- Bot. Misc. 3: 319. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Rich. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Poir. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 554. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Sieber ex C.Presl -- Oken, Isis xxi. (1828) 274. ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Hook. & Arn. -- Bot. Misc. 3: 319. 1833 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 591. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginea* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 124. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ferruginosa* Mattos -- Loefgrenia 120: 5. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia fetida* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 129. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fibrosa* F.M.Bailey -- Queensl. Fl. 662. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fibrosa* F.M.Bailey -- The Queensland Flora 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ficifolia* Wall. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 476. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fieldingii* O.Berg -- Linnaea 29: 242. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia filiformis* Macfad. -- Fl. Jamaica [Macfadyen] 2: 116. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia filiformis* Wall. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 478. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia filiformis* Wall. ex Duthie var. *constricta* Kochummen -- Gard. Bull. Singapore 28(2): 227. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia filipes* Baill. -- Hist. pl. Madag., Atlas (1895) t. 328. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fimbriata* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fimbriata* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia finetii* Gagnep. -- Notul. Syst. (Paris) 3: 324. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and



*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia finisterrae* Lauterb. -- Repert. Spec. Nov. Regni Veg. 13: 240. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia firma* Wall. -- Numer. List [Wallich] n. 3603. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia firma* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia firma* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 163. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia firma* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid-Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fiscalensis* Donn.Sm. -- Bot. Gaz. 54: 235. 1912 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fiscalensis* Donn.Sm. -- Bot. Gaz. 54: 235. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fischeri* Merr. -- Philipp. J. Sci., C 10: 218. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fischeri* Mattos -- Loeftgrenia 119: 1 (-2, 5; fig. 1). 2004 [Apr 2004] ; nom. illeg.

Purified (Shodhit) *Eugenia fissurata* Mattos -- Loeftgrenia 120: 5. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia fitzgeraldii* F.M.Bailey -- Queensland Department of Agriculture and Stock Bulletin 9. Botany Bulletin 3 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fitzgeraldii* F.Muell. & Bailey -- in Vict. Natural. viii. (June 1891) 45; et ex Bot. Centralbl. xlvii. (1891) 221. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flamingensis* O.Berg -- Fl. Bras. (Martius) 14(1): 576. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flava* O.Berg -- Fl. Bras. (Martius) 14(1): 273. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavescens* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavescens* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 46. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavescens* var. *guyanensis* O.Berg -- Fl. Bras. (Martius) 14(1): 272. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavescens* var. *longifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 272. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavescens* var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 272. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavicans* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 488. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavicans* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 488. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavicans* ( ex Urb.) Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 488. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavicans* Urb. & Ekman (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavicans* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 488. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavida* Lundell -- *Wrightia* iii. 14 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavida* Lundell -- *Wrightia* 3: 14. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flaviflora* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 320. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavifolia* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 320, in IK Supp. 9 as 'flaviflora' in error. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavifolia* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 8: 320. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavo-nigra* Rich. ex O.Berg -- *Linnaea* 30: 691. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavo-nigra* var. *guadalupensis* O.Berg -- Linnaea 30: 691. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavo-nigra* var. *martinicensis* O.Berg -- Linnaea 30: 692. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavovirens* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavovirens* O.Berg -- Linnaea 27: 184. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavovirens* O.Berg var. *obscura* O.Berg -- Linnaea 27: 185. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavovirens* O.Berg var. *pallida* O.Berg -- *Linnaea* 27: 184. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavoviridis* Lundell -- *Amer. Midl. Naturalist* xxix. 479 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flavoviridis* Lundell -- *Amer. Midl. Naturalist* 29: 479. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fleuryi* A.Chev. -- *Veg. Ut. Afr. Trop. Afr. Franc.* ix. 214 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia floccifera* Thwaites -- *Enum. Pl. Zeyl.* [Thwaites] 115. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia floccosa* Bedd. -- Fl. Sylv. S. India i. t. 200. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia floribunda* Spreng. ex DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia floribunda* West -- in West, Bidr. Ste-Croix 216; ex Willd. Sp. Pl. ii. 960. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia florida* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia floscellus* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt., Suppl. 1): 28. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia floscellus* D.Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 28 (-30), fig. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia flosculifera* M.R.Hend. -- Gard. Bull. Singapore 11: 329. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fluminensis* O.Berg -- Fl. Bras. (Martius) 14(1): 265. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fluviatilis* Hemsl. ex F.B.Forbes & Hemsl. -- J. Linn. Soc., Bot. 23: 296. 1887 [1886-88 publ. 1887] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foetida* Pers. -- Syn. Pl. [Persoon] 2(1): 29. 1806 [Nov 1806] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foetida* Pers. -- Syn. Pl. [Persoon] 2(1): 29. 1806 [Nov 1806] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foetida* Pers. var. *maleolens* (Pers.) O.Berg -- *Linnaea* 27(2-3): 211. 1856 [Jan 1856]

Purified (Shodhit) *Eugenia foetida* Pers. var. *maleolens* (Pers.) DC. -- Prodr. [A. P. de Candolle] 3: 265. 1828 [mid-Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foetida* Pers. var. *parvifolia* O.Berg -- *Linnaea* 27(2-3): 212. 1856 [Jan 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foetida* Pers. var. *rhombea* O.Berg -- *Linnaea* 27(2-3): 212. 1856 [Jan 1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foliosa* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foliosa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foliosa* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foliosa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fontellae* Mattos -- Loefgrenia 120: 5. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia forbesii* Greves -- J. Bot. 61(Suppl.): 16. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formonica* Urb. & Ekman -- Ark. Bot. 22A(10): 36. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formonica* Urb. & Ekman -- Ark. Bot. 22A(10): 36. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formosa* Wall. -- Pl. Asiat. Rar. (Wallich). 2: 6, t. 108. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 354. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formosana* Hayata -- J. Coll. Sci. Imp. Univ. Tokyo 30(Art. 1): 113. 1911 [20 Jun 1911] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia formossa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 354. 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia forsteri* O.Berg -- Linnaea 29: 241. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fortis* F.Muell. -- Fragm. (Mueller) 5(31): 13. 1865 [Apr 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fortis* F.Muell. -- Fragmenta Phytographiae Australiae 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fortuita* M.A.D.Souza & Sobral -- Phytotaxa 307(1): 59. 2017 [19 May 2017] [epublished]

Purified (Shodhit) *Eugenia fourcadei* Dümmer -- Gard. Chron. 1912, Ser. III. lii. 152. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foveolata* O.Berg -- Fl. Bras. (Martius) 14(1): 261. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foveolata* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foxworthiana* Ridl. -- Fl. Malay Penins. v. 308 (1925), in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foxworthyi* Elmer -- Leaflet. Philipp. Bot. iv. 1414 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia foxworthyi* Ridl. -- Fl. Malay Penins. i. 728 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 964. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* (Sw.) Willd. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* Willd. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* Willd. var. *brachyrhiza* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 665. 1895 [26 Feb 1895] , as *brachyrrhiza* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* Willd. var. *fajardensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 665. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for



Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fragrans* Willd. var. *obovata* O.Berg -- *Linnaea* 27: 272. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia francavilleana* O.Berg -- *Linnaea* 30: 686. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia franciscensis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 233. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia franciscensis* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia franciscensis* O.Berg -- *Fl. Bras. (Martius)* 14(1): 233. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia francisii* F.M.Bailey -- Queensland Agricultural Journal 26 1911 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia francisii* F.M.Bailey -- Queensland Agric. J. 1911, xxvi. 315. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fraseri* Ridl. -- J. Bot. 68: 33. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia freireana* O.Berg -- Fl. Bras. (Martius) 14(1): 305. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia freireana* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 305. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia freireana* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 305. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia friburgensis* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 231. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia friburgensis* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 231, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia friedrichsthali* Hemsl. -- Biol. Cent.-Amer., Bot. i. 410. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia froesii* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 186 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia froesii* McVaugh -- Mem. New York Bot. Gard. 18(2): 186. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia frondosa* Wall. -- Numer. List [Wallich] sub n. 3890. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia frondosa* Wall. -- Numer. List [Wallich] n. 3560 G. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fruticosa* (DC.) Roxb. -- Fl. Ind. (Roxburgh) 2: 487. 1832

Purified (Shodhit) *Eugenia fruticosa* Roxb. -- Hort. Bengal. 37. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fruticulosa* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuliginea* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuliginea* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuliginea* O.Berg -- Fl. Bras. (Martius) 14(1): 233. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuliginea* var. *rufa* O.Berg -- Fl. Bras. (Martius) 14(1): 571. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuliginea* O.Berg var. *rufa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulva* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 115. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulvescens* Mart. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulvescens* Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulvescens* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulvescens* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fulvipes* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 189. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia funchiana* K.Cout. & M.Ibrahim -- Phytotaxa 234(3): 218. 2015 [18 Nov 2015] [epublished]

Purified (Shodhit) *Eugenia funkiana* O.Berg -- Linnaea 29: 228. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia furfuracea* Craib -- Bull. Misc. Inform. Kew 1930(4): 165. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fusca* O.Berg -- Fl. Bras. (Martius) 14(1): 290. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuscescens* Craib -- Bull. Misc. Inform. Kew 1930(4): 166. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuscopunctata* Kiaersk. -- Enum. Myrt. Bras. 155. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fuscopunctata* Kiaersk. -- Enum. Myrt. Bras. (1893) 155. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fusiformis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 479. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia fusticulifera* Ridl. -- J. Bot. 68: 33. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it



Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gabonensis* Amshoff -- Acta Bot. Neerl. vii. 55 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gacognei* Montrouz. -- Mem. Acad. Lyon x. (1860) 208. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gageana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 96. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galalonensis* (Griseb.) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 641. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galalonensis* (C.Wright ex Griseb.) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galalonensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 641. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galbaoensis* Mattos -- Loefgrenia 120: 4. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia galeata* Urb. & Urb. -- Symb. Antill. (Urban). 9(4): 503, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galeata* Urb. -- Symb. Antill. (Urban). 7(3): 307. 1912 [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia galeata* Urb. -- Symb. Antill. (Urban). 7(3): 307. 1912 [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gammaeana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 233. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gammaeana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 233, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gandhii* N.Snow -- PhytoKeys 49: 81. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia garberi* Sarg. -- Gard. & Forest 2: 28, f.87. 1889 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia garberi* Sarg. -- Gard. & Forest ii. (1889) 28 fig. 87; et N. Am. Sylva, v. 49 t. CCIX. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia garciae* (Merr.) Merr. ex C.B.Rob. -- Philipp. J. Sci., C 4(3): 399. 1909 [26 Aug 1909]

Purified (Shodhit) *Eugenia garciae* Merr. -- Publ. Bur. Sci. Gov. Lab. 17: 37. 1904 [1 Oct 1904] ; pro syn.

Purified (Shodhit) *Eugenia garciniifolia* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 90. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia garcinioides* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 44. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia garcinioides* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 334. 1917 [13 Mar 1917] , non *E. garcinioides* Ridley (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneri* Fern.-Vill. -- Nov. App. 85. 1880 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneri* Bedd. -- For. Man. Bot. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneriana* O.Berg -- Fl. Bras. (Martius) 14(1): 316. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneriana* var. *depauperata* O.Berg -- Fl. Bras. (Martius) 14(1): 317. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneriana* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 316. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneriana* var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 589. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gardneriana* var. *rigida* O.Berg -- *Linnaea* 30: 694. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gastropogena* Faria & Proença -- *Phytotaxa* 208(3): 202. 2015 [21 May 2015] [epublished]

Purified (Shodhit) *Eugenia gatopensis* Guillaumin -- *Bull. Soc. Bot. France* 85: 638. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gaudichaudiana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 228. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gaultherioides* Ridl. -- *J. Bot.* 68: 16. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gaumeri* Standl. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 8: 28. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gaumeri* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 28. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gayana* Barnéoud -- Fl. Chil. [Gay] 2(3): 390. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gayana* Barnéoud in Gay (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gemmiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 223. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gentlei* Lundell -- Publ. Carnegie Inst. Wash. No. 478 (Veg. Peten) 216 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gentlei* Lundell -- Publ. Carnegie Inst. Wash. no. 478: 216. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia geraensis* (D.Legrand & Mattos) Mattos -- Loeftgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gerdae* Mazine -- Neodiversity 4: 2. 2009 [14 Dec 2009]

Purified (Shodhit) *Eugenia gerrardii* (Harv.) Sim -- Forest Fl. Cape 226. 1907 [14 May 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gibberosa* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia gibberosa* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gibberosa* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gibberosa* Urb. -- Symb. Antill. (Urban). 9(4): 505, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gigantea* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 45: 192. 1906 [Jun 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gigantifolia* Merr. -- Philipp. J. Sci., C 4: 349. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gigas* Lundell -- *Wrightia* 4: 41. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gigas* Lundell -- *Wrightia* iv. 41 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gilgii* Engl. & Brehmer -- *Bot. Jahrb. Syst.* 54(4): 334. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gillettii* De Wild. -- *Bull. Jard. Bot. État Bruxelles* 4: 375, in syn. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gilliesii* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gilliesii* Hook. & Arn. -- Bot. Misc. 3: 320. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ginoriifolia* Britton & P.Wilson -- Bull. Torrey Bot. Club 1923, 1. 44. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ginoriifolia* Britton -- Bull. Torrey Bot. Club 50: 44. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia giorgii* De Wild. -- Bull. Jard. Bot. État Bruxelles 4: 376, in syn. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gitingensis* Elmer -- Leaflet Philipp. Bot. iv. 1409 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glabra* Alston -- in Trimen, Hand-Book Fl. Ceylon vi. Suppl., 120 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glabrata* DC. -- Prodr. [A. P. de Candolle] 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glabrescens* Mazine -- Revista Brasil. Bot. 33 (2): 289. 2010

Purified (Shodhit) *Eugenia gladiata* Ridl. -- J. Bot. 68: 35. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulifera* Roxb. -- Hort. Bengal. [37]; Fl. Ind. ii. 496. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glanduliflora* Kiaersk. -- Enum. Myrt. Bras. (1893) 180. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glanduliflora* Kiaersk. -- Enum. Myrt. Bras. 180, pl. 11, fig. c. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glanduligera* Ridl. -- J. Bot. 68: 14. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosa* Blanco -- Fl. Filip. [F.M. Blanco] 417. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosa* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 352. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosissima* Kiaersk. -- Enum. Myrt. Bras. 147, pl. 19, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosissima* Kiaersk. -- Enum. Myrt. Bras. (1893) 147. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glandulosopunctata* P.E.Sánchez & Poveda -- Brenesia 24: 413, as 'glanduloso-punctata'. 1986 [1985 publ. 1986] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glareosa* O.Berg -- Fl. Bras. (Martius) 14(1): 579. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glauca* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 102. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glaucescens* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glaucescens* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 68. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glaucescens* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glaucicalyx* Merr. -- Publ. Bur. Sci. Gov. Lab. 35: 50. 1906 [1905 publ. 17 Jan 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glaucissima* Haines -- Bot. Bihar & Orissa Pt. 3, 362 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* (Kiaersk.) D.Legrand -- Bradea 2(8): 37. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* Kiaersk. -- Enum. Myrt. Bras. (1893) 128. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* (Kiaersk.) D.Legrand -- Bradea 2(8): 37. 1975 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* Kiaersk. -- Enum. Myrt. Bras. 128, pl. 19, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* Kiaersk. var. *macrophylla* Kiaersk. -- Enum. Myrt. Bras. 129. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* Kiaersk. f. *parvifolia* Kiaersk. -- Enum. Myrt. Bras. 129. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glazioviana* Kiaersk. var. *pauciflora* Kiaersk. -- Enum. Myrt. Bras. 129. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia globiflora* Craib -- Bull. Misc. Inform. Kew 1930(4): 167. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia globosa* Elmer -- Leaflet. Philipp. Bot. iv. 1404 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Diels -- Nova Guinea 14: 90. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Spring ex Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Warb. -- Bot. Jahrb. Syst. 13(3-4): 390. 1891 [20 Mar 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Spring ex Mart. -- Flora 20(2, Beibl.): 82. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Spring (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 7, non alior. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 199. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Sieber ex C.Presl -- Oken, Isis xxi. (1828) 274. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Spring ex Mart. var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 267. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerata* Spring ex Mart. var. *parvifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 267. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomerulata* Gagnep. -- Notul. Syst. (Paris) 3: 325. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia glomeruliflora* Mazine -- Phytotaxa 205(3): 165. 2015 [21 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia goiapabana* Sobral & Mazine -- Novon 20(3): 348 (-350; fig. 1). 2010 [13 Sep 2010]

Purified (Shodhit) *Eugenia gomesiana* O.Berg -- Fl. Bras. (Martius) 14(1): 254. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gomesiana* O.Berg -- Fl. Bras. (Martius) 14(1): 254. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gomezii* Barrie -- Novon 15(1): 18 (-19; fig. 12). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia gomonenensis* (Guillaumin) J.W.Dawson & N.Snow -- Candollea 71(1): 78. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia gonavensis* Urb. -- Ark. Bot. 22A, no. 10: 38. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gonavensis* Urb. -- Ark. Bot. 22A(10): 38. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gongylocarpa* M.L.Kawas. & B.Holst -- Brittonia 46: 138 fig. 1994 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gongylocarpa* M.L.Kawas. & B.Holst -- Brittonia 46(2): 138 (1994). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goniocalyx* Ridl. -- Fl. Malay Penins. v. 309 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goodenovii* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 117. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goudotiana* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 193. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goviola* H.Perrier -- Rev. Int. Bot. Appl. Agric. Trop. xxxii. 115 (1952), sine descr. lat.; et in Mem. Inst. -Sci.Madag., Ser. B, iv. 177 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goyazensis* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goyazensis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7. (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia goyazensis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilentia* Hance -- J. Bot. 23: 7. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilipes* A.Gray -- U.S. Expl. Exped., Phan. 15: 513. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilipes* Kiaersk. -- Enum. Myrt. Bras. 158, pl. 19, fig. f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilipes* Kiaersk. -- Enum. Myrt. Bras. (1893) 158. [Oct-Nov 1893]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilis* Bedd. -- Madras J. Lit. Sci. ser. 3, 1: 46. 1864 ; nom. illeg.  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracilis* O.Berg -- Fl. Bras. (Martius) 14(1): 222. 1857 [15 May 1857]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracillima* Kiaersk. -- Enum. Myrt. Bras. 120, pl. 19, fig. g. 1893  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gracillima* Kiaersk. -- Enum. Myrt. Bras. (1893) 120. [Oct-Nov 1893]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia graeme-andersoniae* Ridl. -- J. Fed. Malay States Mus. 10: 134. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandiflora* O.Berg -- Linnaea 29: 226. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandiflora* (O.Berg) Mattos -- Lofgrenia 94: 3. 1989 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandifolia* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 324. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandiglandulosa* Kiaersk. -- Enum. Myrt. Bras. (1893) 181. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandiglandulosa* Kiaersk. -- Enum. Myrt. Bras. 181. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandis* Wight -- Ill. Ind. Bot. 2(1): 17. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandis* Wight -- Illustrations of Indian Botany 2 1850 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandisepala* Mattos -- Loefgrenia 66: 7. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandisepala* Mattos -- Loefgrenia no. 66: 7 (-8). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grandissima* Sobral, Mazine & E.A.D.Melo -- Phytotaxa 253(1): 63. 2016 [21 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia granulata* O.Berg -- Linnaea 27: 260. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grata* Wight -- Ill. Ind. Bot. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grayi* Seem. -- Miss. Vit. 436; Fl. Vit. 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grayumii* Barrie -- Novon 15(1): 19 (21; fig. 13). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia grazielae* Mattos & D.Legrand -- Loefgrenia no. 67: 24 (-25). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grazielae* Mattos & D.Legrand -- Loefgrenia 67: 24. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia greggii* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 126. 1813 [24 Sep 1813] ; Prod. (DC.) 3: 280 (1828) (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grenadensis* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 337. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grenadensis* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 337. 1916 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grifensis* Urb. -- Symb. Antill. (Urban). 9(4): 491. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grifensis* Urb. -- Symb. Antill. (Urban). 9(4): 491. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia griffithii* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 481. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grijalvae* Barrie -- Novon 15(1): 21 (-22; fig. 14). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia grijsii* Hance -- J. Bot. 9: 5. 1871 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grisea* Mattos -- Loefgrenia 107: 2. 1995 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grisea* C.B.Rob. -- Philipp. J. Sci., C 4: 395. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grisebachii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 627. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grisebachii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 627. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia griseiflora* McVaugh -- Mem. New York Bot. Gard. 18(2): 187. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia griseiflora* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 187 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grisiana* Guillaumin -- Notul. Syst. (Paris) 3(9): 261. 1917 [7 May 1917]

Purified (Shodhit) *Eugenia grisii* Baker f. -- J. Linn. Soc., Bot. xlv. 316 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia grossa* B.Holst & M.L.Kawas. -- J. Bot. Res. Inst. Texas 2(1): 299 (-303; fig. 3). 2008 [24 Jul 2008]

Purified (Shodhit) *Eugenia gryposperma* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gryposperma* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guabiju* O.Berg -- Fl. Bras. (Martius) 14(1): 251. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guadalupensis* DC. -- Prodr. [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guajavoides* N.Snow & Randriat. -- Phytotaxa 48: 42 (41-44; figs. 2-3). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia guanacastensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 144. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guanacastensis* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 144. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guanensis* Urb. -- Symb. Antill. (Urban). 9(4): 495. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guanensis* Urb. -- Symb. Antill. (Urban). 9(4): 495. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guapurium* DC. -- Prodr. [A. P. de Candolle] 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guaiquia* Kiaersk. -- Enum. Myrt. Bras. 181, pl. 11, fig. 6; pl. 24, fig. e. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guaiquia* Kiaersk. -- Enum. Myrt. Bras. 181. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guaiquia* Kiaersk. -- Enum. Myrt. Bras. (1893) 181. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guatemalensis* Donn.Sm. -- Bot. Gaz. 23: 245. 1897 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guatemalensis* Donn.Sm. -- Bot. Gaz. 23: 245. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guayabillo* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 590. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guayaquilensis* DC. -- Prodr. [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guayavillo* Benth. -- Pl. Hartw. [Bentham] 174. 1845 [Aug 1845] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guayavillo* Benth. -- Pl. Hartw. [Bentham] 174. 1845 [Aug 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gudilla* Barnéoud -- Fl. Chil. [Gay] 2(3): 396. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gueili* Speg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gueinzii* Sond. -- Fl. Cap. (Harvey) 2: 523. 1862 [15-31 Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guianensis* Aubl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guianensis* Aubl. -- Hist. Pl. Guiane 1: 506. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guili* Speg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guili* Speg. -- Speg. & Girola, Cat. Descr. Maderas 388 (1910) (An. Soc. Rural Argent. 1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guili* Speg. -- Cat. Descr. Maderas 388. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guilleminiana* hort. ex Gentil -- Pl. Cult. Serres Jard. Bot. Brux. 85 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guillotii* Hochr. -- *Annuaire Conserv. Jard. Bot. Genève* xi. & xii. 76 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guineensis* Sim -- *Forest Fl. Port. E. Afr.* 67 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guineensis* Baill. ex Laness. -- *Pl. Util. Col. Franc.* (1886) 822. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gustavioides* F.M.Bailey -- *Queensland Agricultural Journal* 5(4) 1899 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gustavioides* F.M.Bailey -- *Queensland Agric. J.* 1899, v. 389. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guttata* Lundell -- *Wrightia* 2: 207. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia guttata* Lundell -- *Wrightia* ii. 207 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia gyrosepala* Baker f. -- *J. Linn. Soc., Bot.* xlv. 313 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haberi* Barrie -- *Sida* 22(2): 1071 (-1073; fig. 1). 2006 [23 Nov 2006]

Purified (Shodhit) *Eugenia haeckeliana* Trim. -- *J. Bot.* 23: 207. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haematocarpa* Alain -- Bull. Torrey Bot. Club xc. 190 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haematocarpa* Alain -- Bull. Torrey Bot. Club 90: 190. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hagelundii* Mattos -- Loeftgrenia 76: 1 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hagendorffii* Kiaersk. -- Enum. Myrt. Bras. 179. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hagendorffii* Kiaersk. -- Enum. Myrt. Bras. (1893) 179. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hainanensis* Merr. -- Philipp. J. Sci. 23: 255. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haitiensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 616. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haitiensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 616. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hallii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hallii* O.Berg -- Linnaea 27: 250. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia halophila* Merr. -- Enum. Philipp. Fl. Pl. iii. 167 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hamiltonii* (Mattos) Mattos -- Loeftgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hammelii* Barrie -- Novon 15(1): 22 (24; fig. 15). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia hamoniana* Mattos -- Loeftgrenia no. 12: [1]. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hamoniana* Mattos -- Loeftgrenia No. 12, 1 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia handroana* D.Legrand -- Sellowia 13: 320. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia handroana* D.Legrand -- Sellowia no. 13: 320. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia handroi* (Mattos) Mattos -- Loeffgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haniffii* M.R.Hend. -- Gard. Bull. Singapore 11: 309. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hankeana* H.J.P.Winkl. -- Bot. Jahrb. Syst. 41(4): 283. 1908 [5 Jun 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hanoverensis* Proctor -- J. Arnold Arbor. 63(3): 274 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hanoverensis* Proctor -- J. Arnold Arbor. 63: 274 (-275). 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia haputalense* Kosterm. -- Quart. J. Taiwan Mus. 34(3-4): 164 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia harmandii* Gagnep. -- Notul. Syst. (Paris) 3: 325. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia harrisii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 632. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia harrisii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 632. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia harrisii* Krug & Urb. var. *grandifolia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 633. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hartii* Kiaersk. -- Bot. Tidsskr. 17: 271, pl. 9 B. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hartii* Kiaersk. -- Bot. Tidsskr. 17: 271, t. 9 B et fig. 6. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hartmanniae* Mattos -- Loefgrenia 94: 6 (1989), as '*hartmannii*'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hartshornii* Barrie -- Novon 15(1): 24 (fig. 16). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia hassleriana* Barb.Rodr. -- Myrt. Paraguay 4, pl. 5. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hassleriana* Barb.Rodr. -- Myrt. Paraguay 4. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hastilis* (Blume) J.Guého & A.J.Scott -- Kew Bull. 34(3): 478. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hatschbachii* Mazine -- Revista Brasil. Bot. 33 (2): 285. 2010

Purified (Shodhit) *Eugenia hauthalii* (Kuntze) K.Schum. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hauthalii* K.Schum. -- Bot. Jahresber. (Just) 26, pt. 1: 359. 1900 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hauthalii* K.Schum. -- Just's Bot. Jahresber. 26(1): 359. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia havanensis* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 89 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia havanensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 89. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia havilandii* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 222. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hazompasika* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 183. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hazonjia* N.Snow -- PhytoKeys 49: 85. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia heckelii* Pancher & Sebert -- Not. Bois Nouv. Caled. 259. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hedraiophylla* F.Muell. -- Vict. Naturalist 8 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hedraiophylla* F.Muell. -- in Vict. Natural. viii. (April 1892) 198; et ex Bot. Centralbl. 1, (1892) 312. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia helferi* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 480. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hemilampra* F.Muell. -- *Fragm. (Mueller)* 9(78): 145. 1875 [Sep 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hemilampra* F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hemispherica* Wight -- *Ill. Ind. Bot.* ii. 14. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hemsleyana* King -- *J. Asiat. Soc. Bengal*, Pt. 2, Nat. Hist. 70: 88. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia henryi* Hance -- *J. Bot.* 23: 7. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:



Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia herbacea* O.Berg -- Fl. Bras. (Martius) 14(1): 570. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia herbacea* A.Chev. -- Bull. Soc. Bot. France 55(Mém. 8b): 36. 1908 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heringeriana* Mattos -- Loefgrenia 62: 3 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heringeriana* Mattos -- Loefgrenia no. 62: 3(-4), fig. 7. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heritieriana* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 603. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hermannii* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 426. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hermesiana* Mattos -- Loefgrenia 94: 1 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia herrerae* Barrie -- Novon 15(1): 24 (26; fig. 17). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia heterochroa* Urb. -- Symb. Antill. (Urban). 7(2): 299. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heterochroa* Urb. -- Symb. Antill. (Urban). 7(2): 299. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heterochroma* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 190. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heterochroma* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 190. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heteroclada* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 218. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heteroclita* Tuss. -- Fl. Antill. i. 98. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heteroclita* Tussac (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heteromorpha* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 428. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heterophylla* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 586. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heteroana* Lundell -- Wrightia iii. 15 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hexovulata* McVaugh -- Fieldiana, Bot. 29: 210. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hexovulata* McVaugh -- Fieldiana, Bot. xxix. 210 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia heyneana* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 500. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia higueyana* Alain -- Phytologia 61(6): 357 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia higueyana* Alain -- Phytologia 61: 357. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hilariana* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hintonii* Lundell -- Wrightia iii. 14 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hintonii* Lundell -- Wrightia 3: 14. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hiraefolia* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 202. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hiraefolia* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 202. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hirsuta* Ruiz & Pav. -- Fl. Peruv. [Ruiz & Pavon] 4: t. 417. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hirsuta* Ruiz, Pav., Ruiz & Pav. apud Lopez -- Anales Inst. Bot. Cavanilles 15: 186, descr. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hirta* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hislopia* F.M.Bailey -- Queensland Agricultural Journal 5(5) 1899 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hislopia* F.M.Bailey -- Queensland Agric. J. 1899, v. 483. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hispidiflora* Sobral & M.C.Souza -- Novon 23(4): 444. 2015 [2014 publ. 9 Jan 2015]

Purified (Shodhit) *Eugenia hodgei* McVaugh -- J. Arnold Arbor. 54: 310. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hodgei* McVaugh -- J. Arnold Arbor. 54(2): 320. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hodgkinsoniae* F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hodgkinsoniae* F.Muell. -- *Fragm. (Mueller)* 9(78): 145. 1875 [Sep 1875] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hoffmannseggii* O.Berg -- *Fl. Bras. (Martius)* 14(1): 315. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hoffmannseggii* var. *grandifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 315. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hoffmannseggii* var. *parvifolia* O.Berg -- *Fl. Bras. (Martius)* 14(1): 316. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-



cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holdridgei* Alain -- *Phytologia* 61: 358. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holdridgei* Alain -- *Phytologia* 61(6): 358 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holmanii* Elmer -- *Leafl. Philipp. Bot.* vii. 2354 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holttumii* Ridl. -- *J. Bot.* 62: 296. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holtzeana* F.Muell. -- Sec. Cens. Austral. Pl. (1889) 101, sphalm. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holtzei* F.Muell. -- The Australasian Journal of Pharmacy 1 1886 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holtzei* F.Muell. -- Australas. J. Pharm. 1(6): 199. 1886 [June 1886] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia holtziana* F.Muell. -- Second Systematic Census of Australian Plants 1889 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia homedeboana* N.Snow -- Candollea 71(1): 70, figs. 1, 3. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia homei* Seem. -- Fl. Vit. [Seemann] 76. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hondurensis* Ant.Molina -- Ceiba 1: 261. 1951 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hondurensis* Ant.Molina -- Ceiba i. 261 (1951). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hookeri* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 603. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hookeri* Steud. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hookeriana* hort. ex McMinn & Maino -- Pacific Coast Trees 317 (1935), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia horizontalis* Pancher ex Brongn. & Gris -- Bull. Soc. Bot. France 12: 179. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia horsfieldii* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 77. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hoseana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 106. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hovarum* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 170. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia howardiana* Proctor -- Addit. Fl. Jam. (Bull. Inst. Jam., Sci. Ser., No. 16) 33 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia howardiana* Proctor -- Bull. Inst. Jamaica, Sci. Ser. 16: 33. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia huasteca* Sánchez-Cháv. & Zamudio -- Acta Bot. Mex. 115: 59, fig. 3. 2016 [post Apr 2016]

Purified (Shodhit) *Eugenia hulletiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 97. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia humblotii* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 193. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia humblotii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 336. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia humifusa* Phil. -- Linnaea 28: 639. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia humilis* Phil. -- Linnaea 28: 689. 1858 [1856 publ. Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia humilis* Vell. -- Fl. Flumin. 210. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 43. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hurlimannii* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. viii. 293 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hutchinsonii* C.B.Rob. -- Philipp. J. Sci., C 4: 376. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hydrophila* Baker f. -- J. Linn. Soc., Bot. xlv. 315 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hyemalis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 360. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypargyrea* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1044 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypargyrea* Standl. -- Contr. U.S. Natl. Herb. 23: 1044. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypericifolia* Gardner -- London J. Bot. 2: 354. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypericifolia* Gardner -- London J. Bot. 2: 354. 1843 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypericifolia* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 69. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypoleuca* Thwaites ex Kosterm. -- Quart. J. Taiwan Mus. 34(3–4): 164 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypoleuca* Thwaites ex Bedd. -- For. Man. Bot. 112. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia hypospodia* F.Muell. -- *Fragm. (Mueller)* 5(31): 15. 1865 [Apr 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia hypospodia* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia iantarensis* N.Snow -- *PhytoKeys* 49: 88. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia ibarrae* Lundell -- *Wrightia* ii. 56 (1960). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ibarrae* Lundell -- *Wrightia* 2: 56. 1960 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ibitensis* Drake -- *Bull. Mus. Hist. Nat. (Paris)* 1903, 42. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ibitipocensis* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ibitipocensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 365. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia igatemiensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia igatemiensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ignambiensis* Baker f. -- J. Linn. Soc., Bot. xlv. 315 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ignota* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 90 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ignota* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 90. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ilalensis* Hieron. -- Bot. Jahrb. Syst. 21(3): 326. 1895 [6 Aug 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ilalensis* Hieron. -- Bot. Jahrb. Syst. 21(3): 326. 1895 [6 Aug 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ilhensis* O.Berg -- Fl. Bras. (Martius) 14(1): 283. 1857 [15 May 1857] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia illepida* McVaugh -- Fieldiana, Bot. 29: 210. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia illepida* McVaugh -- Fieldiana, Bot. xxix. 210 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ilocana* Merr. -- Philipp. J. Sci. 18: 291. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia imaruensis* D.Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 22 (-25), fig. 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia imaruensis* D.Legrand -- Fl. Ilustr. Catarin. 1(Mirt., Suppl. 1): 22. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia imbricata* O.Berg -- Fl. Bras. (Martius) 14(1): 586. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia imbricato-cordata* Amshoff -- Adansonia sér. 2, 8: 353. 1968 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia impressa* (O.Berg) Mattos -- Loefgrenia 94: 4 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia impunctata* O.Berg -- Fl. Bras. (Martius) 14(1): 239. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inaequiloba* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inaequiloba* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inaequisepala* Peter G.Wilson -- Gard. Bull. Singapore 60(2): 405. 2009 [Feb 2009]

Purified (Shodhit) *Eugenia inaracayuensis* Barb.Rodr. -- Myrt. Paraguay 3, pl. 4. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inasensis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 120. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incanescens* Benth. -- J. Bot. (Hooker) 2: 321. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incanescens* var. *complicata* O.Berg -- *Linnaea* 27: 209. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incanescens* var. *elliptica* O.Berg -- *Linnaea* 27: 209. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incanescens* var. *parvifolia* O.Berg -- *Linnaea* 27: 209. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incarnata* Elmer -- *Leaflet. Philipp. Bot.* iv. 1416 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incerta* Dümmer -- *Gard. Chron.* 1912, Ser. III. lii. 179. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incertissima* Sobral -- Candollea 42(1): 109 (1987), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inconspicua* Standl. -- Contr. U.S. Natl. Herb. 23: 1043. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inconspicua* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1043 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia incrassata* Elmer -- Leaflet. Philipp. Bot. ii. 581 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia indica* (Wight) Chithra -- Fl. Tamil Nadu Ind., Ser I: Analysis 1: 153 (1983):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal



Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia indifferens* McVaugh -- Fieldiana, Bot. xxix. 211 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia indifferens* McVaugh -- Fieldiana, Bot. 29: 211. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia indistincta* Sobral & Stadnik -- Phytotaxa 224(3): 207. 2015 [2 Sep 2015] [epublished]

Purified (Shodhit) *Eugenia inirebensis* P.E.Sánchez -- Phytologia 61(2): 127 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inirebensis* P.E.Sánchez -- Phytologia 61: 127 (-128), fig. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inocarpa* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inophylla* Roxb. -- Hort. Bengal. [37]; Fl. Ind. ii. 496. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inophylloides* A.Gray -- U.S. Expl. Exped., Phan. 15: 521. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia insignis* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 416. 1864 [Dec 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia insipida* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 360. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia insipida* Mart. -- Flora 20(2, Beibl.): 85. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia insularis* O.Berg -- Linnaea 29: 238. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia intermedia* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 7 (non Berg.). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia intermedia* O.Berg -- Linnaea 27: 283. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia intibucana* Barrie -- Novon 15(1): 26 (-27; fig. 18). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia intumescens* C.B.Rob. -- Philipp. J. Sci., C 4: 401. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inundata* DC. -- Prodr. [A. P. de Candolle] 3: 280. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inundata* var. *acutifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 520. 1858 [1 Feb 1858] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inundata* var. *coriacea* O.Berg -- Fl. Bras. (Martius) 14(1): 319. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inundata* var. *membranacea* O.Berg -- Fl. Bras. (Martius) 14(1): 318. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia inversa* Sobral -- Sida 21(3): 1465 (-1469; figs. 1-2). 2005 [5 Aug 2005]

Purified (Shodhit) *Eugenia involucrata* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia involucrata* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia involucrata* DC. var. *minutifolia* Mattos & D.Legrand -- Loefgrenia 67: 30. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia involucrata* var. *minutifolia* Mattos & D.Legrand -- Loefgrenia no. 67: 30. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ipehuensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ipehuensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia irazuensis* Hemsl. -- Biol. Cent.-Amer., Bot. i. 410. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia irirensis* O.Berg -- Fl. Bras. (Martius) 14(1): 586. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia irosinensis* Elmer ex Merr. -- Enum. Philipp. Fl. Pl. iii. 166 (1923), in obs., pro syn.; Elmer, Leaflet Philipp. Bot. x. 3767 (1939), descr. angl. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia irregularis* Craib -- Bull. Misc. Inform. Kew 1930(4): 167. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia isabelensis* Quisumb. -- Philipp. J. Sci. 41: 339. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia isabeliana* Kiaersk. -- Bot. Tidsskr. 17: 272, pl. 8 B. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia isabeliana* Kiaersk. -- Bot. Tidsskr. 17: 272, t. 8 B et fig. 7. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ischnosceles* O.Berg -- Fl. Bras. (Martius) 14(1): 309. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia isosticta* Urb. -- Symb. Antill. (Urban). 7(3): 305. 1912 [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia isosticta* Urb. -- Symb. Antill. (Urban). 7(3): 305. 1912 [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itacarensis* Mattos -- Loeftgrenia no. 62: 3, fig. 6. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itacarensis* Mattos -- Loeftgrenia 62: 3 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itacolumensis* O.Berg -- Fl. Bras. (Martius) 14(1): 253. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia itaguahiensis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itaguahiensis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itaguahiensis* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itahypensis* O.Berg -- Fl. Bras. (Martius) 14(1): 580. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itajurensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 340. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itajurensis* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itapemirimensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 346. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itararensis* (Mattos) Mattos -- Loefgrenia 105: 3 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itatiaensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 166. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itatiaensis* Kiaersk. -- Enum. Myrt. Bras. 166, t. 22f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itatiaiensis* (Mattos) Mattos -- *Loefgrenia* 105: 2. 1995 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itaunensis* Giaretta & Peixoto -- *Phytotaxa* 336(2): 182. 2018 [30 Jan 2018] [epublished]

Purified (Shodhit) *Eugenia iteophylla* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 611. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia iteophylla* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 611. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itzana* Lundell -- *Bull. Torrey Bot. Club* 69: 395. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia itzana* Lundell -- *Bull. Torrey Bot. Club* lxi. 395 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia iwahigensis* Elmer -- Leaflet. Philipp. Bot. iv. 1417 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ixoroides* Elmer -- Leaflet. Philipp. Bot. iv. 1426 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia izabalana* Lundell -- Wrightia 4: 144. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia izabalana* Lundell -- Wrightia 4(4): 144. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaboticaba* (Vell.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaboticaba* Kiaersk. -- Enum. Myrt. Bras. (1893) 185. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaboticaba* Kiaersk. -- Enum. Myrt. Bras. 185. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jacquiniifolia* hort. ex Gentil -- Pl. Cult. Serres Jard. Bot. Brux. 85 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaguariaeensis* var. *brevipedunculata* Mattos (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaguariaeensis* Mattos -- Loefergrenia 11: 1. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaguariaivensis* Mattos (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaguariaivensis* Mattos -- Loefergrenia No. 11, 1 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jaguariaivensis* Mattos var. *brevipedunculata* Mattos -- Loefergrenia 11: [1]. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jamaicana* Mattos -- Loefergrenia 123: 2. 2006 [Aug 2006]

Purified (Shodhit) *Eugenia jamaicensis* O.Berg -- Linnaea 27: 237. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jamboides* Wender. ex Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 603. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jamboides* Wender. -- in Schrift. Ges. Bef. Gesammt. Naturw. Marb. ii. 254 (1831). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambolana* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 198. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambolana* Lam. -- Encyclopedie Methodique. Botanique 1789 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambolana* Willd. ex O.Berg -- Linnaea 27: 98. 1855 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambolana* Lam. var. *caryophyllifolia* (Lam.) Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 499. 1879 [May 1879]

Purified (Shodhit) *Eugenia jambolifera* Roxb. ex Wight & Arn. -- Prodr. Fl. Ind. Orient. 1: 329. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jamboloides* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 136. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jamboo* Roxb. -- Hort. Bengal. [37], nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambos* L. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambos* L. -- Sp. Pl. 1: 470. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambos* Blanco -- Fl. Filip. [F.M. Blanco] 416. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambosa* Crantz -- Inst. Rei Herb. 2: 201. 1766 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambosoides* O.Schwarz -- Repert. Spec. Nov. Regni Veg. 24: 90. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambosoides* (Lauterb.) O.Schwarz -- Repertorium Specierum Novarum Regni Vegetabilis 24 1927 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambosoides* Griseb. -- Cat. Pl. Cub. [Grisebach] 89. 1866 [May-Aug 1866] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jambosoides* C.Wright ex Griseb. -- Cat. Pl. Cub. [Grisebach] 89. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jameirensis* O.Berg -- Fl. Bras. (Martius) 14(1): 578. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jasminifolia* Ridl. -- J. Fed. Malay States Mus. 10: 133. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia javanica* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 200. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia javanica* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 200, partim. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia javensis* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jeremiensis* Urb. & Ekman -- Ark. Bot. 24A(4): 29. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jeremiensis* Urb. & Ekman -- Ark. Bot. 24A(4): 29. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jimenezii* Alain -- Phytologia 61(6): 358 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jimenezii* Alain -- *Phytologia* 61: 358. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jiquitinhonhensis* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 358. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia joenssonii* Kausel -- *Lilloa* 33(6): 102. 1972 [1971 publ. 1972] , as 'jonssoni' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia johnsonii* F.Muell. -- *Vict. Naturalist* 8 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia johnsonii* F.Muell. -- in *Vict. Natural.* viii. (April 1892) 199; et ex *Bot. Centralbl.* 1. (1892) 312. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia johorensis* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 8. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia johorensis* Ridl. -- Fl. Malay Penins. 5: 308. 1925 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jonssonii* Kausel -- Lilloa 33: 102, fig. 1972 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia joseramosii* M.A.D.Souza & Scud. -- Phytotaxa 298(3): 300. 2017 [14 Mar 2017] [epublished]

Purified (Shodhit) *Eugenia jossinia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 500. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jucunda* Benth. -- Flora Australiensis 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jucunda* F.Muell. ex Benth. -- Fl. Austral. 3: 281. 1867 [5 Jan 1867] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jugalis* Ridl. -- J. Fed. Malay States Mus. 6: 47. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jugorum* Craib -- Bull. Misc. Inform. Kew 1930(4): 168. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia junghuhniana* Miq. -- Fl. Ned. Ind. i. I. 441. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jurubensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 143. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jurujubensis* Kiaersk. -- Enum. Myrt. Bras. 143, pl. 20, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jutiapensis* Standl. & Steyer. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 129. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia jutiapensis* Standl. & Steyer. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 129. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kaalensis* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. iv. 34 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kabaensis* Greves -- J. Bot. 62(Suppl.): 38. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kaieteurensis* Amshoff -- Bull. Torrey Bot. Club lxxv. 536 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kaieteurensis* Amshoff -- Bull. Torrey Bot. Club 75: 536. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kalahiensis* Miq. -- Anal. Bot. Ind. 1: 23. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kalbreyeri* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 337. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia kamelii* Merr. -- Philipp. J. Sci., C 10: 219. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kameruniana* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 291. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kanakana* N.Snow -- Syst. Bot. 33(2): 348. 2008 [23 May 2008]

Purified (Shodhit) *Eugenia kanalaensis* Hochr. -- Bull. New York Bot. Gard. vi. 280 (1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kanarensis* Talbot -- J. Bombay Nat. Hist. Soc. xi. 236 (1897). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kangeanensis* Valetton -- Icon. Bogor. [Boerlage] 4: t. 333. 1912 [25 Apr 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia karsteniana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia karsteniana* O.Berg -- *Linnaea* 27: 277. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia karsteniana* O.Berg var. *albicans* O.Berg -- *Linnaea* 27: 277. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia karsteniana* O.Berg var. *virens* O.Berg -- *Linnaea* 27: 278. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia karwinskyana* O.Berg -- *Linnaea* 29: 244. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kashotoensis* Hayata -- J. Coll. Sci. Imp. Univ. Tokyo 30(Art. 1): 113. 1911 [20 Jun 1911] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kellerianii* Lundell -- *Wrightia* 3: 116. 1964 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kellerianii* Lundell -- *Wrightia* iii. 116 (1964). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kellyana* Proctor -- J. Arnold Arbor. 63(3): 275 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kellyana* Proctor -- J. Arnold Arbor. 63: 275. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kemamanensis* M.R.Hend. -- Gard. Bull. Singapore 11: 303. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kerianthera* M.A.D.Souza -- Phytotaxa 212(1): 90. 2015 [2 June 2015] [epublished]

Purified (Shodhit) *Eugenia kerstingii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 333. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia khasiana* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 491. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kiaerskoviana* Mattos & D.Legrand -- Loeftgrenia 67: 30. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kiaerskoviana* Mattos & D.Legrand -- *Loefgrenia* 67: 30, nom. nov. 1975 , as 'kiaerskoviana' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kiaeskoviana* Mattos & D.Legrand (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kiahii* M.R.Hend. -- *Gard. Bull. Singapore* 11: 307. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kiauensis* Merr. -- *J. Straits Branch Roy. Asiat. Soc.* 77: 209. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kinabaluensis* Stapf -- *Trans. Linn. Soc. London, Bot.* 4(2): 152. 1894 [1894-96 publ. Dec 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kingii* Merr. -- J. Straits Branch Roy. Asiat. Soc. 79: 22. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klampok* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 68. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klappenbachiana* Mattos & D.Legrand -- Loeftgrenia no. 67: 20. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klappenbachiana* Mattos & D.Legrand -- Loeftgrenia 67: 20. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kleineana* Engl. -- Bot. Jahrb. Syst. 54(4): 339. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kleinii* D.Legrand -- Sellowia 13: 313. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kleinii* D.Legrand -- Sellowia no. 13: 313. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kleinii* var. *aristata* D.Legrand -- Sellowia no. 13: 314. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kleinii* var. *glaziovii* D.Legrand -- Sellowia no. 13: 314. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klossii* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 79: 65. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klotzschiana* O.Berg -- Fl. Bras. (Martius) 14(1): 255. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia klotzschiana* var. *glabrata* O.Berg -- Fl. Bras. (Martius) 14(1): 575. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kochiana* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kochiana* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia koepperi* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 320. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia koepperi* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 320. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia koikokoensis* Greves -- J. Bot. 61(Suppl.): 20. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia koolauensis* O.Deg. -- Fl. Hawaiiensis [Degener] Fam. 273. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia koordersiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 128. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia koordersii* Herter -- Revista Sudamer. Bot. 7: 219. 1943 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia korthalsiana* Miq. -- Anal. Bot. Ind. 1: 25. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia krapovickasiana* Mattos -- Loeftgrenia 127: 1 (-2). 2009 [Jan 2009]

Purified (Shodhit) *Eugenia krugii* Kiaersk. -- Bot. Tidsskr. 17: 259. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia krugii* Kiaersk. -- Bot. Tidsskr. 17: 259, pl. 9 A. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia krukoffiana* (Kausel) B.Holst -- Monogr. Syst. Bot. Missouri Bot. Gard. 127: 1272. 2014 [18 Dec 2014] [Cat. Pl. Vasc. Bolivia]

Purified (Shodhit) *Eugenia kuchingensis* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 213. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kuebuniensis* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. viii. 293 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kuekii* Giaretta & Peixoto -- Phytotaxa 336(2): 186. 2018 [30 Jan 2018] [epublished]

Purified (Shodhit) *Eugenia kuhlmanniana* Mattos & D.Legrand -- Loefgrenia no. 67: 30 (-31). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kuhlmanniana* Mattos & D.Legrand -- Loefgrenia 67: 30. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kunstleri* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 127. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kunthiana* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kunthiana* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 236. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kunthiana* var. *pellucida* O.Berg -- Fl. Bras. (Martius) 14(1): 236, t. 4, fig. 76. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kuranda* F.M.Bailey -- The Queensland Flora 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kuranda* F.M.Bailey -- Queensl. Fl. 658. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kurzii* Duthie ex Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 46(2): 68. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kusukusensis* Hayata -- Icon. Pl. Formosan. 3: 119. 1913 [25 Dec 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia kwangtungensis* Merr. -- Sunyatsenia 1: 202. 1934 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lacerosepala* N.Snow -- Syst. Bot. 36(3): 678 (681; fig. 3, map). 2011 [5 Aug 2011]

Purified (Shodhit) *Eugenia lacistema* Sobral -- Phytotaxa 135(1): 50. 2013 [1 Oct 2013] [epublished]

Purified (Shodhit) *Eugenia lacustris* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lacustris* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lacustris* C.B.Rob. -- Philipp. J. Sci., C 4: 377. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laeta* Buch.-Ham. -- Mem. Wern. Nat. Hist. Soc. v. (1826) 338. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laeteviridis* Urb. -- Symb. Antill. (Urban). 9(1): 100. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laeteviridis* Urb. -- Symb. Antill. (Urban). 9(1): 100. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevicaulis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 492. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevifolia* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 48. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevigata* Miq. -- Anal. Bot. Ind. 1: 25. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevigata* (O.Berg) D.Legrand -- Anais Reunião Sul-Amer. Bot. 1938, iii. 113 (1940). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevigata* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevigata* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevigata* (O.Berg ex Mart.) D.Legrand -- Anais Reunião Sul-Amer. Bot. 3: 113. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevis* O.Berg -- Linnaea 27: 177. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laevis* var. *gaumeri* (Standl.) McVaugh -- Fieldiana, Bot. 29: 469. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lagoensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 123. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia lagoensis* Kiaersk. -- Enum. Myrt. Bras. 123, pl. 20, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lambertiana* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lambertiana* var. *hispidula* McVaugh -- Mem. New York Bot. Gard. 18(2): 190. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lambii* Elmer -- Leaflet. Philipp. Bot. iv. 1430 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lamprophylla* Urb. -- Symb. Antill. (Urban). 7(3): 308. 1912 [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lamprophylla* Urb. -- Symb. Antill. (Urban). 7(3): 308. 1912 [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancea* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 123. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancea* Poir. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanceifolia* Roxb. -- Hort. Bengal. [37]. 1814; Fl. Ind. 2: 494. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanceolaria* Roxb. -- Hort. Bengal. [37]. 1814; Fl. Ind. 2: 494. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanceolata* O.Berg -- Fl. Bras. (Martius) 14(1): 276. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanceolata* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 200. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanceolata* O.Berg -- Fl. Bras. (Martius) 14(1): 276. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancetillae* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 4: 317. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancetillae* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 4: 317. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancifolia* Miq. -- Anal. Bot. Ind. 1: 17. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lancilimba* Merr. -- Philipp. J. Sci. 20: 413. 1922 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia landolphioides* A.Chev. -- Etudes Fl. Afr. Centr. Franc. i. 127 (1913), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia langsdorffii* O.Berg -- Fl. Bras. (Martius) 14(1): 568. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia langsdorffii* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lankaensis* Kosterm. -- Misc. Pap. Landbouwhoogeschool 19: 223, nom. nov., without replaced synonym ref. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanosa* Mattos & D.Legrand -- Loeftgrenia no. 67: 29. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lanosa* Mattos & D.Legrand -- Loeftgrenia 67: 29. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laosensis* Gagnep. -- Notul. Syst. (Paris) 3: 326. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laruttea* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 50. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lasiopus* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 253. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lateriflora* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(1): 749. 1799 [Mar 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laterifolia* Pers. ex DC. -- Prodr. [A. P. de Candolle] 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Spreng. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Spreng. ex DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 294. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Aubl. -- Hist. Pl. Guiane 502 (t. 199). 1775 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Spreng. ex DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latifolia* Aubl. -- Hist. Pl. Guiane 1: 502, t. 199. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia latilimba* Merr. -- Lingnan Sci. J. 13: 64. 1934 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lauhlinii* Lundell -- *Phytologia* 16: 443. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lauhlinii* Lundell -- *Phytologia* xvi. 443 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurae* Proctor -- *J. Arnold Arbor.* 63(3): 275 (1982). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurae* Proctor -- *J. Arnold Arbor.* 63: 275 (-276). 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurentii* Engl. -- *Notizbl. Königl. Bot. Gart. Berlin* 2: 288. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia laurifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 357. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurifolia* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 489. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurifolia* Spring ex Mart. -- Flora 20(2, Beibl.): 82. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 357. 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laurina* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 967. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laxa* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laxiflora* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 123. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laxiflora* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 139. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia laxiuscula* Ridl. -- J. Fed. Malay States Mus. 10: 133. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leandriana* O.Berg -- Fl. Bras. (Martius) 14(1): 311. 1857 [15 May 1857] , as 'leandreana' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leandriana* O.Berg -- Fl. Bras. (Martius) 14(1): 311. 1857 [15 May 1857] , as 'leandreana' (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ledermannii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 332. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ledophylla* (Standl.) McVaugh -- Fieldiana, Bot. xxix. 430 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ledophylla* (Standl.) McVaugh -- Fieldiana, Bot. 29: 430. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia legrandii* (Mattos) Mattos -- Loeftgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lehuntii* F.M.Bailey -- Queensland Agric. J. ix. 411. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiocarpa* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 662. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiocarpa* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 662. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiophloea* Urb. -- Symb. Antill. (Urban). 9(1): 108. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiophloea* Urb. -- Symb. Antill. (Urban). 9(1): 108. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiophloea* Urb. -- Symb. Antill. (Urban). 9(1): 108. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leiophloea* (Urb.) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leitonii* D.Legrand -- in H. Lorenzi, *Árvores Brasileiras* 259 (1992), without latin descr. or type. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lempana* Barrie -- Novon 15(1): 27 (-29; fig. 19). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia leonanii* Mattos -- Loeftgrenia 94: 5 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leonensis* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 329. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leonis* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 19(1-4): 39. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leonis* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 19: 39, f. 2. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leonora* Mattos -- Loeftgrenia 120: 6. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia lepida* Mattos & D.Legrand -- Loeftgrenia no. 67: 29. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lepida* Mattos & D.Legrand -- Loeftgrenia 67: 29. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lepidocarpa* Wall. -- Numer. List [Wallich] n. 3618, partim. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lepidota* O.Berg -- Linnaea 27: 226. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lepidota* var. *corymbosa* O.Berg -- Linnaea 27: 227. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lepidota* var. *pauciflora* O.Berg -- Linnaea 27: 227. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptalea* Craib -- Fl. Siam. i. 649 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptantha* Benth. -- J. Bot. (Hooker) 2: 321. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptantha* Wight -- Illustrations of Indian Botany 2 1850 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptantha* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 528; Illustr. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptantha* var. *parvifolia* F.M.Bailey -- The Queensland Flora 2 1900 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptoclada* O.Berg -- Fl. Bras. (Martius) 14(1): 248. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia leptogyna* C.B.Rob. -- Philipp. J. Sci., C 4: 368. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptomischa* Kiaersk. -- Enum. Myrt. Bras. (1893) 121. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptomischa* Kiaersk. -- Enum. Myrt. Bras. 121, pl. 20, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptopa* Lundell -- Bull. Torrey Bot. Club 69: 396. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptopa* Lundell -- Bull. Torrey Bot. Club lxi. 396 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptophlebia* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 192. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptophlebia* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 192. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptophylla* Barb.Rodr. -- Myrt. Paraguay 6, pl. 8. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptophylla* Barb.Rodr. -- Myrt. Paraguay 6. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptosperma* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 495. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* Barnéoud -- Fl. Chil. [Gay] 2(3): 386. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* var. *latifolia* O.Berg -- Linnaea 27: 143. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* var. *longifolia* O.Berg -- Linnaea 27: 143. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptospermoides* DC. var. *microphylla* O.Berg -- *Linnaea* 27: 143. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptostemon* Miq. -- *Fl. Ned. Ind. i. I.* 442. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptosticta* Urb. & Urb. -- *Symb. Antill. (Urban)*. 9(1): 105, descr. ampl. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptosticta* Urb. -- *Symb. Antill. (Urban)*. 7(2): 301. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leptosticta* Urb. -- *Symb. Antill. (Urban)*. 7(2): 301. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia letreiroana* Lundell -- *Wrightia* 3: 15. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucadendron* O.Berg -- *Linnaea* 27: 202. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucanthera* O.Berg -- *Fl. Bras. (Martius)* 14(1): 277. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucocarpa* Merr. -- *Philipp. J. Sci., C* 11: 23. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucocarpa* Gagnep. -- *Notul. Syst. (Paris)* 3: 327, non *E. leucocarpa* Merrill. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucomyrtillus* (Griseb.) Phil. -- Anales Univ. Chile lxxxiv. 761 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucophloea* Kiaersk. -- Enum. Myrt. Bras. (1893) 183. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucophloea* Kiaersk. -- Enum. Myrt. Bras. 183. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucophloea* Kiaersk. var. *warmingiana* Kiaersk. -- Enum. Myrt. Bras. 183. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucophloea* Kiaersk. var. *warmingiana* Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leucoxylon* Miq. -- Anal. Bot. Ind. 1: 26. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia levinei* Merr. -- Lingnan Sci. J. 13: 39. 1934 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia levinervis* (Fosberg) A.J.Scott -- Kew Bull. 34(3): 496. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia leytensis* Elmer -- Leaflet. Philipp. Bot. i. 329 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lheritieriana* DC. -- Prodr. [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lhotzkyana* O.Berg -- Fl. Bras. (Martius) 14(1): 305. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia libanensis* Urb. -- Symb. Antill. (Urban). 9(4): 503. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia libanensis* Urb. -- Symb. Antill. (Urban). 9(4): 503. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia liberiana* Amshoff -- Acta Bot. Neerl. vii. 57 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia librevillensis* Amshoff -- Acta Bot. Neerl. vii. 53 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia liebmannii* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1044 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia liebmannii* Standl. -- Contr. U.S. Natl. Herb. 23: 1044. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia liesneri* Barrie -- Novon 15(1): 29 (-30; fig. 20). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia ligustrina* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 264, partim. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 962. 1799 [Dec 1799] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* (Sw.) Willd. -- Sp. Pl., ed. 4 [Willdenow] 2(2): 962. 1799 [Dec 1799] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* Miq. -- *Linnaea* 22: 532. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* var. *hebecarpa* Amshoff in Pulle -- *Fl. Suriname* 3, pt. 2: 177. 1951 Ver. *Indisch Inst.*, Amsterdam, Meded. no. 30 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* Willd. var. *minensis* (O.Berg) Mattos -- *Loefgrenia* 64: 4. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustrina* var. *minensis* (O.Berg) Mattos -- *Loefgrenia* no. 64: 4. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustroides* Urb. -- *Symb. Antill. (Urban)*. 9(4): 500. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ligustroides* Urb. -- Symb. Antill. (Urban). 9(4): 500. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lilacina* Merr. -- Univ. Calif. Publ. Bot. xv. 219 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lilloana* D.Legrand -- Darwiniana 9: 296, fig. 4, tab. 4. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lilloana* D.Legrand -- Darwiniana ix. 296 (1950). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia limbata* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia limbata* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia limbosa* O.Berg -- Linnaea 27: 294. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linnaea* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 79: 64. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindahlia* Urb. & Ekman -- Ark. Bot. 21A(5): 28. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindahlia* Urb. & Ekman -- Ark. Bot. 21A(5): 28. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindbergiana* O.Berg -- *Linnaea* 30: 685. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindeniana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindeniana* O.Berg -- *Linnaea* 29: 240. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindleyana* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lindleyana* DC. -- *Prodr.* [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 230. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearifolia* var. *oppositifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 230, t. 4, fig. 64. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearifolia* var. *ternifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 230. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearis* Rich. ex O.Berg -- Linnaea 30: 673. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 486. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearis* var. *longifolia* O.Berg -- *Linnaea* 30: 673. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linearis* var. *parvifolia* O.Berg -- *Linnaea* 30: 674. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineata* Duthie -- *Fl. Brit. India* [J. D. Hooker] 2(5): 487. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineata* DC. -- *Prodr.* [A. P. de Candolle] 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineata* var. *bergiana* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 615. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineata* var. *racemosa* O.Berg -- Linnaea 30: 683. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineatifolia* Mattos -- Loeftgrenia 102: 3 (1993), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineolata* Urb. & Ekman -- Ark. Bot. 21A(5): 35. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lineolata* Urb. & Ekman -- Ark. Bot. 21A(5): 35. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia lingua* O.Berg -- Fl. Bras. (Martius) 14(1): 266. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linguiformis* O.Berg -- Fl. Bras. (Martius) 14(1): 268. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia linoceroidea* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 118. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lisboae* M.A.D.Souza -- Phytotaxa 289(2): 168. 2016 [22 Dec 2016] [epublished]

Purified (Shodhit) *Eugenia lissophylla* Bedd. -- For. Man. Bot. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lithosperma* Barrie -- Novon 15(1): 30 (fig. 21). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia litseifolia* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 215. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia littoralis* Mattos -- Loeffgrenia 42: p. [1]. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia littoralis* Pancher ex Brongn. & Gris -- Bull. Soc. Bot. France 12: 178. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia littoralis* (Blume) Meijer Drees -- Commun. Forest Res. Inst. No. 33, 89 (1951). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia littoralis* Mattos -- Loeffgrenia 42: [1], fig. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia littorea* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 335. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia livida* Elmer -- Leaflet. Philipp. Bot. vii. 2349 (1914). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia livida* O.Berg -- Fl. Bras. (Martius) 14(1): 584. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ilanosii* Merr. -- Philipp. J. Sci., C 10: 220. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia llewelynii* Steyererm. -- Fieldiana, Bot. 28: 1011. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia llewelynii* Steyerf. -- Fieldiana, Bot. xxviii. 1011 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lobbiai* Ridl. -- J. Bot. 68: 17. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia locaeneri* Urb. -- Symb. Antill. (Urban). 9(4): 512. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia locuples* Barrie -- Novon 15(1): 30 (32; fig. 22). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia loeseneri* Urb. -- Symb. Antill. (Urban). 9(4): 512. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia loheri* C.B.Rob. -- Philipp. J. Sci., C 4: 345. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia loiseleurii* Baker -- J. Linn. Soc., Bot. 21: 341. 1884 [1886 publ. 1884] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lokobensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 183. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lomensis* Britton, P.Wilson & Urb. -- Symb. Antill. (Urban). 9(4): 493, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lomensis* Britton -- Bull. Torrey Bot. Club 50: 44. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lomensis* Britton & P.Wilson -- Bull. Torrey Bot. Club 1923, 1. 44. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lomerensis* Villarroel & Bezerra -- *Brittonia* 66(4): 316. 2014 [10 Jun 2014] [epublished]

Purified (Shodhit) *Eugenia lonchophylla* Voigt -- Hort. Suburb. Calcutt. 49. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longa* M.A.D.Souza & Sobral -- *Phytotaxa* 349(1): 22. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia longibracteata* Mazine -- *Novon* 19(1): 84 (fig. 2D-F). 2009 [19 Mar 2009]

Purified (Shodhit) *Eugenia longicalyx* Ridl. -- *J. Bot.* 68: 11. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longicauda* Ridl. -- *J. Straits Branch Roy. Asiat. Soc.* 61: 7. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longicuspis* McVaugh -- Fieldiana, Bot. xxix. 211 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longicuspis* McVaugh -- Fieldiana, Bot. 29: 211. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longiflora* Fern.-Vill. -- Nov. App. 86. 1880 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longifolia* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipedicellata* (Merr.) C.B.Rob. -- Philipp. J. Sci., C 4(3): 349. 1909 [26 Aug 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipedunculata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipedunculata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipedunculata* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipes* Warb. -- Bot. Jahrb. Syst. 13(3-4): 391. 1891 [20 Mar 1891] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipes* O.Berg -- Linnaea 27: 150. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia longipes* O.Berg -- *Linnaea* 27: 150. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longipetiolata* Mattos -- *Dusenya* 8: 162. 1968 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longiracemosa* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 149. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longiracemosa* Kiaersk. -- *Enum. Myrt. Bras.* 149, pl. 20, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longisepala* M.L.Kawas. & B.Holst -- *J. Bot. Res. Inst. Texas* 3(2): 614 (-616; fig. 4). 2009 [25 Nov 2009]

Purified (Shodhit) *Eugenia longissima* Merr. -- *Publ. Bur. Sci. Gov. Lab.* 35: 50. 1906 [1905 publ. 17 Jan 1906] (Short duration purification) as key ingredient in indigenous anti-cancer

Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longistyla* Merr. -- Philipp. J. Sci., C 10: 220. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia longuensis* N.Snow -- Syst. Bot. 33(2): 348. 2008 [23 May 2008]

Purified (Shodhit) *Eugenia lopeziana* Ant.Molina -- Ceiba 3: 170. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lopeziana* Ant.Molina -- Ceiba iii. 170 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lorentensis* Diels -- Bot. Jahrb. Syst. 37(5): 597. 1906 [30 Oct 1906] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lorentensis* Diels -- Bot. Jahrb. Syst. 37(5): 597. 1906 [30 Oct 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lotoides* (Guillaumin) J.W.Dawson & N.Snow -- Candollea 71(1): 78. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia louisae* N.Snow -- Syst. Bot. 36(3): 681 (-684; figs. 4-5, map). 2011 [5 Aug 2011]

Purified (Shodhit) *Eugenia lourteigiae* (Mattos & D.Legrand) Mattos -- Loefgrenia 120: 6. 2005 [Mar 2005] , as 'lourteigii'

Purified (Shodhit) *Eugenia louvelii* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 178. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucayana* (Britton) Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" no. 12: 11. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucayana* (Britton) Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" 12: 11 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucens* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" 12: 12 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucens* Alain -- Contr. Ocas. Mus. Hist. Nat. Colegio "De La Salle" 12: 12., fig. 1953 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucescens* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucescens* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucescens* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luciae* Amshoff -- Recueil Trav. Bot. Néerl. 42: 14. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luciae* Amshoff -- Recueil Trav. Bot. Néerl. 42: 14. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucida* Gaertn. -- De fructibus et seminibus plantarum 1 1788 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucida* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 356. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucida* Banks ex Gaertn. -- Fruct. Sem. Pl. 1: 167. 1788 [Dec 1788;] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucida* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucida* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 203. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucidifolia* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucidifolia* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907). nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lucidula* Miq. -- Fl. Ned. Ind. i. I. 444. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ludibunda* Bert. ex DC. -- Prodr. [A. P. de Candolle] 3: 280. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ludibunda* Bertero (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ludoviciana* Gómez-Laur. -- Brenesia 73-74: 26 (-28; fig. 1). 2010

Purified (Shodhit) *Eugenia luehmannii* F.Muell. -- in Vict. Natural. ix. (May 1892) 10; et ex Bot. Centralbl. li. (1892) 90. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luehmannii* F.Muell. -- Vict. Naturalist 9 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luetzelburgii* Burret ex Luetzelb. -- Estudo Bot. Nordeste, Rio de Janeiro iii. 29, 200 (1923) [Insp. Fed. ObrasSecc. Publ. 57], nomen; cf. Gray Herb. Card Cat., Issue 150. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lugens* O.Berg -- Linnaea 27: 299. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lugubris* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 187. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luma* O.Berg -- Linnaea 27: 251. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lumboy* Elmer -- Leaflet. Philipp. Bot. iv. 1431 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lumilla* Phil. -- Bot. Zeit. xiv. (1856) 643. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lundellii* Standl. -- Publ. Carnegie Inst. Wash. No. 461, 7"" (1935). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lundellii* Standl. -- Publ. Carnegie Inst. Wash. 461: 76. 1935 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lundiana* Kiaersk. -- Enum. Myrt. Bras. 162. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lundiana* Kiaersk. -- Enum. Myrt. Bras. (1893) 162. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lundensis* Merr. -- J. Straits Branch Roy. Asiat. Soc. 79: 25. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luschnathiana* (O.Berg) Klotzsch ex B.D.Jacks. -- Index Kew. 1(2): 908. 1893 [14 Dec 1893]

Purified (Shodhit) *Eugenia luschnathiana* Klotzsch ex O.Berg -- Fl. Bras. (Martius) 14(1): 333. 1857 [15 May 1857] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lutea* C.B.Rob. -- Philipp. J. Sci., C 6: 350. 1911 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lutescens* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 341. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia lutescens* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia luzonensis* (Merr.) Merr. -- Philipp. J. Sci. 1(Suppl. 1): 105. 1906 [15 Apr 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mabaeoides* Wight -- Ill. Ind. Bot. ii. 13. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mabaeoides* Wight subsp. *pedunculata* (Trimen) P.S.Ashton -- in M.D. Dassanayake & F.R. Fosberg, Revised Handb. Fl. Ceylon 2: 414 (1981):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macahensis* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 235, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macahensis* O.Berg -- Fl. Bras. (Martius) 14(1): 589. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macanheana* Lundell -- Wrightia iv. 41 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macanheana* Lundell -- Wrightia 4: 41. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macarensis* O.Berg -- Linnaea 27: 283. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macedoi* Mattos & D.Legrand -- Loefergrenia no. 67: 24. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macedoi* Mattos & D.Legrand -- *Loefgrenia* 67: 24. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macgregorii* C.B.Rob. -- *Philipp. J. Sci.*, C 4: 367. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mackeeana* Guillaumin -- *Mem. Mus. Hist. Nat., Paris, Ser. Bot.* viii. 146 (1959). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maclurei* Merr. -- *Philipp. J. Sci.* 21: 350. 1922 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macnabiana* Urb. -- *Symb. Antill. (Urban)*. 6(1): 104. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macnabiana* (Krug & Urb.) Urb. -- Symb. Antill. (Urban). 6(1): 104. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macnabiana* Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macoorai* F.M.Bailey -- Queensland Department of Agriculture and Stock. Botany Bulletin 5 1892 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macoorai* F.M.Bailey -- in Dept. Agric. Brisbane Bot. Bull. v. (1892) 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macradenia* Urb. & Ekman -- Ark. Bot. 24A(4): 28. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macradenia* Urb. & Ekman -- Ark. Bot. 24A(4): 28. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrantha* O.Berg -- Fl. Bras. (Martius) 14(1): 301. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrantha* var. *glomerata* O.Berg -- Fl. Bras. (Martius) 14(1): 584. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrobracteolata* Mattos -- Loeffgrenia 64: 5. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrobracteolata* Mattos -- Loeffgrenia no. 64: 5. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocalyx* (Rusby) McVaugh -- Fieldiana, Bot. 29: 212. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocalyx* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 333. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocalyx* (Rusby) McVaugh -- Fieldiana, Bot. xxix. 212 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocarpa* Schltdl. & Cham. -- Linnaea 5: 560. 1830 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocarpa* A.Chev. -- Explor. Bot. Afrique Occ. Franc. 1: 267. 1920 ; nom. inval.

Purified (Shodhit) *Eugenia macrocarpa* Roxb. -- Hort. Bengal. 37. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after



enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocarpa* Roxb. -- Fl. Ind. (Roxburgh) 2: 497. 1832 ; nom. illeg.

Purified (Shodhit) *Eugenia macrocarpa* A.Chev. -- Fl. Afr. Centr., Énum. Pl. Récolt. 127. 1913 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocarpa* Cham. & Schltdl. -- Linnaea 13: 417. 1839 : erroneous entry (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrocarpa* Schltdl. & Cham. -- Linnaea 5(4): 560. 1830 [Oct 1830] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macroclada* O.Berg -- Fl. Bras. (Martius) 14(1): 243. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrohila* C.T.White & W.D.Francis -- Proceedings of the Royal Society of Queensland 35 1924 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrohila* C.T.White & W.D.Francis -- Proc. Roy. Soc. Queensland 35: 69. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macromyrtus* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 109. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrophylla* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 196. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 268. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrophylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrorhyncha* Miq. -- Anal. Bot. Ind. 1: 21. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrosepala* (O.Berg) Mattos -- Loefgrenia 94: 1 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrosepala* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 501. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrosperma* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia macrostemon* O.Berg -- *Linnaea* 27: 188. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maculata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 297. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia madagascariensis* (H.Perrier) A.J.Scott -- *Kew Bull.* 34(3): 546. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia madugodaense* Kosterm. -- *Quart. J. Taiwan Mus.* 34(3–4): 167 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maestrensis* Urb. & Urb. -- *Symb. Antill. (Urban)*. 9(4): 506, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maestrensis* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maestrensis* ( ex Urb.) Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maestrensis* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maestrensis* Urb. -- Symb. Antill. (Urban). 9(1): 107. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magna* B.Holst -- Selbyana 23(2): 142 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magna* B.Holst -- Selbyana 23(2): 142 (144; fig. 4). 2002 [28 Dec 2002] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnibracteolata* Mattos & D.Legrand -- Loeftgrenia no. 67: 28. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnibracteolata* Mattos & D.Legrand -- Loeftgrenia 67: 28. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnifica* Brongn. & Gris -- Bull. Soc. Bot. France 12: 178. 1865 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnifica* Spring ex Mart. -- Flora 20(2, Beibl.): 86. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magniflora* Barrie -- Novon 15(1): 32 (34; fig. 23). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia magnifolia* Kiaersk. -- Enum. Myrt. Bras. 136, pl. 20, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnifolia* Kiaersk. -- Enum. Myrt. Bras. (1893) 136. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magnoliifolia* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 153. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magoana* Lundell -- Wrightia iv. 117 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia magoana* Lundell -- *Wrightia* 4(3): 117. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maingayi* Duthie -- *Fl. Brit. India* [J. D. Hooker] 2(5): 484. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mainitensis* Elmer -- *Leaf. Philipp. Bot.* iv. 1415 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maire* A.Cunn. -- *Ann. Nat. Hist.* 3(15): 114. 1839 [Apr 1839] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malabarica* Bedd. -- *Fl. Sylv. S. India* i. t. 199. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia malacantha* D.Legrand -- Sellowia 13: 324. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malacantha* D.Legrand -- Sellowia no. 13: 324. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malaccensis* Reinw. ex Blume -- Mus. Bot. 1(6): 96. 1850 [1 Jun 1849 publ. Apr 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malaccensis* Lour. -- Fl. Cochinch. 1: 306. 1790 [Sep 1790] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malaccensis* L. -- Sp. Pl. 1: 470. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malaccensis* Blanco -- Fl. Filip. [F.M. Blanco] 415. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malaccensis* L. f. *cericarpa* (O.Deg.) St.John. -- Mem. Pacific Trop. Bot. Gard. 1: 252. 1973 ; List & Summary Fl. Pl. Hawaiian Is. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malagsam* Elmer -- Leaf. Philipp. Bot. iv. 1403 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malangensis* Urb. & Ekman -- Ark. Bot. 21A(5): 30. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malangensis* Urb. & Ekman -- Ark. Bot. 21A(5): 30. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malangensis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malayana* Gagnep. -- Fl. Indo-Chine [P.H. Lecomte et al.] 2: 838. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malcomberi* N.Snow -- PhytoKeys 49: 91. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia maleolens* Pers. -- Syn. Pl. [Persoon] 2(1): 29. 1806 [Nov 1806] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maleolens* Pers. -- Syn. Pl. [Persoon] 2(1): 29. 1806 [Nov 1806] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia malpighioides* DC. -- Prodr. [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mananquil* Blanco -- Fl. Filip., ed. 2 [F.M. Blanco] 290. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia manausensis* Mattos -- Loefgrenia 120: 6. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia mandevillensis* Urb. -- Symb. Antill. (Urban). 7(3): 306. 1912 [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandevillensis* Urb. -- Symb. Antill. (Urban). 7(3): 306. 1912 [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandevillensis* Urb. var. *perratonii* (Proctor) Proctor -- J. Arnold Arbor. 63: 276. 1982 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandevillensis* Urb. var. *perratonii* (Proctor) Proctor -- J. Arnold Arbor. 63(3): 276 (1982):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandioocensis* O.Berg -- Fl. Bras. (Martius) 14(1): 585. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandonii* McVaugh -- Fieldiana, Bot. xxix. 212 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mandonii* McVaugh -- Fieldiana, Bot. 29: 212. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mangasiana* Urb. -- Symb. Antill. (Urban). 9(4): 498. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mangasiana* Urb. -- Symb. Antill. (Urban). 9(4): 498. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mangifolia* Wall. -- Numer. List [Wallich] n. 3619. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia manickamiana* Murugan -- J. Econ. Taxon. Bot. 26(2): 414 (2002).

Purified (Shodhit) *Eugenia manii* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 104. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia manomboensis* N.Snow -- PhytoKeys 49: 94. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia manonae* N.Snow & Rabenant. -- Phytotaxa 48: 44 (-46, 41; figs. 2, 4). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia mansonii* O.Berg -- Fl. Bras. (Martius) 14(1): 223. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maquilensis* Elmer -- Leaflet. Philipp. Bot. viii. 3096 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maracayensis* Barb.Rodr. -- Myrt. Paraguay 3. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marambaensis* M.C.Souza & M.P.Lima -- Bot. J. Linn. Soc. 158(2): 306 (-308; fig. 1). 2008 [25 Sep 2008]

Purified (Shodhit) *Eugenia maranhensis* G.Don -- Gen. Hist. 2: 854. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maranhensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 183. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maranhensis* Kiaersk. -- Enum. Myrt. Bras. 183. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marchiana* Griseb. -- Fl. Brit. W.I. [Grisebach] 238. 1860 [late 1860] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia margarettae* Alain -- Bull. Torrey Bot. Club 90: 190. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia margarettae* Alain -- Bull. Torrey Bot. Club 90: 190. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia margarettae* Alain -- Bull. Torrey Bot. Club xc. 190 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia marginata* W.Hill -- Catalogue of the Natural and Industrial Products of Queensland 1862 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marginata* Pers. -- Syn. Pl. [Persoon] 2(1): 28. 1806 [Nov 1806] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maricaensis* G.M.Barroso -- Bradea 5(35): 357 (-358; fig. 1). 1990 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maricaensis* G.M.Barroso -- Bradea 5(35): 357 (1990). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marieensis* Sobral & M.A.D.Souza -- Phytotaxa 349(1): 24. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia mariquitensis* O.Berg -- Linnaea 27: 267. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maritima* Barnéoud -- Fl. Chil. [Gay] 2(3): 390. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maritima* Barnéoud in Gay (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maritima* Merr. -- Philipp. J. Sci., C 10: 212. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maritima* DC. -- Prodr. [A. P. de Candolle] 3: 271 (*Eugenia* no. 73). 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maritima* (Kunth) DC. -- Prodr. [A. P. de Candolle] 3: 282 (*Eugenia* no. 162). 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility

with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marivelesensis* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 106. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marleneae* M.A.D.Souza & M.Mendonça -- Phytotaxa 212(1): 92. 2015 [2 June 2015] [epublished]

Purified (Shodhit) *Eugenia marlierioides* Rusby -- Bull. New York Bot. Gard. 8: 108. 1912 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marlierioides* Rusby -- Bull. New York Bot. Gard. viii. 108 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maroana* Aug.DC. -- Bull. Herb. Boissier Ser. II. i. 573. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marowynensis* Miq. -- Stirp. Surinam. Select. 39. 1851 [Mar 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marquesii* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 290. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia marshiana* Krug & Urb. ex Urb. -- Bot. Jahrb. Syst. 19(5): 652. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia martelinoii* Merr. -- Philipp. J. Sci. 18: 306. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia martiana* (O.Berg) Mattos -- Loeftgrenia 120: 6. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia martini* O.Berg -- Linnaea 27: 230. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia martiusiana* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mascarensis* C.Presl -- Oken, Isis xxi. (1828) 274. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mascarensis* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 429. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maschalantha* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maschalantha* Kiaersk. -- Enum. Myrt. Bras. (1893) 183. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maschalantha* Kiaersk. -- Enum. Myrt. Bras. 183, pl. 10, fig. f. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maschalantha* O.Berg -- Fl. Bras. (Martius) 14(1): 278. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia masukuensis* Baker -- Bull. Misc. Inform. Kew 1897(128-129): 267. [Aug-Sep 1897] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matagalpensis* P.E.Sánchez -- Brenesia 25/26: 307, fig. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matagalpensis* P.E.Sánchez -- Brenesia 25-26: 307. 1988 [1986 publ. 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matanzensis* O.Berg -- *Linnaea* 27: 235. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mato* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mato* Griseb. -- *Abh. Königl. Ges. Wiss. Göttingen* 24: 125. 1879 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mato* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matogrossensis* Sobral -- *Lundiana* 9(2): 107 (109; fig. 1). 2008 [2008 publ. Sep 2009]

Purified (Shodhit) *Eugenia mattogrossensis* Mazine -- Revista Brasil. Bot. 33 (2): 287. 2010 ; nom. illeg.

Purified (Shodhit) *Eugenia mattosii* D.Legrand -- Sellowia 13: 310. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mattosii* D.Legrand -- Sellowia no. 13: 310. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matudae* Lundell -- Phytologia 1: 218. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia matudae* Lundell -- Phytologia i. 218 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maxima* (McVaugh) Mattos -- Loefgrenia 120: 7. 2005 [Mar 2005]



Purified (Shodhit) *Eugenia maximiliana* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maximiliana* O.Berg -- Fl. Bras. (Martius) 14(1): 250. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mayana* Standl. -- Contr. U.S. Natl. Herb. 23: 1042. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mayana* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1042 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia maynensis* O.Berg -- Fl. Bras. (Martius) 14(1): 318. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mcphersonii* Barrie -- Novon 15(1): 34 (-35; fig. 24). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia mcvaughii* Steyerl. & Lasser -- Brittonia 33: 25 (-27), fig. 1981 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mcvaughii* Steyerl. & T.Lasser -- Brittonia 33(1): 25 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia media* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megacarpa* Craib -- Fl. Siam. i. 652 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megaflora* Govaerts -- World Checkl. Purified (Shodhit) 152. 2008 [Dec 2008]

Purified (Shodhit) *Eugenia megalantha* C.B.Rob. -- Philipp. J. Sci., C 4: 374. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megalocarpa* Urb. -- Symb. Antill. (Urban). 5(3): 444. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megalocarpa* Urb. -- Symb. Antill. (Urban). 5(3): 444. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megalopetala* Griseb. -- Cat. Pl. Cub. [Grisebach] 89. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia megalophylla* Merr. -- Philipp. J. Sci. 27: 42. 1925 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mekongensis* Gagnep. -- Notul. Syst. (Paris) 3: 328. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanadenia* Krug, Urb. & Urb. -- Symb. Antill. (Urban). 9(4): 488, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanadenia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 607. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanadenia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 607. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanadenia* Krug & Urb. var. *santayana* Urb. -- Symb. Antill. (Urban). 9(4): 489. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanogyna* (D.Legrand) Sobral -- *Napaea* 11: 35 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanosticta* Standl. -- J. Arnold Arbor. 1930, xi. 126. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanosticta* Standl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanosticta* Koord. & Valetton -- *Meded. Lands Plantentuin* 40, Bijdr. 6: 159. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melanosticta* Standl. -- J. Arnold Arbor. 11: 126. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melastomatifolia* Merr. -- Interpr. Herb. Amboin. 398 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melastomoides* Elmer -- Leaf. Philipp. Bot. iv. 1429 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melinonis* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 194. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia melliodora* C.B.Rob. -- Philipp. J. Sci., C 4: 401. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia membranacea* O.Berg -- Fl. Bras. (Martius) 14(1): 589. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia membranifolia* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia membranifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia membranifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia memecylifolia* Talbot -- J. Bombay Nat. Hist. Soc. xi. 236 (1897). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia memecyloides* Benth. -- Niger Fl. [W. J. Hooker]. 359. 1849 [Nov-Dec 1849] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mendute* Guillaumin -- Bull. Soc. Bot. France 85: 638. 1939 [dt. 1938; publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia menseensis* Urb. -- Symb. Antill. (Urban). 9(1): 98. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia menseensis* Urb. -- Symb. Antill. (Urban). 9(1): 98. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia menseensis* Urb. & Urb. -- Symb. Antill. (Urban). 9(4): 489, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meridensis* Steyer. -- Fieldiana, Bot. 28: 1012. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia meridensis* Steyerm. -- Fieldiana, Bot. xxviii. 1012 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meridionalis* Mattos -- Loefgrenia no. 66: 6 (-7). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meridionalis* Mattos -- Loefgrenia 66: 6. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia merokensis* Greves -- J. Bot. 61(Suppl.): 16. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia merrillii* C.B.Rob. -- Philipp. J. Sci., C 4: 349. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia merrittiana* C.B.Rob. -- Philipp. J. Sci., C 4: 369. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mespiloides* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 205. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia metriosa* Rojas Acosta -- Cat. Hist. Nat. Corrientes 62 (1897). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mexiae* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 4: 243. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mexiae* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 4: 243. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mexicana* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 603. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meyeriana* O.Berg -- Fl. Bras. (Martius) 14(1): 588. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meyeriana* var. *depauperata* O.Berg -- Fl. Bras. (Martius) 14(1): 588. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia meyeriana* var. *dives* O.Berg -- Fl. Bras. (Martius) 14(1): 588. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia michaelneei* Villarroel & Faria -- Phytotaxa 253(4): 267. 2016 [30 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia michelii* D.Parodi -- Contrib. Fl. Parag. iv. (1879) 122. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia michelii* Lam. -- *Encycl. [J. Lamarck & al.]* 3(1): 203. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia michoacanensis* Lundell -- *Wrightia* 3: 16. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia michoacanensis* Lundell -- *Wrightia* iii. 16 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micrandra* Ridl. -- *Trans. Linn. Soc. London, Bot.* 9(1): 48. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micrantha* Bertol. -- *Fl. Guatimal.* 22. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micrantha* Bedd. -- For. Man. Bot. 108.-. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micrantha* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micranthoides* McVaugh -- Fieldiana, Bot. 29: 212. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micranthoides* McVaugh -- Fieldiana, Bot. xxix. 212 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microbotrya* Miq. -- Anal. Bot. Ind. 1: 27. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microcalyx* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 493. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microcarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microcarpos* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 201. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microcyma* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg il. 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micropetala* Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micropetala* Mart. -- Flora 24(2, Beibl.): 108. 1841 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* C.Abel -- Narr. Journey China 364. 1818 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* Rich. ex O.Berg -- Linnaea 30: 672. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* Bedd. -- For. Man. Bot. 110. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia microphylla* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 584. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia micropoda* Baker -- J. Linn. Soc., Bot. 20: 143. 1883 [1884 publ. 1883] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia micropora* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miegeana* Aké Assi -- Bull. Jard. Bot. État Bruxelles 30: 15. 1960 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* Gardner (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* Gardner -- London J. Bot. 4: 103. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* Gardner var. *costata* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* var. *glomerata* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* var. *membranacea* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miersiana* var. *venosa* O.Berg -- Fl. Bras. (Martius) 14(1): 574. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mikaniana* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mikaniana* O.Berg -- Fl. Bras. (Martius) 14(1): 297. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mikanioides* O.Berg -- Fl. Bras. (Martius) 14(1): 298. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia milletiana* Hemsl. ex F.B.Forbes & Hemsl. -- J. Linn. Soc., Bot. 23: 297. 1887 [1886-88 publ. 1887] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia millsii* M.R.Hend. -- Gard. Bull. Singapore 11: 301. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mimica* Merr. -- Philipp. J. Sci. 1(Suppl. 3): 212. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mimus* McVaugh -- Mem. New York Bot. Gard. 18(2): 193. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mimus* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2. 193 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mindanaensis* C.B.Rob. -- Philipp. J. Sci., C 4: 363. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mindorensis* C.B.Rob. -- Philipp. J. Sci., C 4: 399. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minensis* Kiaersk. -- Enum. Myrt. Bras. 184. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minensis* (O.Berg) Mattos -- Loefgrenia 94: 3 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 184. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minensis* (O.Berg) Mattos -- Loefgrenia 116: 1. 2001 [Sep 2001] ; isonym

Purified (Shodhit) *Eugenia minguetii* Urb. -- Ark. Bot. 20A, no. 5: 24. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minguetii* Urb. -- Ark. Bot. 20A(5): 24. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mini* Aubl. -- Hist. Pl. Guiane 1: 498. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mini* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 252. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mini* Willd. ex O.Berg -- Fl. Bras. (Martius) 14(1): 315. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mini* Aubl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miniata* S.Moore -- Trans. Linn. Soc. London, Bot. 4(3): 358. 1895 [1894-96 publ. Dec 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miniata* S.Moore -- Trans. Linn. Soc. London, Bot. ser. 2, 4: 358. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minima* Blume -- Cat. Gew. Buitenzorg (Blume) 75. 1823 [Feb-Sep 1823] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minimiflora* Lundell -- *Wrightia* 3: 124. 1965 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minimiflora* Lundell -- *Wrightia* iii. 124 (1965). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minimifolia* McVaugh -- *Fieldiana*, Bot. 29: 213 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minimifolia* McVaugh -- *Fieldiana*, Bot. 29: 213. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minuscula* McVaugh -- *Mem. New York Bot. Gard.* xviii. No. 2. 194 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minuscula* McVaugh -- Mem. New York Bot. Gard. 18(2): 194. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minutiflora* Hance -- J. Bot. 9: 5. 1871 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minutifolia* (D.Legrand & Mattos) Mattos -- Loefgrenia 85: [2] (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minutifolia* (Mattos) Mattos -- Loefgrenia 120: 7. 2005 [Mar 2005] ; nom. illeg.

Purified (Shodhit) *Eugenia minutiflora* F.Muell. -- Vict. Naturalist 8 1891 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia minutuliflora* F.Muell. -- in Vict. Natural. viii. (April 1892) 197; et ex Bot. Centralbl. 1. (1892) 311. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miqueliana* Greves -- J. Bot. 61(Suppl.): 16. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miquelii* Elmer -- Leaflet. Philipp. Bot. iv. 1441 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mirabilis* Merr. -- Philipp. J. Sci. 20: 412. 1922 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mirandae* D.Ramírez -- Anales Inst. Biol. Univ. Nac. México 14: 487, tab. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mirandae* Merr. -- Philipp. J. Sci., C 10: 221. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mirandae* D.Ramírez -- Anales Inst. Biol. Univ. Nac. México xiv. 487 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia miritima* Barnéoud in Gay (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mirtiflora* Rojas Acosta -- Cat. Hist. Nat. Corrientes 61 (1897). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moaensis* R.A.Howard -- J. Arnold Arbor. 28: 122. 1947 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moaensis* R.A.Howard -- J. Arnold Arbor. 28: 122. 1947 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia modesta* DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia modesta* Phil. -- Linnaea 28: 688. 1858 [1856 publ. Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia modesta* var. *brasiliensis* O.Berg -- Fl. Bras. (Martius) 14(1): 314. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia modesta* var. *jamaicensi* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia modesta* var. *jamaicensis* O.Berg -- Fl. Bras. (Martius) 14(1): 314. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moensis* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 88 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 88. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moensis* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 88. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mogotensis* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 497. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mogotensis* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 497. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia molinae* Barrie -- Novon 15(1): 35 (fig. 25). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia molliana* O.Berg -- Linnaea 27: 295. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollicoma* Mart. ex O.Berg -- Linnaea 27: 313. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollifolia* Urb. -- Symb. Antill. (Urban). 9(4): 500. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollifolia* Urb. -- Symb. Antill. (Urban). 9(4): 500. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollis* Cortés -- Fl. Colombia (Cortes) 40. 1897 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 86. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mollis* Willd. ex O.Berg -- Linnaea 27: 121. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia molokaiana* K.A.Wilson & Rock -- Pacific Sci. xi. 175 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moluccana* Merr. -- Philipp. J. Sci., C 11: 296. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia momby* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia momby* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. IL vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monantha* Merr. -- J. Straits Branch Roy. Asiat. Soc. 79: 22. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monetaria* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 49. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monosperma* Vell. -- Fl. Flumin. 209. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 42. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montalbanica* Merr. -- Philipp. J. Sci. 30: 417. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 432. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 365. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia montana* Wight -- Icon. Pl. Ind. Orient. [Wight] iii. t. 1060. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Aubl. -- Hist. Pl. Guiane 1: 495. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montana* Aubl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montevidensis* Barrie -- Novon 15(1): 35 (37; fig. 26). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia montevidensis* Mattos -- Loeftgrenia 105: 2 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monticola* DC. -- Prodr. [A. P. de Candolle] 3: 275. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monticola* Hitchc. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monticola* var. *flavo-virens* (O.Berg) Stehlé & Quentin -- Fl. Guadeloupe Dépend. & Martinique 2(3): 65. 1949 as *flaveo-virens* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monticola* Hitchc. var. *latifolia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 636. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia monticola* var. *racemosa* Amshoff in Pulle -- Fl. Suriname 3, pt. 2: 121. 1951 Ver. Indisch Inst., Amsterdam, Meded. no. 30 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montigena* Barb.Rodr. -- Myrt. Paraguay 5, pl. 6. 1903 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia montigena* Barb.Rodr. -- Myrt. Paraguay 5. 1903 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mooniana* Wight -- Ill. Ind. Bot. ii. 13. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mooniana* Gardner -- London J. Bot. 2: 352. 1843 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moonioides* O.Berg -- Fl. Bras. (Martius) 14(1): 262. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moorei* F.Muell. -- *Fragm. (Mueller)* 5(32): 33. 1865 [Jun 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moorei* F.Muell. -- *Fragmenta Phytographiae Australiae* 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mooriana* Gardner -- *London J. Bot.* 2: 352. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moraviana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 304. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moraviana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moraviana* O.Berg var. *gardneriana* (O.Berg) Mattos -- *Loefgrenia* 85: [2] (1984):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moraviana* var. *impunctata* O.Berg -- Fl. Bras. (Martius) 14(1): 586. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia morii* B.Holst & M.L.Kawas. -- *Brittonia* 52(1): 21 (-23; fig. 2). 2000 [21 Mar 2000] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia morii* B.Holst & M.L.Kawas. -- *Brittonia* 52(1): 21 (2000). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moritziana* H.Karst. -- Ausw. Gew. Venez. 18. t. 6. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mornicola* Urb. -- Symb. Antill. (Urban). 7(4): 525. 1913 [15 Aug 1913] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mornicola* Urb. -- Symb. Antill. (Urban). 7(4): 525. 1913 [15 Aug 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moschata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mosenii* (Kausel) Sobral -- Napaea, Rev. Bot. 1: 25 (1987):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mosenii* (Kausel) Sobral -- *Napaea* 1: 25. 1987 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mosquitensis* O.Berg -- *Linnaea* 31: 257 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mossambicensis* Engl. -- *Notizbl. Königl. Bot. Gart. Berlin* 2: 289. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia motleyi* Ridl. -- *J. Bot.* 68: 33. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mouensis* Baker f. -- *J. Linn. Soc., Bot.* xlv. 313 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia moultonii* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 221. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mouririoides* Lundell -- Amer. Midl. Naturalist xxix. 480 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mouririoides* Lundell -- Amer. Midl. Naturalist 29: 480. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mozomboensis* P.E.Sánchez -- Phytologia 61: 126, fig. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mozomboensis* P.E.Sánchez -- Phytologia 61(2): 126 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia mucronata* O.Berg -- Linnaea 27: 172. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mucronata* Phil. -- Anales Univ. Chile (1865) II. 327. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mucugensis* Sobral -- Phytotaxa 224(3): 211. 2015 [2 Sep 2015] [epublished]

Purified (Shodhit) *Eugenia muelleri* Miq. -- Anal. Bot. Ind. 1: 23. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mufindiensis* Verdc. -- Kew Bull. 54(1): 50. 1999 [2 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mugiensis* O.Berg -- Fl. Bras. (Martius) 14(1): 571. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multibracteolata* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 219. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multicostata* D.Legrand -- Sellowia 13: 309. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multicostata* D.Legrand -- Sellowia no. 13: 309. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multicostata* D.Legrand var. *octocostata* D.Legrand -- Sellowia no. 13: 310. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Lam. -- *Encycl. [J. Lamarck & al.]* 3(1): 202. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Hook. & Arn. -- *Bot. Misc.* 3: 322. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Rich. -- *Actes Soc. Hist. Nat. Paris* 1: 110. 1792 [Oct 1792] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Lam. -- *Encycl. [J. Lamarck & al.]* 3(1): 202. 1789 [19 Oct 1789] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 361. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Hook. & Arn. var. *glabra* O.Berg -- Fl. Bras. (Martius) 14(1): 271. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Cambess. var. *lutescens* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 361. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiflora* Hook. & Arn. var. *rubiginosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 361. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multinervia* C.B.Rob. -- Philipp. J. Sci., C 4: 352. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiovulata* Mattos & D.Legrand -- Loefgrenia no. 67: 23 (-24). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiovulata* Mattos & D.Legrand -- Loefgrenia 67: 23. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipetala* Baker f. -- J. Linn. Soc., Bot. xlv. 316 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipetala* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipetala* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipunctata* Mattos & D.Legrand -- Loefgrenia 67: 26. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipunctata* Mattos & D.Legrand -- Loefgrenia no. 67: 26 (-27). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipunctata* Mattos & D.Legrand -- Loefgrenia 67: 26. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multipunctata* Merr. -- J. Arnold Arbor. vi. 138 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiramosa* McVaugh -- Fieldiana, Bot. 29: 213. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia multiramosa* McVaugh -- Fieldiana, Bot. xxix. 213 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mundagam* Bourd. -- For. Trees Travancore 182 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia munroi* Wight -- Ill. Ind. Bot. 2(1): 14. 1841 (as "Munronii")

Purified (Shodhit) *Eugenia munroii* Miq. -- Anal. Bot. Ind. 1: 18. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia munronii* Wight -- Ill. Ind. Bot. 2(1): 14. 1841 : see *E. munroi* (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia muricata* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia muricata* var. *guyanensis* O.Berg -- Linnaea 30: 695. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia musarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 358. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia musarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 358. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia musarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 358. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia muscicola* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 173. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mutabilis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mutabilis* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mutabilis* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mutabilis* O.Berg -- Fl. Bras. (Martius) 14(1): 311. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia mutabilis* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 8 (1893) 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myhendrae* Bedd. ex Brandis -- Ind. Trees 325 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcianthes* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcianthes* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, pt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcianthes* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 8 (1893) 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcianthes* var. *nana* D.Legrand -- *Darwiniana* 5: 481. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrciariifolia* Soares-Silva & Sobral -- *Novon* 14(2): 236 (-238; fig. 1). 2004 [4 Jun 2004]

Purified (Shodhit) *Eugenia myrcinifolia* Hance -- *J. Bot.* 23: 8. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcioides* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrcioides* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 353. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrciopsis* K.Schum. -- Just's Bot. Jahresber. 26(1): 359. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrciopsis* (Kuntze) K.Schum. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrciopsis* K.Schum. -- Bot. Jahresber. (Just) 26, pt. 1: 359. 1900 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myriadena* (Merr. & L.M.Perry) Whitmore -- Gard. Bull. Singapore 22: 16. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myriantha* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 125. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myriophylla* Casar. -- Dec. 77. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myriostigma* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 194. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrobalana* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrsinocarpa* F.Muell. -- Vict. Naturalist 8(12): 200 (1892). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrsinoides* (Kunth) Burret ex Diels -- Biblioth. Bot. xxix. Heft 116, p. 115 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrsinoides* (Kunth) Burret -- Notizbl. Bot. Gart. Berlin-Dahlem 15: 495. 1941 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrsinoides* (Kunth) Burret ex Diels -- Biblioth. Bot. 116: 115. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 367. 1833 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Sims -- Curtis's Botanical Magazine 48 1821 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 367. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Sims -- Bot. Mag. 48: t. 2230. 1821 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Roxb. -- Fl. Ind. (Roxburgh) 2: 490. 1832 ; nom. illeg.

Purified (Shodhit) *Eugenia myrtifolia* Roxb. -- Hort. Bengal. [37]. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtifolia* Salisb. -- Prodr. Stirp. Chap. Allerton 353. 1796 [Nov-Dec 1796] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtillifolia* DC. -- Prodr. [A. P. de Candolle] 3: 265. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtillus* Stapf -- Trans. Linn. Soc. London, Bot. 4(2): 153. 1894 [1894-96 publ. Dec 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtoides* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 125. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtoides* Brongn. & Gris -- Bull. Soc. Bot. France 12: 180. 1865 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtoides* G.Don -- Gen. Hist. 2: 854. 1832 [Oct 1832] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtomimeta* Diels -- Bot. Jahrb. Syst. 37(5): 598. 1906 [30 Oct 1906] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtomimeta* Diels -- Bot. Jahrb. Syst. 37(5): 598. 1906 [30 Oct 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*



*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia myrtopsidoides* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. viii. 294 (1962). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia naguana* Urb. -- Symb. Antill. (Urban). 9(4): 509. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia naguana* Urb. -- Symb. Antill. (Urban). 9(4): 509. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* O.Berg -- Fl. Bras. (Martius) 14(1): 244. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* var. *congesta* O.Berg -- Fl. Bras. (Martius) 14(1): 244. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* var. *effusa* O.Berg -- Fl. Bras. (Martius) 14(1): 244. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nana* var. *robusta* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 235. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nandarivatensis* Gillespie -- Bull. Bernice P. Bishop Mus. 83: 22. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nangapiru* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nangapiru* Barb.Rodr. ex Chos. & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nannophylla* Urb. & Ekman -- Ark. Bot. 21A(5): 27. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nannophylla* Urb. & Ekman -- Ark. Bot. 21A(5): 27. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia napiformis* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 7. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia naraveana* Cházaro & Franc.Gut. -- *Phytotaxa* 286(4): 292. 2016 [5 Dec 2016] [epublished]

Purified (Shodhit) *Eugenia natalitia* Sond. -- *Fl. Cap. (Harvey)* 2: 522. 1862 [15-31 Oct 1862] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neei* Merr. -- *Philipp. J. Sci.* 18: 301. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neesiana* Wight -- *Ill. Ind. Bot.* ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neglecta* O.Berg -- *Fl. Bras. (Martius)* 14(1): 320. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neibensis* Mattos -- *Loefgrenia* 122: 2. 2006 [Jun 2006]

Purified (Shodhit) *Eugenia nematopoda* Urb. -- *Symb. Antill. (Urban)*. 9(1): 106. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nematopoda* Urb. -- *Symb. Antill. (Urban)*. 9(1): 106. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nemestrina* M.R.Hend. -- *Gard. Bull. Singapore* 11: 324. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nemoralis* DC. -- *Prodr. [A. P. de Candolle]* 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nemoricola* Ridl. -- *J. Straits Branch Roy. Asiat. Soc.* 61: 9. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoaustralis* Sobral -- Fam. Myrtac. Rio Grande do Sul 68 (2003).

Purified (Shodhit) *Eugenia neoaustralis* Sobral var. *impresso-venosa* (D.Legrand) Mattos -- *Loefgrenia* 120: 11. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia neocaledonica* Baker f. -- J. Linn. Soc., Bot. xlv. 317 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neofasciculata* Bennet -- Indian Forester 109(4): 220 (1983), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoformosa* -- *Napaea* 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoformosa* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoglomerata* Sobral -- *Napaea* 11: 35. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoglomerata* Sobral -- *Napaea* 11: 35 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neogracilis* Mazine & Sobral -- *Phytotaxa* 8: 53. 2010 [31 Aug 2010] ; nom. illeg.

Purified (Shodhit) *Eugenia neograndifolia* Mattos -- *Loefgrenia* 120: 10. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia neolanceolata* -- *Napaea* 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neolanceolata* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neolaurifolia* Sobral -- *Napaea* 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neolaurifolia* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neomattogrossensis* Mazine -- *Phytotaxa* 69: 6. 2012 [11 Oct 2012] [epublished]

Purified (Shodhit) *Eugenia neomooniana* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neomooniana* -- *Napaea* 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia neomultipunctata* Sobral -- Napaea 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neomultipunctata* Sobral -- Napaea 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neomyrtifolia* Sobral -- Napaea 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neomyrtifolia* -- Napaea 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neonitida* Sobral -- Napaea 11: 36. 1995 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neonitida* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neosericea* P.O.Morais & Sobral -- *Lundiana* 7(1): 12. 2006 [Dec 2006]

Purified (Shodhit) *Eugenia neosilvestris* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neotristis* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neoverrucosa* Sobral -- *Napaea* 11: 36 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nervosa* Lour. -- *Fl. Cochinch.* 1: 308. 1790 [Sep 1790] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nervosa* Bedd. -- For. Man. Bot. 106. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nesiotica* Standl. -- in Publ. Field Mus. Nat. Hist. Chicago, Bot. Ser. ; xvii. 203 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nesiotica* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 17: 203. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nettiana* Kiaersk. -- Enum. Myrt. Bras. 178, pl. 12, fig. a. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nettoana* Kiaersk. -- Enum. Myrt. Bras. (1893) 179. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neurocalyx* K.Schum. -- Fl. Kais. Wilh. Land [K.M. Schumann & M.U. Hollrung] (1889) 90. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia neurocalyx* A.Gray -- U.S. Expl. Exped., Phan. 15: 512. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ngadimaniensis* M.R.Hend. -- Gard. Bull. Singapore 11: 305. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ngoyensis* Schltr. -- Bot. Jahrb. Syst. 39(2): 204. 1906 [8 Jun 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nhanica* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 362. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nicaraguensis* Amshoff -- Acta Bot. Neerl. v. 278 (1950. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nicaraguensis* Amshoff -- Acta Bot. Neerl. 5: 278. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nicholsii* Fawc. & Rendle -- J. Bot. 64: 14. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nicholsii* Fawc. & Rendle -- J. Bot. 64: 14. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nicobarica* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 130. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigerina* A.Chev. -- Explor. Bot. Afrique Occ. Franc. i. 268 (1920), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigerina* A.Chev., Hutch. & Dalziel -- Bull. Misc. Inform. Kew 1928(6): 219, descr. ampl. [8 Aug 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigra* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigra* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigra* Pennant -- Outlin. Globe 4: 277. 1800 ; Fl. Indica 277. 1800.

Purified (Shodhit) *Eugenia nigrans* Gagnep. -- Notul. Syst. (Paris) 3: 329. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigrescens* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 123. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigricans* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 114. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigrata* Lundell -- Wrightia iii. 16 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nigrata* Lundell -- Wrightia 3: 16. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nipensis* Urb. -- Symb. Antill. (Urban). 9(4): 501. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nipensis* Urb. -- Symb. Antill. (Urban). 9(4): 501. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitens* DC. -- Prodr. [A. P. de Candolle] 3: 285. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Vell. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 349. 1832 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic



Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Benth. -- J. Bot. (Hooker) 2: 322. 1840 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Vell. -- Fl. Flumin. 208. 1829 [1825 publ. 7 Sep-28 Nov 1829] ; see also Fl. Flumin. Icon. 5: t. 35. 1831. [1827 publ. 29 Oct 1831] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Benth. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 496. 1878 [Jul 1878] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitida* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 349. 1832 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitidissima* Merr. -- Philipp. J. Sci., C 10: 213. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nitidula* Ridl. -- Fl. Malay Penins. v. 308 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nivifera* Greves -- J. Bot. 61(Suppl.): 19. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nodiflora* Aubl. -- Hist. Pl. Guiane 2(Suppl.): 140. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nodosa* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 290. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nodulosa* Urb. -- Symb. Antill. (Urban). 9(1): 102. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nodulosa* Urb. -- Symb. Antill. (Urban). 9(1): 102. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nomba* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 181. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nosibensis* N.Snow -- Syst. Bot. 36(3): 684 (-687; fig. 6, map). 2011 [5 Aug 2011]

Purified (Shodhit) *Eugenia noumeensis* Guillaumin -- Bull. Soc. Bot. France 85: 638. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nummularia* Baker -- Fl. Mauritius 118. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nummularia* C.Wright ex Griseb. -- Cat. Pl. Cub. [Grisebach] 86. 1866 [May-Aug 1866] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nutans* O.Berg -- Fl. Bras. (Martius) 14(1): 299. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nutans* K.Schum. -- Fl. Kais. Wilh. Land [K.M. Schumann & M.U. Hollrung] 90. 1889 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nutans* var. *pellucida* O.Berg -- Fl. Bras. (Martius) 14(1): 583. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia nyassensis* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 290. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oaxacana* Standl. -- Contr. U.S. Natl. Herb. 23: 1043. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oaxacana* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1043 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oaxacana* O.Berg -- Linnaea 30: 683. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oaxacana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obanensis* Baker f. -- Cat. Pl. Oban 30. 1913 [Jun 1913] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obcordata* Raoul -- Ann. Sci. Nat., Bot. sér. 3, 2: 122. 1844 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblanceifolia* Lundell -- Amer. Midl. Naturalist xxix. 480 (1943). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblanceifolia* Lundell -- Amer. Midl. Naturalist 29: 480. 1943 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblanceolata* C.B.Rob. -- Philipp. J. Sci., C 4: 400. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblata* Roxb. -- Fl. Ind. (Roxburgh) 2: 493 (-494). 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obliquinervia* Elmer -- Leaf. Philipp. Bot. x. 3768 (1939), anglise. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongata* Mattos & D.Legrand -- Loefgrenia 67: 22. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongata* Mattos & D.Legrand -- Loefgrenia no. 67: 22 (-23). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongata* O.Berg -- Fl. Bras. (Martius) 14(1): 302. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongata* Mattos & D.Legrand var. *glabrata* O.Berg -- Fl. Bras. (Martius) 14(1): 302. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongata* Mattos & D.Legrand var. *velutina* O.Berg -- Fl. Bras. (Martius) 14(1): 302. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* Arechav. -- Anales Mus. Nac. Montevideo v. 62. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia oblongifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 79. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* (O.Berg) Mattos -- Loefgrenia 94: 3 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* (O.Berg) Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oblongifolia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 491. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obovata* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3: 124. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obovata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 289. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obovata* Wall. ex Duthie -- *Fl. Brit. India [J. D. Hooker]* 2(5): 491, sphalm. (pro *Syzygium obovatum*) (Wall. Cat. 3552). 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obovatifolia* N.Snow -- *PhytoKeys* 49: 96. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia obscura* DC. -- *Prodr. [A. P. de Candolle]* 3: 265. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusa* DC. -- *Prodr. [A. P. de Candolle]* 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusa* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusa* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusata* Willd. ex O.Berg -- Linnaea 27: 132. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusiflora* Kiaersk. -- Enum. Myrt. Bras. 168, tab. 23d. 1893 Warm. Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusiflora* Kiaersk. -- Enum. Myrt. Bras. (1893) 168. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusifolia* Roxb. -- Hort. Bengal. [37]; Fl. Ind. ii. 485. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 368. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusifolia* Kiaersk. -- Enum. Myrt. Bras. 168, t. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obtusissima* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 603. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obversa* O.Berg -- Fl. Bras. (Martius) 14(1): 295. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia obversa* Miq. -- Anal. Bot. Ind. 1: 18. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ocanensis* Linden ex Regel -- Cat. Hort. Aksakov. 57. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia occidentalis* Bourd. -- Indian Forester xxx. 195. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia occlusa* Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 45(3): 130. 1876 [14 Nov 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ochneocarpa* Merr. -- Univ. Calif. Publ. Bot. xv. 217 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ochra* O.Berg -- Linnaea 27: 216. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ochrophloea* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 189. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ochrophloea* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 189. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia octopetala* Buch.-Ham. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 482. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia octopleura* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 653. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia octopleura* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 653. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odorata* Wight -- Ill. Ind. Bot. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odorata* O.Berg -- Linnaea 27: 171. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odorata* var. *longifolia* O.Berg -- Linnaea 27: 171. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odorata* var. *parvifolia* O.Berg -- Linnaea 27: 171. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odoratissima* Bailey -- Dept. Agric. Brisbane Bot. Bull. iii. (1891) 12 in obs. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia odoratissima* F.M.Bailey -- Queensland Department of Agriculture and Stock Bulletin 9. Botany Bulletin 3 1891 in obs., pro syn. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oeidocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 270. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oeidocarpa* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia oeidocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 270. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oerstedia* O.Berg -- Linnaea 27: 285. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ogoouensis* Amshoff -- in Fl. Gabon No. 11, 26 (1966). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleifolia* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleifolia* Thou. ex H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 166. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleina* Wight -- Ill. Ind. Bot. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleioides* H.Perrier -- in Fl. Madag. Fam. 152: 10 (1953), nom. nov., as '*oleaeoides*'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleoides* Planch. & Linden -- Cat. ix. (1854); ex Bot. Zeit. xii. (1854) 364. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleosa* F.Muell. -- Fragm. (Mueller) 5(31): 15. 1865 [Apr 1865] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleosa* F.Muell. -- Fragmenta Phytographiae Australiae 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleosa* var. *cyanocarpa* F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oleosa* var. *oleosa* F.Muell. -- *Fragmenta Phytographiae Australiae* 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligadenia* Urb. -- *Symb. Antill. (Urban)*. 9(1): 104. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligadenia* Urb. -- *Symb. Antill. (Urban)*. 9(1): 104. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligandra* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 612. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligandra* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 612. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligandra* var. *macnabiana* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 613. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligandra* Krug & Urb. var. *macnabiana* Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligantha* (Thwaites) Bedd. -- Fl. Sylv. S. India Forester's Man. Bot.: p. cviii. 1872 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligantha* Baker -- J. Linn. Soc., Bot. 22: 474. 1887 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligoneura* O.Berg -- Fl. Bras. (Martius) 14(1): 321. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oligophylla* Rich. ex O.Berg -- Linnaea 30: 685. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia olivacea* O.Berg -- Fl. Bras. (Martius) 14(1): 303. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia olivifolia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 495. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ombrophila* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 180. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia omissa* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 197 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia omissa* McVaugh -- Mem. New York Bot. Gard. 18(2): 197. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oneillii* Lundell -- Bull. Torrey Bot. Club 1937, lxiv. 555. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oneillii* Lundell -- Bull. Torrey Bot. Club 64: 555. 1937 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia onesima* (Merr. & L.M.Perry) Whitmore -- Gard. Bull. Singapore 22: 17. 1967 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia onivensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 188. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oonophylla* Urb. -- Symb. Antill. (Urban). 9(1): 105. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oonophylla* Urb. -- Symb. Antill. (Urban). 9(1): 105. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oonophylla* Urb. -- Symb. Antill. (Urban). 9(1): 105. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 94 (non Berg.). 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 278. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* O.Berg in Mart. var. *brasiliensis* O.Berg -- Fl. Bras. (Martius) 14(1): 278. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia opaca* var. *montevideensis* O.Berg -- Fl. Bras. (Martius) 14(1): 278. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia operculata* Roxb. -- Fl. Ind. (Roxburgh) 2: 486. 1832



Purified (Shodhit) *Eugenia operculata* Roxb. -- Hort. Bengal. 37. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia operculata* Roxb. var. *obovata* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 498. 1878 [Jul 1878]

Purified (Shodhit) *Eugenia ophthalmantha* Kiaersk. -- Enum. Myrt. Bras. (1893) 159. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ophthalmantha* Kiaersk. -- Enum. Myrt. Bras. 159. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oraria* Guillaumin -- Bull. Mus. Natl. Hist. Nat. 1919, xxv. 504. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbicularis* O.Berg -- Linnaea 30: 678. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbicularis* O.Berg -- *Linnaea* 30: 678. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbiculata* Lam. -- *Encycl. [J. Lamarck & al.]* 3(1): 202. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbignyana* O.Berg -- *Fl. Bras. (Martius)* 14(1): 314. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbignyana* var. *grandiflora* O.Berg -- *Fl. Bras. (Martius)* 14(1): 587. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orbignyana* O.Berg var. *pseudoverticillata* Mazine -- Bradea 13(1): 2. 2008 [6 Jun 2008]

Purified (Shodhit) *Eugenia oreioma* O.Berg -- Linnaea 27: 158. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oreophila* Rechinger -- in Denkschr. Akad. Wien, Math. Nat. lxxxv. 145(1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oreophila* Diels -- Bot. Jahrb. Syst. 37(5): 597. 1906 [30 Oct 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oreophila* Diels -- Bot. Jahrb. Syst. 37(5): 597. 1906 [30 Oct 1906] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oreophila* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 9. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia organosia* Urb. -- Symb. Antill. (Urban). 9(1): 101. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia organosia* Urb. -- Symb. Antill. (Urban). 9(1): 101. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia origanoides* O.Berg -- Linnaea 29: 229. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orites* Ridl. -- Fl. Malay Penins. v. 308 (1925). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orlandoi* (Mattos) Mattos -- Loefgrenia 120: 7. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia orthioneura* Urb. -- Ark. Bot. 21A(5): 29. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orthioneura* Urb. -- Ark. Bot. 21A, no. 5: 29. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orthostemon* O.Berg -- Linnaea 27: 179. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia orthostemon* O.Berg -- Linnaea 27: 179. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia osoriana* Mattos & D.Legrand -- Loefgrenia 67: 21. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia osoviana* Mattos & D.Legrand -- *Loefgrenia* no. 67: 21 (-22). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ossaeana* Urb. -- *Symb. Antill. (Urban)*. 9(4): 514. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ossaeana* Urb. -- *Symb. Antill. (Urban)*. 9(4): 514. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia osteomeloides* (Rusby) McVaugh -- *Fieldiana, Bot.* xxix. 214 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia osteomeloides* (Rusby) McVaugh -- *Fieldiana, Bot.* 29: 214. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ottonis* O.Berg -- Linnaea 27: 298. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ouen-toroensis* Guillaumin -- Mem. Mus. Hist. Nat., Paris, Ser. Bot. iv. 34 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovalifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 350. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovalifolia* Warb. -- Bot. Jahrb. Syst. 13(3-4): 390. 1891 [20 Mar 1891] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovalifolia* var. *chacoensis* D.Legrand -- Darwiniana 9: 296. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovalis* O.Berg -- *Linnaea* 27: 156. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovandensis* Lundell -- *Wrightia* iii. 17 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovandensis* Lundell -- *Wrightia* 3: 17. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovata* Hook. & Arn. -- *Bot. Misc.* 3: 319. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovatifolia* Lundell -- *Bull. Torrey Bot. Club* 69: 396. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia ovatifolia* Lundell -- Bull. Torrey Bot. Club lxi. 396 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ovigera* Brongn. & Gris -- Bull. Soc. Bot. France 12: 179. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia owariensis* P.Beauv. -- Fl. Oware 2: 20, t. 70. 1810 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxygona* Koidz. -- Bot. Mag. (Tokyo) 32: 258. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxyentophylla* Kiaersk. -- Enum. Myrt. Bras. (1893) 145. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxyentophylla* Kiaersk. -- Enum. Myrt. Bras. 145, pl. 20, fig. g. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxyphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 251. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxysepala* Urb. -- Symb. Antill. (Urban). 9(1): 102. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia oxysepala* Urb. -- Symb. Antill. (Urban). 9(1): 102. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachnantha* O.Berg -- Fl. Bras. (Martius) 14(1): 585. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachychlamys* Donn.Sm. -- Bot. Gaz. 27: 333. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachychlamys* Donn.Sm. -- Bot. Gaz. 27: 333. 1899 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachychremastra* Guillaumin -- Bull. Soc. Bot. France 85: 639. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachyclada* D.Legrand -- Sellowia no. 13: 319. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachyclada* D.Legrand -- Sellowia 13: 319. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachyphylla* Kurz -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 42(4): 232. 1874 [1873 publ. 26 May 1874] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachysarca* Gagnep. -- Notul. Syst. (Paris) 3: 329. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachystachya* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 197 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pachystachya* McVaugh -- Mem. New York Bot. Gard. 18(2): 197. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pacifica* Elmer ex Merr. -- Enum. Philipp. Fl. Pl. iii. 174 (1923), in obs., pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pacifica* Benth. -- Bot. Voy. Sulphur [Bentham] 98. 1845 [14 Apr 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia padronii* Alain -- Phytologia 61: 358. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia padronii* Alain -- Phytologia 61(6): 359 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pahangensis* Ridl. -- J. Linn. Soc., Bot. xxxviii. 307 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palauensis* Kaneh. -- Bot. Mag. (Tokyo) 45: 335. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palawanensis* C.B.Rob. -- Philipp. J. Sci., C 4: 377. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palembanica* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 225. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palenae* Phil. -- Anales Univ. Chile lxxxiv. 756 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palenae* Phil. -- Anales Univ. Chile 84: 756. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallens* DC. -- Prodr. [A. P. de Candolle] 3: 284. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallens* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallens* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallens* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 122. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallescens* Kiaersk. -- Enum. Myrt. Bras. 162, pl. 20, fig. f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallescens* Kiaersk. -- Enum. Myrt. Bras. (1893) 162. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallida* O.Berg -- Fl. Bras. (Martius) 14(1): 231. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallida* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallida* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallidifolia* Merr. -- Philipp. J. Sci., C 10: 222. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pallidopunctata* Mazine -- Kew Bull. 64(1): 147 (-149; fig. 1). 2009 [May 2009]

Purified (Shodhit) *Eugenia pallidula* Ridl. -- Fl. Malay Penins. i. 748 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern



medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paloverdensis* Barrie -- Novon 15(1): 37 (39; fig. 27). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia paludosa* Pancher ex Brongn. & Gris -- Bull. Soc. Bot. France 12: 178. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palumbis* Merr. -- Philipp. J. Sci., C 9: 122. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palustris* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia palustris* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pamtensis* Miq. -- Anal. Bot. Ind. 1: 22. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia panayensis* Merr. -- Philipp. J. Sci. 18: 292. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pancheri* Brongn. & Gris -- Bull. Soc. Bot. France 12: 180. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia panduriformis* Elmer -- Leaflet. Philipp. Bot. iv. 1412 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pania* Roxb. -- Fl. Ind. (Roxburgh) 2: 489. 1832 ; Hort. Bengal. [92] 1814, nom. nud. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculaeflora* Steud. -- Flora 26: 762. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Gaertn. -- De fructibus et seminibus plantarum 1 1788 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Jacq. -- Coll. ii. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Jacq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Sieber ex C.Presl -- Isis (Oken) 21: 274. 1828 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Banks ex Gaertn. -- Fruct. Sem. Pl. 1: 167. 1788 [Dec 1788;] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Bello -- in Anal. Soc. Esp. Hist. Nat. x. (1881) 271. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Britten -- The Journal of Botany 37 1899 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 338. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniculata* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paniensis* Baker f. -- J. Linn. Soc., Bot. xlv. 318 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pantagensis* O.Berg -- Fl. Bras. (Martius) 14(1): 246. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pantagensis* var. *elliptica* O.Berg -- Fl. Bras. (Martius) 14(1): 573. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pantanalensis* Faria & Sobral -- Phytotaxa 347(1): 63. 2018 [10 Apr 2018] [epublished]

Purified (Shodhit) *Eugenia papalensis* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 130. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia papalensis* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 130. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia papayoensis* Urb. -- Symb. Antill. (Urban). 9(1): 103. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia papayoensis* Urb. -- Symb. Antill. (Urban). 9(1): 103. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia papillosa* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 495. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paracatuana* O.Berg -- Fl. Bras. (Martius) 14(1): 588. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paradoxa* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 210. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paraensis* O.Berg -- Fl. Bras. (Martius) 14(1): 301. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paraguayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 807 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paraguayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paranaensis* (Mattos) Mattos -- Loeftgrenia 120: 7. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia paranaguensis* Mattos & D.Legrand -- Loeftgrenia 67: 25. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paranaguensis* Mattos & D.Legrand -- Loefgrenia no. 67: 25. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paranahybensis* O.Berg -- Fl. Bras. (Martius) 14(1): 587. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paranapiacabensis* Mattos -- Loefgrenia 94: 4 (1989). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paranapitanguensis* Mattos -- Loefgrenia 124: 3. 2007 [Jul 2007]

Purified (Shodhit) *Eugenia pardensis* O.Berg -- Fl. Bras. (Martius) 14(1): 583. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parkeri* Baker -- J. Linn. Soc., Bot. 20: 144. 1883 [1884 publ. 1883] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*



Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parkeriana* DC. -- Prodr. [A. P. de Candolle] 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parkeriana* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parodiana* Morong -- Ann. New York Acad. Sci. 7: 107. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parodiana* Morong -- Ann. New York Acad. Sci. vii. (1893) 107. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parva* C.B.Rob. -- Philipp. J. Sci., C 4: 391. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parviflora* Lam. -- *Encycl.* [J. Lamarck & al.] 3(1): 200. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parvifolia* DC. -- *Prodr.* [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parvifolia* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parvifolia* C.Moore -- *Handb. Fl. N.S.W.* (1893) 207; in obs; et in *Journ. Roy. Soc. N. S. Wales*,xxvii. 1893 (1894) 85. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parvifolia* C.Moore -- *Journal and Proceedings of the Royal Society of New South Wales* 27 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia parvula* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 228. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pasacaensis* C.B.Rob. -- Philipp. J. Sci., C 4: 346. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pascaliana* Byng, Bernardini & N.Snow -- Phytotaxa 252(3): 172. 2016 [14 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia pascasioii* Merr. -- Philipp. J. Sci. 18: 307. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pastelillensis* Urb. -- Symb. Antill. (Urban). 9(4): 510. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pastelillensis* Urb. -- Symb. Antill. (Urban). 9(4): 510. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pastelillensis* Urb. -- Symb. Antill. (Urban). 9(4): 510. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pastelillensis* Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patagonica* Phil. -- Linnaea 33: 22. 1864 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patagonica* Phil. -- Anales Univ. Chile 84: 757. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patagonica* var. *macrophylla* Phil. -- *Linnaea* 33: 73. 1864 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patagonica* Phil. var. *microphylla* Phil. -- *Linnaea* 33: 73. 1864 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patalensis* Standl. & Steyerm. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 23: 130. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patalensis* Standl. & Steyerm. -- *Publ. Field Mus. Nat. Hist., Bot. Ser.* 23: 130. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patens* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3. 124. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patrisii* Vahl -- Eclog. Amer. 2: 35. 1798 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia patula* DC. -- Prodr. [A. P. de Candolle] 3: 284. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pauciflora* DC. -- Prodr. [A. P. de Candolle] 3: 269. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pauciflora* Wight -- Ill. Ind. Bot. 2(1): 14. 1841 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paucipunctata* Merr. -- Philipp. J. Sci., C 10: 215. 1915 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paucipunctata* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg 2: 8. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia paucivenia* C.B.Rob. -- Philipp. J. Sci., C 4: 382. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pauper* Guillaumin -- Bull. Mus. Natl. Hist. Nat. ser. 2, 5: 245. 1933 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pauper* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 79: 65. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pearcei* McVaugh -- Fieldiana, Bot. xxix. 214 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pearcei* McVaugh -- Fieldiana, Bot. 29: 214. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pearsoniana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 116. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pedunculata* Trim. -- Journ. Bot. xxvii. (1889) 162. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pellucida* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 485. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pellucida* Fern.-Vill. -- Nov. App. 85. 1880 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia penangiana* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 486. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia penasii* Merr. -- Philipp. J. Sci. 18: 293. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pendens* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 475. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pendula* DC. -- Prodr. [A. P. de Candolle] 3: 284. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia penicillata* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia penicillata* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peninsula* Elmer -- Leaflet. Philipp. Bot. x. 3769 (1939), anglice. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peninsularis* Urb. -- Symb. Antill. (Urban). 9(4): 487. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peninsularis* Urb. -- Symb. Antill. (Urban). 9(4): 487. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perakensis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 81. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percincta* McVaugh -- Fieldiana, Bot. 29: 214. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percincta* McVaugh -- Fieldiana, Bot. xxix. 214 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percivalii* Lundell -- Wrightia ii. 124 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percivalii* Lundell -- Wrightia 2: 124. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percrenata* McVaugh -- Fieldiana, Bot. 29: 215. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia percrenata* McVaugh -- Fieldiana, Bot. xxix. 215 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peregrina* McVaugh -- Mem. New York Bot. Gard. 18(2): 201. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peregrina* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 201 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perforata* O.Berg -- Linnaea 27: 236. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pergamacea* Greves -- J. Bot. 61(Suppl.): 16. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pergamentacea* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 87. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia periplocifolia* Jacq. -- Coll. ii. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peroblata* Lundell -- Wrightia ii. 124 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peroblata* Lundell -- Wrightia 2: 124. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perorebi* Parodi ex Speg. & Girola -- Cat. Descr. Maderas 361. 1910 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perorebi* D.Parodi ex Speg. & Girola -- Cat. Descr. Maderas 361 (1910) (An. Soc. Rural Argent. 1910). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perpallida* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 106. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perparvifolia* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 220. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perplexans* R.O.Williams -- Bull. Dept. Agric. Trinidad & Tobago 1: 350. 1934 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perplexans* R.O.Williams -- Fl. Trinidad & Tobago i. 350 (1934). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perpunctata* Lundell -- *Wrightia* 4(3): 110. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perpunctata* Lundell -- *Wrightia* iv. 118 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perpuncticulata* Merr. -- *Univ. Calif. Publ. Bot.* xv. 220 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perratonii* Proctor -- *Rhodora* lix. 305 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perratonii* Proctor -- *Rhodora* 59: 305. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perriniana* Urb. & Ekman -- Ark. Bot. 21A(5): 31. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perriniana* Urb. & Ekman -- Ark. Bot. 21A(5): 31. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia persicifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 226. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia perspicuineria* Merr. -- Univ. Calif. Publ. Bot. xv. 218 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia peruibensis* Mattos -- Loefergrenia 42: p. [1]. 1970 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia peruibensis* Mattos -- *Loefgrenia* 42: [1], fig. 1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petenensis* Lundell -- *Bull. Torrey Bot. Club* 69: 397. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petenensis* Lundell -- *Bull. Torrey Bot. Club* lxxix. 397 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petiolata* Phil. -- *Anales Univ. Chile* lxxxiv. 757 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petiolata* Phil. -- *Anales Univ. Chile* 84: 757. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petriei* C.T.White & W.D.Francis -- Proc. Roy. Soc. Queensland 35: 71. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petriei* C.T.White & W.D.Francis -- Proceedings of the Royal Society of Queensland 35 1924 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petrikensis* N.Snow & Randriat. -- Phytotaxa 48: 46 (-49, 41; figs. 2, 5). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia petrinensis* N.Snow -- Syst. Bot. 33(2): 347. 2008 [23 May 2008]

Purified (Shodhit) *Eugenia petrophila* Urb. -- Symb. Antill. (Urban). 9(4): 489. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia petrophila* Urb. -- Symb. Antill. (Urban). 9(4): 489. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phaea* O.Berg -- Fl. Bras. (Martius) 14(1): 303. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phanerophlebia* C.B.Rob. -- Philipp. J. Sci., C 4: 353. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia philippii* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia philippii* O.Berg -- Linnaea 27: 145. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia philippinensis* C.B.Rob. -- Philipp. J. Sci., C 4: 378. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia philippinorum* C.Nelson -- *Anales Jard. Bot. Madrid* 56(1): 162, nom. nov. 1998 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia philippioides* H.Perrier -- *Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég.* 4: 166. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phillyreifolia* Baker -- *J. Linn. Soc., Bot.* 20: 145. 1883 [1884 publ. 1883] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phillyreoides* Willd. ex O.Berg -- *Fl. Bras. (Martius)* 14(1): 238. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phillyreoides* Trim. -- *J. Bot.* 23: 207. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phitrantha* Kiaersk. -- Enum. Myrt. Bras. 185. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phitrantha* Kiaersk. -- Enum. Myrt. Bras. (1893) 185. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phlebotomonides* Kiaersk. -- Enum. Myrt. Bras. (1893) 159. [Oct-Nov 1893] ; as 'phiebotomonides' in IK Suppl. 1, in error (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phlebotomonides* Kiaersk. -- Enum. Myrt. Bras. 159. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phyllireaefolia* A.Rich. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phyllireaefolia* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 585. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phyllocardia* Urb. -- Symb. Antill. (Urban). 9(4): 499. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phyllocardia* Urb. -- Symb. Antill. (Urban). 9(4): 499. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phyllyreifolia* A.Rich. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia phytrantha* Kiaersk. -- Enum. Myrt. Bras. 185. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pia* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piauiensis* O.Berg -- Fl. Bras. (Martius) 14(1): 285. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia picardae* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 608. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia picardae* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 608. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia picardae* Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pichoana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 228. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pichoana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 228, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pickelii* Mattos -- Loefgrenia 123: 2. 2006 [Aug 2006]

Purified (Shodhit) *Eugenia piedadensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 176. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piedadensis* Kiaersk. -- Enum. Myrt. Bras. 176, pl. 11, fig. 3. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piedadensis* Kiaersk. -- Enum. Myrt. Bras. 176, pl. 11, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*



Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piedraensis* Urb. & Urb. -- Symb. Antill. (Urban). 9(4): 511, descr. ampl. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piedraensis* Urb. -- Symb. Antill. (Urban). 9(1): 108. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pierrei* Gagnep. -- Notul. Syst. (Paris) 3: 330. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piloesis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 357. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pilosula* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 612. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pilosula* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 612. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pilotantha* Kiaersk. -- Enum. Myrt. Bras. (1893) 169. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pilotantha* Kiaersk. -- Enum. Myrt. Bras. 169. 1893 Warming, Symb. Brasil. Cogn., pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pilotantha* Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pimenta* DC. -- Prodr. [A. P. de Candolle] 3: 285. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pimenta* var. *longifolia* DC. -- Prodr. [A. P. de Candolle] 3: 285. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pimenta* var. *ovalifolia* DC. -- Prodr. [A. P. de Candolle] 3: 285. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinariensis* Urb. -- Symb. Antill. (Urban). 9(4): 508. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinariensis* Urb. -- Symb. Antill. (Urban). 9(4): 508. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinetorum* Urb. -- Symb. Antill. (Urban). 7(2): 300. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinetorum* Urb. -- Symb. Antill. (Urban). 7(2): 300. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinhaesensis* Mattos -- Loefgrenia 94: 5 (1989), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinifolia* F.Phil. -- Anales Univ. Chile 84: 758. 1893 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinifolia* Phil. -- Anales Univ. Chile lxxxiv. 758 (1893). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinifolia* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 375. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinnata* Druce -- Bot. Exch. Club Brit. Isles Rep. 3(5): 418. 1914 [Feb 1914] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinnata* (L.) Druce -- Bot. Exch. Club Soc. Brit. Isles 3: 418. 1914 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pinnata* Druce (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pipensis* A.R.Lourengo & B.S.Amorim -- Phytotaxa 104(1): 31. 2013 [29 May 2013] [epublished]

Purified (Shodhit) *Eugenia pirataquinensis* (Mattos) Mattos -- Loeftgrenia 120: 8. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia piresiana* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 341. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia piresii* Mattos -- Loeffgrenia 94: 3 (1989), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pisiformis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 356. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pisonis* O.Berg -- Fl. Bras. (Martius) 14(1): 228. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pistaciifolia* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* Kiaersk. -- Enum. Myrt. Bras. 155. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* Arechav. -- Anales Mus. Nac. Montevideo v. 61. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* (O.Berg ex Mart.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* Kiaersk. -- Enum. Myrt. Bras. (1893) 155; Niedenzu, in Engl. & Prantl, *Naturl. Pflanzenfam.*iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* Arechav. var. *camporum* (Mor.) Mattos -- *Loefgrenia* 76: 2 (1981):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* Arechav. var. *venosa* Mattos -- *Loefgrenia* 61: 2 (1974). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitanga* var. *venosa* Mattos -- *Loefgrenia* no. 61: 2. 1974 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pithecocephala* Mazine & Sobral -- *Phytotaxa* 296(3): 268. 2017 [20 Feb 2017] [epublished]

Purified (Shodhit) *Eugenia pitoniana* Urb. & Ekman -- *Ark. Bot.* 21A(5): 30. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitoniana* Urb. & Ekman -- *Ark. Bot.* 21A(5): 30. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitra* O.Berg -- *Linnaea* 27: 264. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L.



based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitra* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitrensis* Urb. -- Ark. Bot. 22A, no. 10: 35. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pitrensis* Urb. -- Ark. Bot. 22A(10): 35. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pittieri* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 145. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pittieri* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 145. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planipes* Hook. & Arn. -- Bot. Misc. 3: 323. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planipes* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planipes* var. *genuina* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planipes* var. *grandifolia* O.Berg -- Linnaea 27: 162. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planiramea* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia planiramea* O.Berg -- Fl. Bras. (Martius) 14(1): 234. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyclada* O.Berg -- Fl. Bras. (Martius) 14(1): 257. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyclada* var. *cuneata* O.Berg -- Fl. Bras. (Martius) 14(1): 258. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyclada* var. *microphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 576. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyclada* var. *multiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 576. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyclada* var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 257. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyphylla* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 432. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platyphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 294. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia platysema* O.Berg -- Fl. Bras. (Martius) 14(1): 276. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleiopetala* F.Muell. -- Descr. Notes Papuan Pl. 1(Addit.): 106, in obs. 1877 [Nov 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleurantha* O.Berg -- Fl. Bras. (Martius) 14(1): 280. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleurocarpa* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 4: 243. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleurocarpa* Standl. -- Publ. Field Columb. Mus., Bot. Ser. 4: 243. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleurosiphonea* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 191. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pleurosiphonea* Diels -- Verh. Bot. Vereins Prov. Brandenburg 48: 191. 1907 [1906 publ. 8 Mar 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicata* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 81. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicata* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 81. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicato-costata* O.Berg -- Fl. Bras. (Martius) 14(1): 575. 1859 [15 Jan 1859] (see "*E. plicatocostata*") (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicatocostata* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 237. 1908 [dt. 1907; publ. 22 Feb 1908] (as "*plicato-costata*") ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicatocostata* O.Berg -- Fl. Bras. (Martius) 14(1): 575. 1859 [15 Jan 1859] (as "plicato-costata") (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicatula* C.Wright -- Anales Acad. Ci. Med. Habana 5: 430. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plicatula* C.Wright -- Fl. Cub. (Sauvalle) 40. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plinioides* Urb. & Ekman -- Ark. Bot. 21A(5): 34. 1927 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plinioides* Urb. & Ekman -- Ark. Bot. 21A(5): 34. 1927 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ploumensis* Däniker -- Vierteljahrsschr. Naturf. Ges. Zürich 1933, lxxviii. Beibl. 19, 298. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plumbea* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 85. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plumea* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 46. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plumieri* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plumieri* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia plumieri* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pluricymosa* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 182. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pluriflora* Mart. -- Flora 20(2, Beibl.): 83. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pluriflora* DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pluriflora* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 282. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pluriflora* var. *perforata* O.Berg -- Fl. Bras. (Martius) 14(1): 282. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plurinervia* N.Snow, Munzinger & Callm. -- Candollea 71(2): 212. 2016 [2 Aug 2016] [epublished]

Purified (Shodhit) *Eugenia plurisepala* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia plurisepala* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier 2nd. ser. 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pobeguinii* Aubrév. -- Fl. For. Cote d'Ivoire iii. 66 (1936), gallice. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pocsiana* Borhidi -- Bot. Közlem. 64(3): 216. 1978 [1977 publ. 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pocsiana* Borhidi -- Bot. Közlem. 64: 216. 1978 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poeppigiana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poeppigiana* O.Berg -- Fl. Bras. (Martius) 14(1): 232. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poggei* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 289. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pohliana* DC. -- Prodr. [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poimbailensis* (Guillaumin) J.W.Dawson & N.Snow -- *Candollea* 71(1): 79. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia poiretii* DC. -- *Prodr.* [A. P. de Candolle] 3: 274. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poiteaui* O.Berg -- *Linnaea* 27: 181. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia poliensis* Aubrév. & Pellegr. -- *Notul. Syst. (Paris)* 14: 62. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polita* Wall. -- *Numer. List [Wallich]* sub n. 3606. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polita* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 110. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pollicina* J.Guého & A.J.Scott -- Kew Bull. 34(3): 480. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyadema* O.Berg -- Linnaea 31: 258 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Miq. -- Linnaea 18: 741. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Phil. -- Linnaea 28: 639. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Wight -- Ill. Ind. Bot. ii. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Wall. -- Numer. List [Wallich] Sub n. 3608. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyantha* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 281. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycarpa* var. *bimarginata* O.Berg -- Fl. Bras. (Martius) 14(1): 281. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycarpa* var. *marginata* O.Berg -- Fl. Bras. (Martius) 14(1): 281. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycarpa* var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 281. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycarpa* Miq. -- Anal. Bot. Ind. 1: 19. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polycephaloides* C.B.Rob. -- Philipp. J. Sci., C 4: 399. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyclada* Urb. & Ekman -- Ark. Bot. 22A(10): 34. 1929 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyclada* Urb. & Ekman -- Ark. Bot. 22A(10): 34. 1929 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polygama* Roxb. -- Hort. Bengal. [92]; Fl. Ind. ii. 491. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia polyneura* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 76. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyneura* Urb. & C.Valente -- Symb. Antill. (Urban). 5(3): 446. 1908 [20 May 1908] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyneura* Urb. -- Symb. Antill. (Urban). 5(3): 446. 1908 [20 May 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polypetala* Wall. -- Numer. List [Wallich] n. 3616. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polypetala* Wall. ex Wight -- Icon. Pl. Ind. Orient. [Wight] 2(3): 8, t. 610. [1840-1843] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 240. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polyphylla* var. *obovata* O.Berg -- Fl. Bras. (Martius) 14(1): 572. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polypora* Urb. -- Symb. Antill. (Urban). 6(1): 24. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polypora* Urb. -- Symb. Antill. (Urban). 6(1): 24. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polystachya* Rich. -- Actes Soc. Hist. Nat. Paris 1: 110. 1792 [Oct 1792] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polystachyoides* Amshoff -- Recueil Trav. Bot. Néerl. 42: in erratum. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia polystachyoides* Amshoff -- Recueil Trav. Bot. Néerl. 42: erratum. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomatensis* Miq. -- Anal. Bot. Ind. 1: 22, t. 4. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. -- Repert. Spec. Nov. Regni Veg. 16: 150. 1919 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. -- Repert. Spec. Nov. Regni Veg. 16: 150. 1919 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. var. *angustissima* (O.Berg) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. var. *angustissima* Urb. -- Symb. Antill. (Urban). 8(2): 482. 1921 [1 Jun 1921] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. var. *latifolia* Urb. -- Symb. Antill. (Urban). 8(2): 483. 1921 [1 Jun 1921] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pomifera* Urb. var. *latifolia* (O.Berg) Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ponapensis* Merr. -- Trans. Nat. Hist. Soc. Taiwan 6(23): 43. 1916

Purified (Shodhit) *Eugenia populifolia* Baker -- Fl. Mauritius 118. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia porphyrantha* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 8. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia porphyrocarpa* Greves -- J. Bot. 61(Suppl.): 17. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia porphyroclada* O.Berg -- Linnaea 27: 266. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia portomite* D.Legrand -- Bradea 2(2): 6. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia portomite* D.Legrand -- Bradea 2(2): 6, nom. nov. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia portoricensis* DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia portoricensis* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia portoricensis* DC. var. *brevipes* DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pothaplosantha* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pothaplosantha* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia potiraguensis* K.Cout. & M.Ibrahim -- *Phytotaxa* 234(3): 222. 2015 [18 Nov 2015] [epublished]

Purified (Shodhit) *Eugenia pozasia* Urb. & Ekman -- *Symb. Antill. (Urban)*. 9(4): 490. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pozasia* Urb. -- *Symb. Antill. (Urban)*. 9(4): 496. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia praecox* Roxb. -- *Hort. Bengal.* [92]; *Fl. Ind.* ii 488. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia praestigiosa* M.R.Hend. -- *Gard. Bull. Singapore* 11: 318. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia praeterita* McVaugh -- Fieldiana, Bot. 29: 450. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia praeterita* McVaugh -- Fieldiana, Bot. xxix. 450 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia praetermissa* Gage -- Indian Forester xxxii. 6 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prainiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 116. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prasina* O.Berg -- Fl. Bras. (Martius) 14(1): 225. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia prasina* var. *grandifolia* Huber -- Bull. Herb. Boissier ser. 2, 1: 318. 1901 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prasiniflora* Ridl. -- J. Bot. 68: 35. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia preneloupiae* Kiaersk. -- Bot. Tidsskr. 17: 275, pl. 7 B. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia preneloupiae* Kiaersk. -- Bot. Tidsskr. 17: 275, t. 7. B et fig. 8. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia priouri* O.Berg -- Linnaea 30: 681. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia priurei* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 188. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia priurii* var. *robusta* O.Berg -- Linnaea 30: 681. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia priurii* var. *tenuiramis* O.Berg -- Linnaea 30: 682. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia principium* McVaugh -- Fieldiana, Bot. xxix. 451 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia principium* McVaugh -- Fieldiana, Bot. 29: 451. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prismatica* D.Legrand -- Fl. Illustr. Catarin. 1, Fasc. Mirt.: 205, fig. 67. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prismatica* D.Legrand -- Fl. Illustr. Catarin. Pt. 1, Mirtac., 205 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia proba* O.Berg -- Linnaea 29: 225. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia procera* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 2. 129. 1811 [23 Oct 1811] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia producta* DC. -- Prodr. [A. P. de Candolle] 3: 266. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prolixa* S.Moore -- Trans. Linn. Soc. London, Bot. ser. 2, 4: 358. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prolixa* S.Moore -- Trans. Linn. Soc. London, Bot. 4(3): 358. 1895 [1894-96 publ. Dec 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prolixa* S.Moore var. *vestita* S.Moore -- Trans. Linn. Soc. London, Bot. ser. 2, 4: 359. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prolongata* M.L.Kawas. & B.Holst -- Selbyana 30(1): 103 (-104; fig. 2). 2009 [16 Jun 2009]

Purified (Shodhit) *Eugenia prominens* O.Berg -- Fl. Bras. (Martius) 14(1): 235. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pronyensis* Guillaumin -- Bull. Mus. Natl. Hist. Nat. 1922, xxviii. 545. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia propinqua* Merr. -- Philipp. J. Sci., C 7: 315. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prora* Burkill -- Bull. Misc. Inform. Kew 1906(1): 4. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prosoneura* O.Berg -- Linnaea 31: 255 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia prostrata* (O.Berg) Mattos -- Loeffgrenia 94: 4 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia protenta* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 204 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia protenta* McVaugh -- Mem. New York Bot. Gard. 18: 204. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia protracta* Steud. -- Flora 26: 762. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia protracta* O.Berg -- Linnaea 31: 254 (1861-62). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia protracta* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pruinosa* D.Legrand -- Sellowia 13: 323. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pruinosa* D.Legrand -- Sellowia no. 13: 323. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pruniformis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 340. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psammophila* Diels -- Bot. Jahrb. Syst. 37(5): 598. 1906 [30 Oct 1906] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psammophila* Diels -- Bot. Jahrb. Syst. 37(5): 598. 1906 [30 Oct 1906] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudocaryophyllus* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudocaryophyllus* DC. var. *ocoteoides* DC. -- Prodr. [A. P. de Candolle] 3: 282. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoclaviflora* M.R.Hend. -- Gard. Bull. Singapore 11: 331. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudocrenulata* M.R.Hend. -- Gard. Bull. Singapore 12: 216. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudodichasiantha* Kiaersk. -- Enum. Myrt. Bras. (1893) 177. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia pseudodichasiantha* Kiaersk. -- Enum. Myrt. Bras. 177. 1893 Warming, Symb. Fl. Bras. cent., part. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoformosa* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 83. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoglaucia* Ridl. -- Fl. Mal. Peni 11. i. 737 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomabaeoides* Kosterm. -- Quart. J. Taiwan Mus. 34(3–4): 169 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomalacantha* D.Legrand in Reitz -- Fl. Illustr. Catarin. 1, Fasc. Mirt.: 207, fig. 68. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomalacantha* D.Legrand -- Fl. Illustr. Catarin. Pt. 1, Mirtac., 207 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomalaccensis* Hort.Par. ex Linden -- in Fl. des Serres Ser. I, v. (1849) 429. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomato* D.Legrand -- Lilloa 10: 477, fig. 2. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomato* D.Legrand -- Lilloa x. 477 (1944). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomini* Steud. -- Nomencl. Bot. [Steudel], ed. 2. 1: 604. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudomollis* M.R.Hend. -- Gard. Bull. Singapore 12: 75. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudopsidium* Jacq. -- Enum. Syst. Pl. 23. 1760 [Aug-Sep 1760] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudopsidium* var. *portoricensis* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 647. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudosubtilis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 123. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudosyzygioides* M.R.Hend. -- Gard. Bull. Singapore 11: 315. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudotetraptera* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 109. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudovenosa* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 180. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoverticillata* S.Moore -- Trans. Linn. Soc. London, Bot. ser. 2, 4: 357. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoverticillata* T.Durand & B.D.Jacks. -- Index Kew. Suppl. 1: 164. 1902 [1 Dec 1902] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoverticillata* S.Moore -- Trans. Linn. Soc. London, Bot. 4(3): 357. 1895 [1894-96 publ. Dec 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pseudoverticilliflora* Kiaersk. -- Enum. Myrt. Bras. 140, pl. 21, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psidiiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 223. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psidiiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 223. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psidiiflora* O.Berg var. *riedelinana* (O.Berg) Mattos -- *Loefgrenia* 120: 8. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia psidiiflora* O.Berg var. *schultziana* (Mattos) Mattos -- *Loefgrenia* 120: 8. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia psidiiflora* O.Berg var. *triflora* (Mattos) Mattos -- *Loefgrenia* 120: 8. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia psidioidea* (J.Guého & A.J.Scott) N.Snow -- *Syst. Bot.* 33(2): 348. 2008 [23 May 2008]

Purified (Shodhit) *Eugenia psidioides* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psiloclada* Urb. -- Symb. Antill. (Urban). 9(1): 106. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psiloclada* Urb. -- Symb. Antill. (Urban). 9(1): 106. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psychotrioides* Mart. ex O.Berg -- Fl. Bras. (Martius) 14(1): 281. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia psychotrioides* Mart. ex Colla -- Herb. Pedem. ii. 432 (1834), in syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ptariensis* Steyerm. -- Fieldiana, Bot. 28: 1013. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ptariensis* Steyerm. -- Fieldiana, Bot. xxviii. 1013 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pterocalyx* Baker f. -- J. Linn. Soc., Bot. xlv. 316 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pterocalyx* Greves -- J. Bot. 61(Suppl.): 17. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pterocarpa* Baill. -- Hist. Pl. (Baillon) 6: 338. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pterocaulis* Miq. -- Anal. Bot. Ind. 1: 18. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pteroclada* Urb. -- Symb. Antill. (Urban). 9(4): 493. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pteroclada* Urb. -- Symb. Antill. (Urban). 9(4): 493. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia puberula* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia puberula* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia puberula* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pubescens* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pubicalyx* Alain -- Phytologia 25: 268. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pubicalyx* Alain -- Phytologia 25(5): 268. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pueblana* Lundell -- Wrightia 2: 167. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pueblana* Lundell -- *Wrightia* ii. 167 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pulchella* Roxb. -- *Fl. Ind. (Roxburgh)* 2: 496. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pulcherrima* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 159. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pulcherrima* Kiaersk. -- *Enum. Myrt. Bras.* 159, pl. 21, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pulchra* O.Berg -- *Linnaea* 29: 224. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pulgarensis* C.B.Rob. -- Philipp. J. Sci., C 4: 380. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pumila* Gardner -- London J. Bot. 4: 102. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctata* Vahl -- in West, Bidr. Ste-Croix 289. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctata* Baker f. -- J. Linn. Soc., Bot. xlv. 315 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia puncticulata* Merr. -- Philipp. J. Sci., C 9: 381. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctifolia* Ridl. -- J. Fed. Malay States Mus. 10: 91. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctilimba* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 217. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctulata* F.M.Bailey -- Queensland Department of Agriculture and Stock. Botany Bulletin 13 1896 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctulata* F.M.Bailey -- Bot. Bull. Dept. Agric. Queensl. xiii. 10. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punctulata* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 122. 1901 ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pungens* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pungens* O.Berg -- Fl. Bras. (Martius) 14(1): 224. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pungens* O.Berg in Mart. var. *subalterna* (Benth.) Amshoff -- Recueil Trav. Bot. Néerl. 42: 25. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punicifolia* DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punicifolia* (Kunth) DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punicifolia* (Kunth) DC. var. *brachypoda* (DC.) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punicifolia* var. *brachypoda* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 617. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia punicifolia* (Kunth) DC. var. *subalterna* (Benth.) Amshoff (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpurascens* Baill. -- Hist. Pl. (Baillon) 6: 345. 1876 [Jun 1876] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpurea* Roxb. -- Hort. Bengal. [37]. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpurea* Roxb. -- Fl. Ind. (Roxburgh) 2: 483. 1832

Purified (Shodhit) *Eugenia purpuricarpa* Elmer -- Leaflet. Philipp. Bot. iv. 1435 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpuriflora* Elmer -- Leaflet. Philipp. Bot. iv. 1432 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpusii* Standl. -- Contr. U.S. Natl. Herb. 23: 1678. 1926 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia purpusii* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1678 (1926). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pusilana* Lundell -- Wrightia 6: 121. 1980 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pusilana* Lundell -- *Wrightia* 6(5): 121 (1980). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pusilla* N.E.Br. -- *Bull. Misc. Inform. Kew* 1912(6): 276. [21 Aug 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pusilliflora* M.L.Kawas. & B.Holst -- *J. Bot. Res. Inst. Texas* 3(2): 616 (-617; fig. 5). 2009 [25 Nov 2009]

Purified (Shodhit) *Eugenia pustulata* Duthie -- *Fl. Brit. India* [J. D. Hooker] 2(5): 495. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pustulescens* McVaugh -- *Fieldiana, Bot.* xxix. 215 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia pustulescens* McVaugh -- Fieldiana, Bot. 29: 216. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pycnantha* Benth. -- Pl. Hartw. [Bentham] 174. 1845 [Aug 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pycnantha* Benth. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pycnoneura* Urb. -- Symb. Antill. (Urban). 6(1): 25, in obs. 1909 [15 Jul 1909] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pycnoneura* Urb. -- Symb. Antill. (Urban). 6(1): 25. 1909 [15 Jul 1909] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyramidalis* O.Berg -- Fl. Bras. (Martius) 14(1): 236. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyramidalis* var. *angustifolia* O.Berg -- Linnaea 30: 680. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrifera* Faria & Proença -- Kew Bull. 67(2): 245. 2012 [22 May 2012] [epublished]

Purified (Shodhit) *Eugenia pyriflora* O.Berg -- Fl. Bras. (Martius) 14(1): 299. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriflora* var. *major* O.Berg -- Fl. Bras. (Martius) 14(1): 299. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriflora* var. *minor* O.Berg -- Fl. Bras. (Martius) 14(1): 299. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrifolia* Ham. -- Prodr. Pl. Ind. Occid. [Hamilton] 44. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrifolia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 487. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrifolia* Desv. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrifolia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 487. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically:

Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 336. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* var. *argentea* Mattos & D.Legrand -- Loeffgrenia no. 67: 30. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* Cambess. var. *argentea* Mattos & D.Legrand -- Loeffgrenia 67: 30. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* Cambess. in A.St.-Hil. f. *ponhi* D.Legrand -- Bol. Soc. Argent. Bot. 10: 10. 1962 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyriformis* Cambess. in A.St.-Hil. var. *uvalha* (Cambess.) D.Legrand -- Bol. Fac. Agron. Univ. Montevideo 11: 46. 1968 (Long duration purification) as key

ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrocarpa* Greves -- J. Bot. 61(Suppl.): 17. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrroclada* O.Berg -- Linnaea 27: 165. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrroclada* var. *columbiensis* O.Berg -- Linnaea 27: 166. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyrroclada* var. *guianensis* O.Berg -- Linnaea 27: 165. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia pyxidata* (J.Guého & A.J.Scott) N.Snow -- Syst. Bot. 33(2): 348. 2008 [23 May 2008]

Purified (Shodhit) *Eugenia pyxophylla* Hance -- J. Bot. 9: 6. 1871 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrangularis* Duch. ex Griseb. -- Abh. Königl. Ges. Wiss. Göttingen 7: 214. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrangulata* A.Gray -- U.S. Expl. Exped., Phan. 15: 511. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrata* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 86. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrialata* Craib -- Bull. Misc. Inform. Kew 1929(4): 115. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadribacteata* M.R.Hend. -- Gard. Bull. Singapore 11: 320. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadriflora* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 168. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrijuga* McVaugh -- Fieldiana, Bot. xxix. 216 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrijuga* McVaugh -- Fieldiana, Bot. 29: 216. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrioiculata* Amshoff -- Recueil Trav. Bot. Néerl. 39: 160. 1942; et in Meded. Bot. Mus. Herb. RijksUniv. Utrecht, No. 86, 160 (1942). (Short duration purification)

as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadrioiculata* Amshoff -- *Recueil Trav. Bot. Néerl.* 39: 160. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quadriphylla* N.Snow & Callm. -- *Candollea* 71(2): 190. 2016 [17 Jun 2016] [epublished]

Purified (Shodhit) *Eugenia quaternifolia* Guillaumin -- *Notul. Syst. (Paris)* 3(9): 262. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quaternifolia* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*, ii. 363. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quebradensis* McVaugh -- *Fieldiana, Bot.* 29: 217. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when



modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quebradensis* McVaugh -- Fieldiana, Bot. xxix. 217 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quercetorum* Standl. & L.O.Williams ex Barrie -- Novon 15(1): 39 (-40; fig. 28). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia queretaroana* Sánchez-Cháv. & Zamudio -- Acta Bot. Mex. 115: 55, fig. 2. 2016 [post Apr 2016]

Purified (Shodhit) *Eugenia quinqueloba* McVaugh -- Fieldiana, Bot. 29: 217. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quinqueloba* McVaugh -- Fieldiana, Bot. xxix. 217 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quitarensis* Benth. -- J. Bot. (Hooker) 2: 322. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quitarensis* Benth. -- London J. Bot. 2: 322. 1843 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quitarensis* Amshoff -- Recueil Trav. Bot. Néerl. 42: 12. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia quitarensis* Amshoff -- Recueil Trav. Bot. Néerl. 42: 12. 1950 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rabeniana* Kiaersk. -- Enum. Myrt. Bras. (1893) 186. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rabeniana* Kiaersk. -- Enum. Myrt. Bras. 186. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemifera* O.Berg -- Fl. Bras. (Martius) 14(1): 322. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemifera* Sagot -- Ann. Sci. Nat., Bot. sér. 6, 20: 195. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemiflora* O.Berg -- Linnaea 27: 232. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemoides* Greves -- Journal Botany 61 (Suppl.) 1923 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemoides* Greves -- J. Bot. 61(Suppl.): 20. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemosa* DC. -- Prodr. [A. P. de Candolle] 3: 281. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemosa* L. -- Sp. Pl. 1: 471. 1753 [1 May 1753] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemulosa* O.Berg -- Fl. Bras. (Martius) 14(1): 304. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemulosa* var. *grandiflora* O.Berg -- Fl. Bras. (Martius) 14(1): 304. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia racemulosa* var. *parviflora* O.Berg -- Fl. Bras. (Martius) 14(1): 304. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia radiciflora* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 176. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rama-varma* Bourd. -- Indian Forester 30(4): 147. 1904 [Apr 1904] (as "Rama Varma") (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramboi* D.Legrand -- Sellowia 13: 321. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramboi* D.Legrand -- Sellowia no. 13: 321. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramiflora* Ham. -- Prodr. Pl. Ind. Occid. [Hamilton] 43. 1825 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramiflora* Miq. -- Linnaea 22: 536. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramiflora* Miq. -- Linnaea 22: 536. 1849 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramiflora* Ham. -- Prodr. Pl. Ind. Occid. [Hamilton] 43. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramiflora* Miq. var. *montana* Amshoff -- Bull. Torrey Bot. Club 75: 535. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramonae* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 21(3-4): 228. 1976 [1975 publ. 1976] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramonae* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 21: 228. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramoniana* Urb. -- Symb. Antill. (Urban). 9(4): 499. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramoniana* Urb. -- Symb. Antill. (Urban). 9(4): 499. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramosii* C.B.Rob. -- Philipp. J. Sci., C 4: 349. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramosii* M.A.D.Souza & Scud. -- *Phytotaxa* 289(2): 170. 2016 [22 Dec 2016] [epublished] ; nom. illeg.

Purified (Shodhit) *Eugenia ramosissima* Wall. -- Numer. List [Wallich] n. 3604. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ramosissima* (Blume) Wall. ex Duthie -- *Fl. Brit. India* [J. D. Hooker] 2(5): 480. 1878 [Jul 1878]

Purified (Shodhit) *Eugenia rampans* Baker -- *Fl. Mauritius* 116. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia randrianasoloi* J.S.Mill. -- *Adansonia sér.* 3, 22(1): 112. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ranomafana* N.Snow & D.Turk -- *PhytoKeys* 49: 99. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia rara* Rigueira & Sobral -- *Phytotaxa* 224(3): 213. 2015 [2 Sep 2015] [epublished]



Purified (Shodhit) *Eugenia raran* Barnéoud -- Fl. Chil. [Gay] 2(3): 388. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rariflora* Benth. & F.Br. -- Bull. Bernice P. Bishop Mus. 130: 201, descr. emend. 1935 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rariflora* Benth. -- London J. Bot. 2: 221. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rariflora* Benth. -- Hooker's London Journal of Botany 2 1843 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ravelonarivoi* N.Snow & Callm. -- PhytoKeys 49: 102. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia ravenii* Lundell -- Wrightia 4: 94. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ravenii* Lundell -- *Wrightia* iv. 94 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia razakamalalae* N.Snow & Callm. -- *PhytoKeys* 49: 105. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia recurvata* O.Berg -- *Fl. Bras. (Martius)* 14(1): 319. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia recurvisepala* Barb.Rodr. ex Chodat & Hassl. -- *Bull. Herb. Boissier sér. 2, 7*: 806. 1907 [30 Sep 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia recurvisepala* Barb.Rodr. -- *Bull. Herb. Boissier ser. 2, 7*: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia referta* Craib -- Bull. Misc. Inform. Kew 1929(4): 116. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia regeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 573. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia regnelliana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia regia* Bunger & Sobral -- Phytotaxa 147(2): 55. 2013 [26 Nov 2013] [epublished]

Purified (Shodhit) *Eugenia regnelliana* O.Berg -- Fl. Bras. (Martius) 14(1): 245. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia regnelliana* O.Berg -- Fl. Bras. (Martius) 14(1): 245. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia regnelliana* O.Berg -- Fl. Bras. (Martius) 14(1): 245. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reinwardtiana* (Blume) DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reinwardtiana* DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reinwardtiana* DC. f. *lutea* H.St.John -- Phytologia 37(5): 441. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reitziana* D.Legrand -- Sellowia 13: 315. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reitziana* D.Legrand -- Sellowia no. 13: 315. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rekoii* Standl. -- Contr. U.S. Natl. Herb. 23: 1044. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rekoii* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1044 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia remotifolia* Ridl. -- J. Bot. 68: 36. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rendlei* Urb. -- Symb. Antill. (Urban). 7(2): 302. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rendlei* Urb. -- Symb. Antill. (Urban). 7(2): 302. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia repanda* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia repanda* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia repanda* O.Berg -- Fl. Bras. (Martius) 14(1): 304. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia resinosa* Gagnep. -- Notul. Syst. (Paris) 3: 331. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reticularis* O.Berg -- Linnaea 27: 170. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reticulata* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 541; Illustr. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia reticulata* Trim. -- Handb. Fl. Ceyl. ii. (1894) 185. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retinadenia* C.Wright -- Fl. Cub. (Sauvalle) 43. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retinadenia* C.Wright -- Anales Acad. Ci. Med. Habana 5: 432. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retivenia* C.Wright -- Anales Acad. Ci. Med. Habana 5: 433. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retivenia* C.Wright (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retivenia* C.Wright -- Fl. Cub. (Sauvalle) 44. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retusa* Arechav. -- Anales Mus. Nac. Montevideo v. 59. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia retusa* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retusa* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia retusa* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia revoluta* O.Berg -- Linnaea 29: 224. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia revoluta* Willd. ex O.Berg -- Linnaea 27: 184. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia revoluta* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 534; Illustr. ii. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhadinantha* S.Moore -- J. Bot. 55: 303. 1917 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhadinantha* S.Moore -- The Journal of Botany 55 1917 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhamphiphylla* Craib -- Bull. Misc. Inform. Kew 1930(4): 168. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rheedioides* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 131. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rheedioides* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 131. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rheophytica* Kosterm. -- Quart. J. Taiwan Mus. 34(3–4): 170 (1981). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhizophora* Boerl. & Koord. -- Syst. Verz. (Koord.-Schum.) ii. 44 (1911). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhododendrifolia* Miq. -- Anal. Bot. Ind. 1: 19. 1850 [May 1850] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhodomelea* Comm. ex DC. -- Prodr. [A. P. de Candolle] 3: 259. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhombea* (O.Berg) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhombea* (O.Berg) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 644. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhombea* (O.Berg) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 644. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhombocarpa* O.Berg -- Fl. Bras. (Martius) 14(1): 239. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhomboidea* Ridl. -- J. Fed. Malay States Mus. 5: 33. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhopaloides* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhopaloides* (Kunth) DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhynchophylla* Merr. -- J. Straits Branch Roy. Asiat. Soc. 79: 26. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rhytidocalyx* M.A.D.Souza & Sobral -- Phytotaxa 349(1): 26. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia ribeireana* Bertero in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ribeireana* O.Berg -- Fl. Bras. (Martius) 14(1): 307. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ribeireana* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia richardiana* Cordem. -- Fl. Réunion (E.J. de Cordemoy) (1895) 430. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia richardiana* O.Berg -- Linnaea 30: 694. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia richardii* (Blume) N.Snow, Callm. & Phillipson -- PhytoKeys 49: 107. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia richii* A.Gray -- U.S. Expl. Exped., Phan. 15: 510. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ridleyi* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 98. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riedeliana* O.Berg -- Fl. Bras. (Martius) 14(1): 261. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riedeliana* var. *ferruginea* O.Berg -- Fl. Bras. (Martius) 14(1): 261. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riedeliana* var. *ochracea* O.Berg -- Fl. Bras. (Martius) 14(1): 261. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigens* Craib -- Bull. Misc. Inform. Kew 1929(4): 116. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigida* DC. -- Prodr. [A. P. de Candolle] 3: 273. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigida* var. *ovalis* O.Berg -- Fl. Bras. (Martius) 14(1): 258. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigida* var. *ovata* O.Berg -- Fl. Bras. (Martius) 14(1): 258. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. -- Hist. Phys. Cuba, Pl. Vasc. 585; et ex Berg, in Linnaea, xxx. (1859-60) 679. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia rigidifolia* A.Rich. var. *angustifolia* O.Berg -- *Linnaea* 30: 679. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. var. *genuina* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 608. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. var. *latifolia* O.Berg -- *Linnaea* 30: 679. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. var. *phyllireifolia* (A.Rich.) Krug & Urb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. var. *phyllireifolia* (A.Rich.) Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 609. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* subsp. *rangelensis* Kitan. -- God. Sofiisk. Univ. Biol. Fak., 2 Bot. 64 (2): 4. 1972 1969/1970 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. subsp. *rangelensis* Kitan. -- Ann. Univ. Sofia, Fac. Biol. 64(2): 4 (1969-1970 publ. 1972); cf. Gray Herb.Card Cat. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* A.Rich. subsp. *tsugifolia* Kitan. -- Ann. Univ. Sofia, Fac. Biol. 64(2): 4 (1969-1970 publ. 1972); cf. Gray Herb.Card Cat. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidifolia* subsp. *tsugifolia* Kitan. -- God. Sofiisk. Univ. Biol. Fak., 2 Bot. 64 (2): 4. 1972 1969/1970 As *tsugaefolia* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidissima* Cufod. -- Archiv. Bot., Forli 1933, ix. 198. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidissima* Cufod. -- Arch. Bot. Sist. 9: 198. 1933 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidissima* Cufod. -- Arch. Bot. Sist. 9: 198. 1933 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidula* Britton & P.Wilson -- Bull. Torrey Bot. Club 50: 45. 1923 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rigidula* Britton & P.Wilson -- Bull. Torrey Bot. Club 1923, 1. 45. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rimosa* C.Wright & Sauv. ex Urb. -- Bot. Jahrb. Syst. 19(5): 609. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rimosa* C.Wright -- Fl. Cub. (Sauvalle) 40. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rimosa* C.Wright -- Anales Acad. Ci. Med. Habana 5: 429. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rinconiensis* Mattos -- Loeftgrenia 120: 9. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia riograndis* Lundell -- in Field & Lab. xiii. 10. 1945 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riograndis* Lundell -- Field & Lab. 13: 10. 1945 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riosae* Barrie -- Novon 15(1): 40 (42; fig. 29). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia riparia* Becc. -- For. Borneo 524 (1902). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riparia* A.Cunn. ex Hook. -- Bot. Mag. 71: sub t. 4133. 1845 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia riparia* DC. -- Prodr. [A. P. de Candolle] 3: 283. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ripicola* Craib -- Bull. Misc. Inform. Kew 1915(10): 428. [24 Dec 1915] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ripidocarpa* Ruiz, Pav., Ruiz & Pav.apud Lopez -- Anales Inst. Bot. Cavanilles 15: 185, descr. [rutidocarpa Ruiz & Pav.]. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rivularis* Seem. -- Viti 436, nomen; Fl. Vit. 80. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rivularis* ( ex A.St.-Hil.) Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). vol. 2(2): 337. 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rivularis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 337. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rivularis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2(2): 337. 1832 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rivulorum* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 115. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rızalensis* Merr. -- Philipp. J. Sci. 18: 302. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rızziniana* Mattos -- Loefgrenia 117: 1 (2002). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rızzoana* Mattos -- Loefgrenia 64: 4. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rızzoana* Mattos -- Loefgrenia 64: 4, nom. nov. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robertii* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 106. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robertoana* Mattos -- *Loefgrenia* 105: 2 (1995), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robinsoniana* Ridl. -- *J. Fed. Malay States Mus.* 4: 13. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robinsonii* Elmer -- *Leaf. Philipp. Bot.* ii. 358 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robusta* O.Berg -- *Linnaea* 27: 298. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robusta* var. *cappardifolia* (DC.) O.Berg -- *Fl. Bras. (Martius)* 14(1): 320. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia robusta* var. *firma* (DC.) O.Berg -- Fl. Bras. (Martius) 14(1): 320. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robustior* Faria & Proença -- Phytotaxa 308(2): 261. 2017 [7 Jun 2017] [epublished]

Purified (Shodhit) *Eugenia robusto-venosa* Kiaersk. -- Enum. Myrt. Bras. 137, pl. 21, fig. c. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia robusto-venosa* Kiaersk. -- Enum. Myrt. Bras. (1893) 137. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rocana* Britton & P.Wilson -- Mem. Torrey Bot. Club xvi. 90 (1920). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rocana* Britton & P.Wilson -- Mem. Torrey Bot. Club 16: 90. 1920 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rodriguesensis* J.Guého & A.J.Scott -- Kew Bull. 34(3): 481. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rodriguesii* (Mattos & D.Legrand) Mattos -- Loefgrenia 120: 9. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia roigii* Urb. -- Symb. Antill. (Urban). 9(4): 498. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roigii* Urb. -- Symb. Antill. (Urban). 9(4): 498. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rojasiana* (D.Legrand) Mattos -- Loefgrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia romana* O.Berg -- Fl. Bras. (Martius) 14(1): 264. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia romana* var. *pickelii* Mattos -- Loefgrenia 53: [1]. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia romana* O.Berg var. *pickelii* Mattos -- Loefgrenia 53: 1. 1971 , as 'pickeli' (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rondonensis* Steyerm. -- Fieldiana, Bot. 28: 1013. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rondonensis* Steyerm. -- Fieldiana, Bot. xxviii. 1013 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roraimana* O.Berg -- *Linnaea* 27: 219. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosariensis* Borhidi -- *Acta Bot. Hung.* 29(1–4): 187, nom. nov. 1983 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosea* Barb.Rodr. ex Chodat & Hassl. -- *Bull. Herb. Boissier Ser. II.* vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosea* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosea* DC. -- *Prodr.* [A. P. de Candolle] 3: 264. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosea* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roseiflora* McVaugh -- Mem. New York Bot. Gard. 18(2): 210. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roseiflora* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 210 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosenbluthii* C.B.Rob. -- Philipp. J. Sci., C 4: 384. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roseola* Barrie, C.A.Ramos & O.Ortiz -- Novon 24(4): 337. 2016 [24 May 2016]

Purified (Shodhit) *Eugenia roseomarginata* C.B.Rob. -- Philipp. J. Sci., C 4: 390. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roseopetala* Barrie, I.Vergara & McPherson -- *Novon* 24(4): 340. 2016 [24 May 2016]

Purified (Shodhit) *Eugenia roseopetiolata* N.Snow & Cable -- *Phytotaxa* 48: 51 (-53, 41; figs. 2, 7). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia rosmarinifolia* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3. 129. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosmarinifolia* Griseb. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosmarinifolia* Griseb. var. *angustissima* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosmarinifolia* Griseb. var. *angustissima* O.Berg -- *Linnaea* 27: 160. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosmarinifolia* Griseb. var. *latifolia* O.Berg -- *Linnaea* 27: 161. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rosmarinifolia* Griseb. var. *longifolia* O.Berg -- *Linnaea* 27: 469. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostadonis* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 61: 8. 1912 [Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostrata* Bedd. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 482. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostrata* O.Berg -- Fl. Bras. (Martius) 14(1): 282. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostratofalcata* Mattos & D.Legrand -- Loeffgrenia no. 67: 23. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostratofalcata* Mattos & D.Legrand -- Loeffgrenia 67: 23. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostrifolia* D.Legrand -- Sellowia 8: 76, tab. 4. 1958 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rostrifolia* D.Legrand -- Sellowia 8: 76. 1957 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia rosulenta* Ridl. -- J. Bot. 68: 34. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotata* King ex Craib -- Fl. Siam. i. 660 (1931). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rothii* Panigrahi -- J. Econ. Taxon. Bot. 5(4): 994 (1984), nom. nov. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rothii* Panigrahi var. *fasciculata* (Duthie) H.B.Naithani -- Fl. Pl. India, Nepal & Bhutan 165. 1990 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rottleriana* Wight & Arn. -- Prodr. Fl. Ind. Orient. 1: 331. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotula* Sobral -- Phytotaxa 50: 30 (-32; fig. 6). 2012 [17 Apr 2012]  
[epublished]

Purified (Shodhit) *Eugenia rotundata* Trimen -- Handb. Fl. Ceyl. ii. (1894) 185. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotundicosta* D.Legrand -- Fl. Illustr. Catarin. 1(Mirt., Suppl. 1): 25. 1977 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotundicosta* D.Legrand -- Fl. Illustr. Catarin. MIRT-SUPL: 25 (-28), fig. 1978 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotundifolia* Wight -- Ill. Ind. Bot. ii. 17. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotundifolia* Casar. -- Dec. Stirp. Nov. Bras. (iv.) 40. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and

*Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rotundifolia* var. *oblongata* O.Berg -- Fl. Bras. (Martius) 14(1): 287. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roxburghiana* Wall. -- Numer. List [Wallich] sub n. 3608. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia roxburghii* DC. -- Prodr. [A. P. de Candolle] 3: 271. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubella* Lundell -- *Wrightia* iii. 18 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubella* Lundell -- *Wrightia* 3: 18. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubens* Roxb. -- Fl. Ind. (Roxburgh) 2: 496. 1832

Purified (Shodhit) *Eugenia rubens* Roxb. -- Hort. Bengal. 92. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubescens* A.Gray -- U.S. Expl. Exped., Phan. 15: 525. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubicunda* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 538; Illustr. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubida* Ridl. -- J. Fed. Malay States Mus. 10: 90. 1920 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubiginosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2(pt. 19): 338 (ed. qto.). 1832 [27 Oct 1832] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubiginosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2(pt. 19): 338. 1832 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubra* Reinw. ex de Vriese -- Pl. Ind. Bat. Reinw. 76. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubrescens* Mattos & D.Legrand -- Loeffgrenia no. 67: 25 (-26). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubrescens* Mattos & D.Legrand -- Loeffgrenia 67: 25. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubricaulis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 487. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubro-punctata* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 46. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubrocincta* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubrocincta* O.Berg -- Fl. Bras. (Martius) 14(1): 291. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubropurpurea* C.B.Rob. -- Philipp. J. Sci., C 4: 358. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rubrovenia* C.B.Rob. -- Philipp. J. Sci., C 4: 358. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rudatisii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 335. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufa* Barnéoud -- Fl. Chil. [Gay] 2(3): 387. 1847 [May-Jun 1847] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufescens* DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufescens* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufidula* Lundell -- *Wrightia* 2: 209. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufidula* Lundell -- *Wrightia* ii. 209 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufipetala* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufipetala* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rufo-fulva* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 416. 1864 [Dec 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia rufoflavescens* Mattos -- *Loefgrenia* 114: 1 (2000), as 'rufo-flavescens'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rugosa* Merr. -- J. Straits Branch Roy. Asiat. Soc. 77: 224. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rugosa* Ruiz & Pav. ex DC. -- *Prodr.* [A. P. de Candolle] 3: 280. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rugosissima* Sobral -- *Bol. Mus. Biol. Prof. Mello-Leitão* 20: 74 (-75; figs. 1-2). 2007 [dt. Dec 2006; issued in Mar 2007]

Purified (Shodhit) *Eugenia ruiziana* O.Berg -- *Linnaea* 27: 167. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ruiziana* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its

compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ruminata* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rumphii* Merr. -- Interpr. Herb. Amboin. 396 (1917). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rupestris* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rupestris* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 330. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rupestris* O.Berg -- Fl. Bras. (Martius) 14(1): 570. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ruschiana* Bunger, Mazine & Stehmann -- *Phytotaxa* 266(1): 40. 2016 [17 Jun 2016] [epublished]

Purified (Shodhit) *Eugenia ruscifolia* Poir. -- *Encycl. [J. Lamarck & al.] Suppl.* 3. 123. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia rutidocarpa* Ruiz & Pav. -- *Fl. Peruv. [Ruiz & Pavon]* 4: t. 416. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sablanensis* Elmer -- *Leafl. Philipp. Bot.* i. 328 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sablanensis* Elmer var. *ramulosa* Elmer -- *Leafl. Philipp. Bot.* 4(Art. 72): 1408. 1912 [13 Mar 1912]

Purified (Shodhit) *Eugenia sabulosa* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 355. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sachetae* Proctor -- Bull. Inst. Jamaica, Sci. Ser. 16: 34. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sachetae* Proctor -- Addit. Fl. Jam. (Bull. Inst. Jam., Sci. Ser., No. 16) 34 (1967). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sagraea* O.Berg -- Linnaea 30: 690. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sakalavarum* H.Perrier -- Rev. Int. Bot. Appl. Agric. Trop. xxxii. 115 (1952), sine descr. lat.; et in Mem. Inst. -Sci.Madag., Ser. B, iv. 189 (1953). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salaccensis* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 144. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salacioides* Laws. ex Hutch. & Dalziel -- Fl. W. Trop. Afr. [Hutchinson & Dalziel] i. 200 (1927); Hutchinson & Dalziel in Kew Bull. 1928, 219. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamancana* Standl. -- Ann. Missouri Bot. Gard. 1939, xxvi. 295. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamancana* Standl. -- Ann. Missouri Bot. Gard. 26: 295. 1939 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamensis* Donn.Sm. -- Bot. Gaz. 27: 333. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamensis* Donn.Sm. -- Bot. Gaz. 27: 333. 1899 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamensis* var. *hiraefolia* (Standl.) McVaugh -- Fieldiana, Bot. 29: 457. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamensis* var. *rensoniana* (Standl.) McVaugh -- Fieldiana, Bot. 29: 456. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salamensis* Donn.Sm. var. *rensonianum* (Standl.) McVaugh (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salecina* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 45. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* M.A.Lawson -- Fl. Trop. Afr. [Oliver et al.] 2: 437. 1871 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 312. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* DC. -- Prodr. [A. P. de Candolle] 3: 278. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* O.Berg in Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* Wight -- Ill. Ind. Bot. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salicifolia* Buch.-Ham. ex Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 472. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salictoides* Ridl. -- J. Straits Branch Roy. Asiat. Soc. 68: 12. 1915 [Jun 1915] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia saligna* C.B.Rob. -- Philipp. J. Sci., C 4: 392. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salomonensis* Hemsl. -- J. Linn. Soc., Bot. 30: 212. 1894 [1893-1895 publ. 1894] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salomonica* C.T.White -- J. Arnold Arbor. xxxii. 141 (1951). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia salpingantha* Greves -- J. Bot. 61(Suppl.): 19. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia salzmannii* Benth. -- J. Bot. (Hooker) 2: 319. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samanensis* Alain -- Phytologia 61(6): 359 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samanensis* Alain -- Phytologia 61: 359 (-360). 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samarangensis* O.Berg -- Fl. Bras. (Martius) 14(1): 646 (Index). 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samarensis* Merr. -- Philipp. J. Sci., C 10: 223. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sambiranensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 193. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samoensis* Burkill -- J. Linn. Soc., Bot. 35: 38. 1901 [1901-1904 publ. 1901] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samuelsonii* Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samuelsonii* ( ex Urb.) Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samuelssonii* Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia samuelssonii* Ekman & Urb. -- Symb. Antill. (Urban). 9(4): 504. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sancarlosensis* Barrie -- Novon 15(1): 42 (fig. 30). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia sancta* DC. -- Prodr. [A. P. de Candolle] 3: 267. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sandakanensis* Merr. -- J. Straits Branch Roy. Asiat. Soc. 86: 335. 1922 [Nov 1922] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sandwicensis* Hillebr. -- Fl. Hawaiian Isl. [Hillebrand] 129. 1888 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sandwicensis* A.Gray -- U.S. Expl. Exped., Phan. 15: 519. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sanjuanensis* P.E.Sánchez -- Phytologia 402 (-403). 1987 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sanjuanensis* P.E.Sánchez -- Phytologia 63(5): 402 (1987). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia santensis* Kiaersk. -- Enum. Myrt. Bras. 163. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia santensis* Kiaersk. -- Enum. Myrt. Bras. (1893) 163. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia santosii* Merr. -- Philipp. J. Sci. 18: 294. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sapoensis* Jongkind -- Eur. J. Taxon. 113: 3. 2015 [23 Feb 2015] [epublished]

Purified (Shodhit) *Eugenia sapucayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 807. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sapucayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier sér. 2, 7: 807. 1907 [30 Sep 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sarapiquensis* P.E.Sánchez -- Brenesia 25-26: 317. 1988 [1986 publ. 1988] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sarapiquensis* P.E.Sánchez -- *Brenesia* 25/26: 317 (-318), fig. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sarasinii* Guillaumin -- *Sarasin & Roux, Nova Caled. i.* 189 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sarawacensis* Merr. -- *J. Straits Branch Roy. Asiat. Soc.* 77: 214. 1917 [Dec 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sarcocarpa* Merr. -- *Philipp. J. Sci.* 18: 295. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sargentii* Merr. -- *Philipp. J. Sci.* 18: 290. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sasoana* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 131. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sasoana* Standl. & Steyerl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 131. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sauvallei* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 661. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sauvallei* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 661. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia savaiensis* A.Gray -- U.S. Expl. Exped., Phan. 15: 530. 1854 ; C. Wilkes Expl. Exped. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia savannarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 132. 1944 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia savannarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 23: 132. 1944 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia saviifolia* Alain -- Bull. Torrey Bot. Club xc. 190 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia saviifolia* Alain -- Bull. Torrey Bot. Club 90: 190. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia saxitana* Ridl. -- Bull. Misc. Inform. Kew 1928(2): 74. [22 Feb 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sayeri* F.Muell. -- Vict. Naturalist 8 1891 in obs. (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sayeri* F.Muell. -- in Vict. Natural. ix. (May 1892) 5, nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sayeri* F.Muell. -- Vict. Naturalist 9 1893 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scabrida* Wall. -- Numer. List [Wallich] n. 3564 D. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scalariformis* McVaugh -- Fieldiana, Bot. 29: 218. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scalariformis* McVaugh -- Fieldiana, Bot. xxix. 218 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scalarinervis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 87. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scandens* Baker -- Fl. Mauritius 118. 1877 [2 Aug 1877] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scaphephylla* C.Wright -- Fl. Cub. (Sauvalle) 41. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scaphephylla* C.Wright -- *Anales Acad. Ci. Med. Habana* 5: 430. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schadrackiana* D.Legrand -- *Sellowia* 13: 312. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schadrackiana* D.Legrand -- *Sellowia* no. 13: 312. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schatzii* J.S.Mill. -- *Adansonia* sér. 3, 22(1): 114. 2000 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schaueriana* Miq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schaueriana* Miq. -- Stirp. Surinam. Select. 41. 1851 [Mar 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scheffleri* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 3: 84, nomen. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scheffleri* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 331. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schiedeana* Schltdl. -- Linnaea 13: 418. 1839 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schippii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 137. 1932 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schippii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 11: 137. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schippii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 137. 1932 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schlechtendalana* O.Berg -- Fl. Bras. (Martius) 14(1): 321. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schomburgkii* Benth. -- J. Bot. (Hooker) 2: 321. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schottiana* O.Berg -- Fl. Bras. (Martius) 14(1): 286. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schuechiana* O.Berg -- Fl. Bras. (Martius) 14(1): 258. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schuechiana* var. *grandifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 576. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schulziana* Urb. -- Symb. Antill. (Urban). 7(2): 304. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schulziana* Urb. -- Symb. Antill. (Urban). 7(2): 304. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schumanniana* Greves -- J. Bot. 61(Suppl.): 18. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schunkei* McVaugh -- Fieldiana, Bot. 29: 218. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schunkei* McVaugh -- Fieldiana, Bot. xxix. 218 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schwackeana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 230. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia schwackeana* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 230, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sclerocalyx* D.Legrand -- Sellowia no. 13: 311. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sclerocalyx* D.Legrand -- Sellowia 13: 311. 1961 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sclerocalyx* D.Legrand var. *cambajuensis* D.Legrand -- Sellowia no. 13: 312. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sclerophylla* Bedd. -- For. Man. Bot. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scolopacina* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 49. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scolopophylla* Ridl. -- J. Bot. 68: 17. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia scoparia* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 489. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scortechinii* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 85. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia scottii* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 168. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sebastiani* Urb. -- Symb. Antill. (Urban). 9(4): 494. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sebastiani* Urb. -- Symb. Antill. (Urban). 9(4): 494. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sechellarum* Baker -- in Proc. Roy. Irish Acad. Ser. II. Sc. ii. (1875-77) 160. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sehnemiana* (Mattos) Mattos -- Loefergrenia 105: 2 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seithurensis* Gopalan & S.R.Sriniv. -- J. Bombay Nat. Hist. Soc. 100(1): 78 (2003).

Purified (Shodhit) *Eugenia selangorensis* Ridl. -- J. Fed. Malay States Mus. 5: 32. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia selkirkii* Hook. & Arn. -- Bot. Misc. 3: 318. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia selloi* hort. ex O.Berg -- Fl. Bras. (Martius) 14(1): 327. 1857 [15 May 1857] ; pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia selloi* B.D.Jacks. -- Index Kew. 1(2): 911. 1893 [14 Dec 1893]

Purified (Shodhit) *Eugenia sellowiana* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sellowisma* DC. -- Prodr. [A. P. de Candolle] 3: 262. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia selvana* Barrie -- Novon 15(1): 42 (44; fig. 31). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia seriato-pedunculata* Kiaersk. -- Enum. Myrt. Bras. 170, tab. 23f. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seriato-pedunculata* Kiaersk. -- Enum. Myrt. Bras. (1893) 170. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seriato-racemosa* Kiaersk. -- Enum. Myrt. Bras. 151, pl. 21, fig. d. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seriato-racemosa* Kiaersk. -- Enum. Myrt. Bras. (1893) 151. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seriato-ramosa* Kiaersk. -- Enum. Myrt. Bras. 170, tab. 23g. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia seriato-ramosa* Kiaersk. -- Enum. Myrt. Bras. (1893) 170. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericea* O.Berg -- Fl. Bras. (Martius) 14(1): 280. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericea* Kiaersk. -- Enum. Myrt. Bras. (1893) 129. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericea* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 579. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericea* var. *robusta* O.Berg -- Fl. Bras. (Martius) 14(1): 579. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericiflora* Benth. -- Bot. Voy. Sulphur [Bentham] 98. 1845 [14 Apr 1845] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sericifolia* M.L.Kawas. & B.Holst -- Selbyana 30(1): 104 (-106; fig. 3). 2009 [16 Jun 2009]

Purified (Shodhit) *Eugenia serraegrandis* Sobral -- *Phytotaxa* 50: 32 (-33; fig. 7). 2012 [17 Apr 2012] [epublished]

Purified (Shodhit) *Eugenia serrasuela* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 652. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia serrasuela* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 652. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia serrei* Urb. -- *Repert. Spec. Nov. Regni Veg.* 19: 304. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia serrei* Urb. -- *Repert. Spec. Nov. Regni Veg.* 19(nos. 546-551): 304 (-305). 1924 [20 Feb 1924] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sessiliflora* Vahl -- in West, *Bidr. Ste-Croix* 290. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sessilifolia* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sessililimba* Merr. -- Philipp. J. Sci. 18: 296. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia setosa* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 120. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sexangulata* Koord. & Valetton -- Meded. Lands Plantentuin 60: 79. 1902 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia shaferi* Urb. -- Symb. Antill. (Urban). 7(2): 298. 1912 [15 Jun 1912]  
(Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia shaferi* Urb. -- Symb. Antill. (Urban). 7(2): 298. 1912 [15 Jun 1912]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia shepherdii* F.Muell. -- Fragm. (Mueller) 9(78): 148. 1875 [Sep 1875]  
(Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia shepherdii* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875  
(Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations  
after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*  
Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma  
when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank  
Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia shettyana* Murugan & Gopalan -- Nordic J. Bot. 23(5): 625 (-627; fig.  
1). 2005 [22 Dec 2005]

Purified (Shodhit) *Eugenia shimishito* Barrie -- Novon 15(1): 44 (-45; fig. 32). 2005 [29 Apr  
2005]



Purified (Shodhit) *Eugenia shookii* Lundell -- *Wrightia* ii. 209 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia siamensis* Craib -- Bull. Misc. Inform. Kew 1912(3): 153. [3 Apr 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sibulanensis* Elmer -- Leaflet. Philipp. Bot. x. 3808 (1939), pro syn. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sibunensis* Lundell -- Contr. Univ. Michigan Herb. 7: 34. 1942 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sibunensis* Lundell -- Contr. Univ. Michigan Herb. No. 7, 34 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sicifolia* J.W.Dawson & N.Snow -- Candollea 71(1): 70, figs. 1, 4. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia siderocola* Merr. -- Philipp. J. Sci. 18: 303. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sieberi* J.Guého & A.J.Scott -- Kew Bull. 34(3): 481. 1980 [28 Feb 1980] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sieberiana* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sieberiana* var. *crassifolia* O.Berg -- Linnaea 30: 690. 1861 [Mar 1861] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia siggersii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 18: 773. 1937 Fl. Costa Rica (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

*Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia siggersii* Standl. -- Publ. Field Columbian Mus., Bot. Ser. xviii. 773 (1937). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sigillata* McVaugh -- Mem. New York Bot. Gard. 18(2): 211. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sigillata* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 211 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sihanakensis* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 180. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia siltepecana* Lundell -- Amer. Midl. Naturalist 19: 430. 1938 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after

enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia siltepecana* Lundell -- Amer. Midl. Naturalist xix. 430 (1938). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia silvestrei* Elmer -- Leaflet. Philipp. Bot. viii. 3095 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia silvestris* (O.Berg) Mattos -- Loefergrenia 54: 1. 1971 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia silvestris* (O.Berg) Mattos -- Loefergrenia 54: [1]. 1971 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simiarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 359. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simiarum* Standl. & Steyerm. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 359. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simii* Dümmer -- Gard. Chron. 1912, Ser. III. lii. 179. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia similis* Merr. -- Philipp. J. Sci. 1(Suppl. 1): 106. 1906 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simmondsiae* F.M.Bailey -- Queensland Agric. J. xxiii. 297 (1909). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simmondsiae* F.M.Bailey -- Queensland Agricultural Journal 23(6) 1909 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simpsonii* (Small) Sarg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simpsonii* Sarg. -- Man. Trees N. Am. ed. 2 775 (1922). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simpsonii* Sarg. -- Man. Trees, ed. 2. 775. 1922 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia simulans* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 128. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sinaloae* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1042 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sinaloae* Standl. -- Contr. U.S. Natl. Herb. 23: 1042. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sinemariensis* Aubl. -- Hist. Pl. Guiane 1: 501, t. 198. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sinensis* Hemsl. ex F.B.Forbes & Hemsl. -- J. Linn. Soc., Bot. 23: 298. 1887 [1886-88 publ. 1887] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia singampattiana* Bedd. -- Icon. Pl. Ind. Or. [Beddome] 65. [1868-1874] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sintenisii* (Kiaersk.) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] ; nom. illeg. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sintenisii* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 263, pl. 7c. 1890 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sintenisii* Kiaersk. -- Bot. Tidsskr. 17: 263, t. 7 c et fig. 3. 1890 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sinubanensis* Elmer -- Leaflet. Philipp. Bot. iv. 1424 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia siphonantha* King ex Greves -- J. Bot. 62(Suppl.): 38. 1924 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sipolisii* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sipolisii* Glaz. -- Bull. Soc. Bot. France 54(Mém. 3c): 227, nomen. 1908 [1907 publ. 22 Feb 1908] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia skiophila* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 486. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia skookii* Lundell -- Wrightia 2: 209. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia skutchii* C.V.Morton & Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 18: 774. 1937 Fl. Costa Rica (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia skutchii* Morton & Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 18: 774. 1937 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sloanei* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 338. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sloanei* Urb. -- Repert. Spec. Nov. Regni Veg. 14: 338. 1916 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smaliana* Brandis -- Indian Trees 320 (1906). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smaragdina* O.Berg -- Linnaea 27: 218. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smaragdina* var. *angustifolia* O.Berg -- Linnaea 27: 218. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smaragdina* var. *brevipes* O.Berg -- Linnaea 27: 219. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smaragdina* var. *rigida* O.Berg -- Linnaea 27: 219. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* Spreng. ex O.Berg -- Linnaea 27: 191. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* Poir. -- Encycl. [J. Lamarck & al.] Suppl. 3. 126. 1813 [24 Sep 1813] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* Poir. -- Encyclopedie Methodique. Botanique Suppl. 3 1813 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* var. *coriacea* Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 477 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* var. *hemilampra* F.Muell. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* var. *minor* Maiden -- Agricultural Gazette of New South Wales 9 1898 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia smithii* var. *smithii* Poir. -- Fragmenta Phytographiae Australiae 9 1875 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sobraliana* Giaretta & Fraga -- Phytotaxa 163(2): 117. 2014 [24 Mar 2014] [epublished]

Purified (Shodhit) *Eugenia sobralii* Mattos -- Loefgrenia 123: 1. 2006 [Aug 2006]

Purified (Shodhit) *Eugenia sodiroi* Diels -- Bot. Jahrb. Syst. 40(2, Beibl. 91): 47. 1907 [2 Aug 1907] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sodiroi* Diels -- Bot. Jahrb. Syst. 40(2, Beibl. 91): 47. 1907 [2 Aug 1907] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sogerensis* Greves -- J. Bot. 61(Suppl.): 18. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia solimoensis* O.Berg -- Fl. Bras. (Martius) 14(1): 298. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia somai* Hayata -- in Kanehira, Formos. Trees [255] (1918), japonice. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia somalensis* Chiov. -- Fl. Somala 2: 217. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sonderiana* O.Berg -- Fl. Bras. (Martius) 14(1): 270. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sooana* Borhidi -- Acta Bot. Acad. Sci. Hung. 19 (1-4): 37, as 'sooiana'. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sooana* Borhidi -- Acta Bot. Acad. Sci. Hung. 19: 37, f. 1. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sordida* F.M.Bailey -- Queensland Department of Agriculture and Stock. Botany Bulletin 5 1892 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sordida* F.M.Bailey -- Dept. Agric. Brisbane Bot. Bull. v. (1892) 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sorsogonensis* Merr. -- Philipp. J. Sci., C 11: 22. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sotoesparzae* P.E.Sánchez -- Phytologia 61: 139 (-140), fig. 1986 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sotoesparzae* P.E.Sánchez -- *Phytologia* 61(3): 139 (1986). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia soyauxii* Engl. -- *Notizbl. Königl. Bot. Gart. Berlin* 2: 291. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sparsa* S.Moore -- *Trans. Linn. Soc. London, Bot. ser. 2*, 4: 356. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sparsa* S.Moore -- *Trans. Linn. Soc. London, Bot.* 4(3): 358. 1895 [1894-96 publ. Dec 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sparsiflora* DC. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia sparsiflora* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sparsifolia* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sparsifolia* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spathophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 241. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spathulata* O.Berg -- Fl. Bras. (Martius) 14(1): 240. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spathulata* Bedd. -- For. Man. Bot. 108. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia speciosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 351. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia speciosissima* C.B.Rob. -- Philipp. J. Sci., C 4: 348. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spectabilis* Phil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spectabilis* Phil. -- Linnaea 28: 639. 1857 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphaerantha* Gagnep. -- Notul. Syst. (Paris) 3: 333. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphaerosperma* DC. -- Prodr. [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphenoides* O.Berg -- Fl. Bras. (Martius) 14(1): 259. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphenophylla* O.Berg -- Fl. Bras. (Martius) 14(1): 288. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphenophylla* var. *coetanea* O.Berg -- Fl. Bras. (Martius) 14(1): 288. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphenophylla* var. *prasina* O.Berg -- Fl. Bras. (Martius) 14(1): 288, t. 4, fig. 63. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sphenophylla* var. *tristis* O.Berg -- Fl. Bras. (Martius) 14(1): 288. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spicata* Buch.-Ham. ex Wall. -- Numer. List [Wallich] n. 3621. 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spicata* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 201. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spicata* Lam. var. *cordata* Kochummen -- Gard. Bull. Singapore 28(2): 227. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spiciflora* Nees & Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spiciflora* Nees & Mart. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spiciflora* Nees & Mart. -- Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 12(1): 52. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spissa* Craib -- Bull. Misc. Inform. Kew 1930(4): 169. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spissifolia* Ridl. -- J. Fed. Malay States Mus. 5: 32. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia splendens* O.Berg -- Fl. Bras. (Martius) 14(1): 226. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sprengelii* DC. -- Prodr. [A. P. de Candolle] 3: 276. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia springiana* O.Berg -- Fl. Bras. (Martius) 14(1): 299. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia spruceana* O.Berg -- Fl. Bras. (Martius) 14(1): 257. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squamata* Willd. ex O.Berg -- Linnaea 27: 17. 1855 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squamifera* C.B.Rob. -- Philipp. J. Sci., C 4: 373. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squamiflora* Mattos -- Loefgrenia no. 28: 1. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squamiflora* Mattos -- Loefgrenia No. 28, 1 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squarrosa* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 487. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia squarrosa* Urb. & Ekman -- Symb. Antill. (Urban). 9(4): 487. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sripadaense* Kosterm. -- Misc. Pap. Landbouwhoogeschool 19: 227. 1980 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stahlia* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stahlia* (Kiaersk.) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 650. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia standleyi* McVaugh -- Fieldiana, Bot. xxix. 458 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia standleyi* McVaugh -- Fieldiana, Bot. 29: 458. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia stapfiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 119. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia staudtii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 336. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stelechantha* (Diels) Kaneh. -- Bot. Mag. (Tokyo) 45: 334. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stelechanthoides* Kaneh. -- Bot. Mag. (Tokyo) 46: 669. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* Hook. & Arn. -- Bot. Misc. 3: 322. 1833 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* Hook. & Arn. -- Bot. Misc. 3: 322. 1833 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier SEr. II. vii. 805 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 805. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 288. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenophylla* Hook. & Arn. var. *latifolia* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenoptera* Urb. -- Symb. Antill. (Urban). 7(2): 301. 1912 [15 Jun 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenoptera* Urb. -- Symb. Antill. (Urban). 7(2): 301. 1912 [15 Jun 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenosepala* Kiaersk. -- Enum. Myrt. Bras. 155, pl. 21, fig. e. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenosepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 155. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenosepaloides* Mattos -- Loeffgrenia 66: 8. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenosepaloides* Mattos -- Loefgrenia no. 66: 8. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenoxipha* Urb. -- Symb. Antill. (Urban). 9(1): 104. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stenoxipha* Urb. -- Symb. Antill. (Urban). 9(1): 104. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stephani* O.Berg -- Fl. Bras. (Martius) 14(1): 242. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stephani* var. *angustifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 572. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stephani* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 573. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stephanophylla* Baker f. -- J. Linn. Soc., Bot. xlv. 314 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stereophylla* Urb. -- Symb. Antill. (Urban). 9(1): 98. 1923 [1 Jan 1923] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stereophylla* Urb. -- Symb. Antill. (Urban). 9(1): 98. 1923 [1 Jan 1923] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stewardsonii* Britton -- Bull. Torrey Bot. Club 1924, li. 11. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stewardsonii* Britton -- Bull. Torrey Bot. Club 51: 11. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia steyermarkii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 360. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia steyermarkii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 22: 360. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stibephylla* N.Snow & Rabeh. -- Phytotaxa 48: 53 (-55, 41; figs. 2, 8). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia sticheromischa* Kiaersk. -- Enum. Myrt. Bras. (1893) 172. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sticheromischa* Kiaersk. -- Enum. Myrt. Bras. 172, tab. 22e. 1893 Warming, Symb. Fl. Brasil. Cogn. pt. 39 (Long duration purification) as key ingredient in

indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stictopetala* Mart. ex DC. -- Prodr. [A. P. de Candolle] 3: 270. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stictophylla* N.Snow & Razafimam. -- Phytotaxa 48: 49 (-51, 41; figs. 2, 5). 2012 [15 Mar 2012] [epublished]

Purified (Shodhit) *Eugenia stictosepala* Kiaersk. -- Enum. Myrt. Bras. 119, pl. 21, fig. f. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stictosepala* Kiaersk. -- Enum. Myrt. Bras. (1893) 119. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stictosepala* var. *melanogyna* D.Legrand -- Sellowia no. 13: 324. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stigmatica* DC. -- Prodr. [A. P. de Candolle] 3: 268. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stigmatica* var. *acutata* O.Berg -- Fl. Bras. (Martius) 14(1): 252. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stigmatica* var. *obtusata* O.Berg -- Fl. Bras. (Martius) 14(1): 251, t. 4, fig. 71. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stipitata* McVaugh -- Fieldiana, Bot. 29: 219. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stipitata* McVaugh -- Fieldiana, Bot. xxix. 219 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.



and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stipitata* McVaugh subsp. *sororia* McVaugh -- Fieldiana, Bot. 29: 219. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stipularis* (O.Berg) Mattos -- Loeftgrenia 94: 4 (1989):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stipularis* Miq. -- Fl. Ned. Ind. i. I. 441. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stirpiflora* (O.Berg) Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 672. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stirpiflora* Krug & Urb. -- Bot. Jahrb. Syst. 19(5): 672. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stocksii* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 498. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stokesii* C.A.Gardner -- Journal of the Royal Society of Western Australia 27 1942 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stokesii* C.A.Gardner -- J. Roy. Soc. Western Australia xxvii. 184 (1942). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stolonifera* (D.Legrand & Mattos) Mazine -- Phytotaxa 289(3): 227. 2016 [29 Dec 2016] [epublished]

Purified (Shodhit) *Eugenia stolzii* Engl. & Brehmer -- Bot. Jahrb. Syst. 54(4): 330. 1917 [13 Mar 1917] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia storkii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 143. 1930 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia storkii* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 8: 143. 1930 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia strelensis* O.Berg -- Fl. Bras. (Martius) 14(1): 256. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia striata* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 145. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia striata* Mattos & D.Legrand -- Loeffgrenia no. 67: 20 (-21). 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens*

Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia striata* Mattos & D.Legrand -- *Loefgrenia* 67: 20. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia striatula* C.B.Rob. -- Philipp. J. Sci., C 4: 397. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stricta* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stricta* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 ; nom. inval. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stricta* Pancher ex Brongn. & Gris -- Bull. Soc. Bot. France 12: 179. 1865 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stricta* (O.Berg) Kiaersk. -- Enum. Myrt. Bras. 163. 1893 ; nom. illeg. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stricta* (O.Berg) Kiaersk. -- Enum. Myrt. Bras. (1893) 163. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia strictissima* Govaerts -- World Checkl. Purified (Shodhit) 166. 2008 [Dec 2008]

Purified (Shodhit) *Eugenia strigipes* O.Berg -- Fl. Bras. (Martius) 14(1): 263. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia strigosa* Arechav. -- Anales Mus. Nac. Montevideo v. 60. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia strigosa* Arechav. -- Anales Mus. Nac. Montevideo 5: 60. 1902 Arech. Fl. Uruguay, 2: 60. 1902 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia strigosa* (O.Berg ex Mart.) Arechav. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stuposa* Rich. ex O.Berg -- Linnaea 30: 699. 1861 [Mar 1861] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sturrockii* R.A.Howard -- J. Arnold Arbor. xxviii. 124 (1947). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sturrockii* R.A.Howard -- J. Arnold Arbor. 28: 124. 1947 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when

modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stylaris* McVaugh -- Mem. New York Bot. Gard. 18(2): 212. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia stylaris* McVaugh -- Mem. New York Bot. Gard. xviii. No. 2, 212 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia styphelioides* (Schltr.) J.W.Dawson & N.Snow -- Candollea 71(1): 79. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia suaveolens* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 339. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suaveolens* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suavis* Ridl. -- J. Fed. Malay States Mus. 5: 160. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subalata* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 44. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subalterna* Benth. -- J. Bot. (Hooker) 2: 320. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subalterna* Benth. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subamplexicaulis* DC. -- Prodr. [A. P. de Candolle] 3: 277. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia subavenia* O.Berg -- Fl. Bras. (Martius) 14(1): 571. 1859 [15 Jan 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subavenis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 489. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcaudata* Merr. -- Philipp. J. Sci., C 11: 21. 1916 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 300. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcordata* Wight & Arn. -- Prodr. Fl. Ind. Orient. 1: 331. 1834 [10 Oct 1834] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcordata* O.Berg var. *australis* Mattos -- *Loefgrenia* 70: 4. 1976 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcordata* var. *australis* Mattos -- *Loefgrenia* no. 70: 4. 1976 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subcorymbosa* O.Berg -- *Fl. Bras. (Martius)* 14(1): 295. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subdecurrens* (Miq.) Merr. & Chun -- *Sunyatsenia* 2: 289. 1935 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subdecussata* Duthie -- *Fl. Brit. India [J. D. Hooker]* 2(5): 491. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subdisticha* Urb. -- Symb. Antill. (Urban). 7(3): 308. 1912 [1 Oct 1912] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subdisticha* Urb. -- Symb. Antill. (Urban). 7(3): 308. 1912 [1 Oct 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suberosa* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 364. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subfalcata* C.B.Rob. -- Philipp. J. Sci., C 4: 382. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subfoetida* C.B.Rob. -- Philipp. J. Sci., C 4: 360. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subglauca* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subglomerata* (Kuntze) Sobral -- Phytotaxa 307(4): 243. 2017 [30 May 2017] [epublished]

Purified (Shodhit) *Eugenia subherbacea* A.Chev. -- Bull. Soc. Bot. France 58(Mém. 8d): 170. 1912 [1911 publ. 1912] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subhorizontalis* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 112. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sublaeta* Craib -- Bull. Misc. Inform. Kew 1930(4): 169. [22 May 1930] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia submimica* Elmer -- Leaflet Philipp. Bot. iv. 1438 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia submontana* B.S.Amorim & M.Alves -- *Phytotaxa* 208(3): 210. 2015 [21 May 2015] [epublished]

Purified (Shodhit) *Eugenia subobliqua* Benth. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subobliqua* Benth. -- *J. Bot. (Hooker)* 2: 322. 1840 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subopposita* F.M.Bailey -- *Queensl. Fl.* 2004. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subopposita* F.M.Bailey -- *The Queensland Flora* 6 1902 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suborbicularis* Benth. -- *Flora Australiensis* 3 1867 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suborbicularis* Benth. -- *Fl. Austral.* 2: 285. 1864 [5 Oct 1864] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subracemosa* Merr. -- *J. Straits Branch Roy. Asiat. Soc.* 79: 23. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subreticulata* Glaz. -- *Bull. Soc. Bot. France* 54(Mém. 3c): 233. 1908 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subrigens* Craib -- *Bull. Misc. Inform. Kew* 1929(4): 117. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subrotundifolia* C.B.Rob. -- Philipp. J. Sci., C 4: 362. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subrufa* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 102. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subsessiliflora* Merr. -- Philipp. J. Sci., C 10: 216. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subsessiliflora* Merr. -- J. Straits Branch Roy. Asiat. Soc. 79: 24. 1918 [Sep 1918] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subsessilis* C.B.Rob. -- Philipp. J. Sci., C 4: 360. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subspinulosa* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 19(1-4): 38. 1973 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subspinulosa* Borhidi & O.Muñiz -- Acta Bot. Acad. Sci. Hung. 19: 38. 1973 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subsulcata* Elmer -- Leaflet. Philipp. Bot. viii. 3095 (1919). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subterminalis* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subterminalis* DC. -- Prodr. [A. P. de Candolle] 3: 263. 1828 [mid Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia subundulata* Kiaersk. -- Enum. Myrt. Bras. 129, pl. 22, fig. a. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subundulata* Kiaersk. -- Enum. Myrt. Bras. (1893) 129. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subundulata* Kiaersk. var. *longipetiolata* Mattos -- Loeftgrenia 99: 4 (1990), as 'longo-petiolata'. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subverticillaris* O.Berg -- Linnaea 29: 234. 1858 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia subviridis* Craib -- Bull. Misc. Inform. Kew 1929(4): 117. [3 Jun 1929] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia succulenta* Elmer -- Leaflet. Philipp. Bot. i. 327 (1908). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sudanica* A.Chev. -- Etudes Fl. Afr. Centr. Franc. i. 127 (1913), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffrutescens* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] iii. 7 (1893) 82. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffrutescens* Nied. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffrutescens* Nied. -- Nat. Pflanzenfam. [Engler & Prantl] 3, Abt. 7: 82. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffrutescens* Nied. var. *brevipedunculata* (Mattos) Mattos -- Rev. Cienc. Cult 19: 334. 1967 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffruticosa* O.Berg -- Fl. Bras. (Martius) 14(1): 242. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffruticosa* var. *laeta* O.Berg -- Fl. Bras. (Martius) 14(1): 242. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffruticosa* var. *latifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 573. 1859 [15 Jan 1859] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suffruticosa* var. *opaca* O.Berg -- Fl. Bras. (Martius) 14(1): 242. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. -- Flora 20(2, Beibl.): 85. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. -- Flora 20(2, Beibl. 6): 85. 1837 [7 Oct 1837] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. var. *latifolia* Kiaersk. -- Enum. Myrt. Bras. 156. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. var. *latifolia* (O.Berg ex Mart.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. var. *pubescens* Mattos -- Loefergrenia 119: 4. 2004 [Apr 2004]

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. var. *stricta* (O.Berg) Mattos -- Loefergrenia no. 64: 4. 1975 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcata* Spring ex Mart. var. *stricta* (O.Berg) Mattos -- *Loefgrenia* 64: 4. 1975 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcatifolia* L.D.Meireles & Mazine -- *Phytotaxa* 296(3): 270. 2017 [20 Feb 2017] [epublished]

Purified (Shodhit) *Eugenia sulcistyla* C.B.Rob. -- *Philipp. J. Sci.*, C 4: 368. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcivenia* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 632. 1895 [26 Feb 1895] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulcivenia* Krug & Urb. -- *Bot. Jahrb. Syst.* 19(5): 632. 1895 [26 Feb 1895] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sulphurata* Ridl. -- Journ. As. Soc. Mal. i. 59 (1923). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suluensis* Merr. -- Philipp. J. Sci. 30: 416. 1926 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sumbensis* Greves -- J. Bot. 66(Suppl. 1): 175. 1928 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia supraaxillaris* Spring -- Flora 20(2, Beibl.): 83. 1837 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia surigaensis* Merr. -- Philipp. J. Sci. 18: 297. 1921 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia surinamensis* Miq. -- *Linnaea* 18: 743 (1845); et 27: 182 (1854). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia surinamensis* var. *impunctata* O.Berg -- *Linnaea* 27: 182. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia surinamensis* var. *punctata* O.Berg -- *Linnaea* 27: 182. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suringariana* Koord. & Valetton -- *Bull. Inst. Bot. Buitenzorg* ii. 8. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia suzukii* Kaneh. -- *Bot. Mag. (Tokyo)* 45: 335. 1931 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia swettenhamiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 126. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvana* Ridl. -- Trans. Linn. Soc. London, Bot. 9(1): 48. 1916 [1916-22 publ. Aug 1916] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvatica* Gardner (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvatica* Gardner -- London J. Bot. 2: 352. 1843 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvatica* Cambess. in A.St.-Hil. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia sylvatica* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 337. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvestris* Moon -- Cat. Pl. Ceylon. 38. 1824 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvestris* Moon ex Wight -- Icon. Pl. Ind. Orient. [Wight] t. 532; Illustr. ii. 15. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvicola* C.Wright -- Anales Acad. Ci. Med. Habana 5: 430. 1869 [15 Apr 1869] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia sylvicola* C.Wright -- Fl. Cub. (Sauvalle) 41. 1869 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia symingtoniana* M.R.Hend. -- Gard. Bull. Singapore 11: 333. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia symphoricarpos* McVaugh -- Fieldiana, Bot. 29: 458. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia symphoricarpos* McVaugh -- Fieldiana, Bot. xxix. 458 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia symphysipetala* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 161. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia syzygioides* (Miq.) M.R.Hend. -- Gard. Bull. Singapore 12: 154. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tabascensis* Lundell -- *Phytologia* 1: 482. 1941 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tabascensis* Lundell -- *Phytologia* i. 482 (1941). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tabasco* G.Don -- *Gen. Hist.* 2: 866. 1832 [Oct 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tabouensis* Aubrév. -- *Fl. For. Cote d'Ivoire* iii. 66 (1936), gallice. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tachirensis* Steyerm. -- *Fieldiana, Bot.* 28: 1014. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tachirensis* Steyerm. -- Fieldiana, Bot. xxviii. 1014 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tacuaralensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 806 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tacuaralensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 806. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tafelbergica* Amshoff -- Bull. Torrey Bot. Club lxxv. 535 (1948). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tafelbergica* Amshoff -- Bull. Torrey Bot. Club 75: 535. 1948 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tahanensis* Ridl. -- J. Fed. Malay States Mus. 6: 146. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia taipingensis* M.R.Hend. -- Gard. Bull. Singapore 11: 327. 1947 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia talbotii* Keay -- Kew Bull. 8(2): 288. 1953 [25 Jul 1953] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tamaensis* Steyerl. -- Fieldiana, Bot. xxviii. 1014 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tamaensis* Steyerl. -- Fieldiana, Bot. 28: 1014. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tanaensis* Verdc. -- Kew Bull. 54(1): 55. 1999 [2 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tanatensis* Baker -- J. Bot. 20: 111. 1882 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapacumensis* O.Berg -- Linnaea 27: 222. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapacumensis* O.Berg -- Linnaea 27: 222. 1856 [1856] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapacumensis* var. *angustifolia* O.Berg -- Linnaea 27: 222. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapacumensis* var. *latifolia* O.Berg -- Linnaea 27: 222. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapiaka* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 190. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapiraguayensis* Barb.Rodr. -- Bull. Herb. Boissier ser. 2, 7: 804. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapiraguayensis* Barb.Rodr. ex Chodat & Hassl. -- Bull. Herb. Boissier Ser. II. vii. 804 (1907), nomen. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapirorum* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 321. 1940 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tapirorum* Standl. -- Publ. Field Mus. Nat. Hist., Bot. Ser. 9: 321. 1940 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tatna* Wall. -- Numer. List [Wallich] sub n. 3555 (Quid?). 1831 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tawaensis* Merr. -- Univ. Calif. Publ. Bot. xv. 220 (1929). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tayabensis* Quisumb. & Merr. -- Philipp. J. Sci. 37: 175. 1928 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia taytayensis* Merr. -- Philipp. J. Sci., C 10: 223. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia tchambaensis* J.W.Dawson & N.Snow -- Candollea 71(1): 74, figs. 1, 5. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia teapensis* McVaugh -- Fieldiana, Bot. xxix. 459 (1963). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teapensis* McVaugh -- Fieldiana, Bot. 29: 459. 1963 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tecta* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70: 109. 1901 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teffensis* O.Berg -- Fl. Bras. (Martius) 14(1): 255. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teffensis* var. *subcordata* O.Berg -- Fl. Bras. (Martius) 14(1): 256. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with

Coelogyne fuscescens Lindl. and Achyranthes aspera L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teffensis* var. *truncata* O.Berg -- Fl. Bras. (Martius) 14(1): 256. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teixeireana* (Mattos) Mattos -- Loefgrenia 120: 9. 2005 [Mar 2005]

Purified (Shodhit) *Eugenia tekuensis* M.R.Hend. -- Gard. Bull. Singapore 12: 48. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia temu* Hook. & Arn. -- Bot. Beechey Voy. 56. 1832 [Jan-Feb 1832] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia temu* Hook. & Arn. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenejapensis* Lundell -- *Wrightia* 4(3): 119. 1969 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenejapensis* Lundell -- *Wrightia* iv. 119 (1969). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* DC. -- *Prodr.* [A. P. de Candolle] 3: 272. 1828 [Mar 1828] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* DC. -- *Prodr.* [A. P. de Candolle] 3: 272. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* Miq. -- *Linnaea* 22: 532. 1849 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* var. *elliptica* Kiaersk. -- Enum. Myrt. Bras. 184. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* DC. var. *elliptica* (O.Berg ex Mart.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* var. *glazioviana* Kiaersk. -- Enum. Myrt. Bras. 184. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* var. *macrocarpa* Kiaersk. -- Enum. Myrt. Bras. 184. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* var. *minor* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). 2: 346. 1829 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* DC. var. *spathulata* Kiaersk. -- Enum. Myrt. Bras. 184. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenella* DC. var. *spathulata* (O.Berg ex Mart.) Kiaersk. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenui-pedunculata* Kiaersk. -- Enum. Myrt. Bras. 131, pl. 21, fig. g. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuicuspis* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 129. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuiflora* Mazine -- Kew Bull. 64(1): 149 (-151; fig. 3). 2009 [May 2009]

Purified (Shodhit) *Eugenia tenuifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 249. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuifolia* var. *axillaris* O.Berg -- Fl. Bras. (Martius) 14(1): 249, t. 4, fig. 77. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuifolia* var. *laterifolia* O.Berg -- Fl. Bras. (Martius) 14(1): 250. 1857 [15 May 1857] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuimarginata* McVaugh -- Fieldiana, Bot. 29: 220. 1956 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuimarginata* McVaugh -- Fieldiana, Bot. xxix. 220 (1956). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuipedunculata* Kiaersk. -- Enum. Myrt. Bras. (1893) 131. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal

Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuipes* Merr. -- Philipp. J. Sci., C 7: 316. 1912 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuiramis* Miq. -- Stirp. Surinam. Select. 39. 1851 [Mar 1851] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuiramis* Miq. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuis* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 500. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuissima* Lundell -- Wrightia iii. 19 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tenuissima* Lundell -- *Wrightia* 3: 19. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tephrodes* Hance -- *J. Bot.* 23: 7. 1885 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tephrogyna* Sobral & Proença -- *Phytotaxa* 173(3): 218. 2014 [27 Jun 2014] [epublished]

Purified (Shodhit) *Eugenia tepuiensis* Steyerm. -- *Fieldiana, Bot.* xxviii. 1015 (1957). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tepuiensis* Steyerm. -- *Fieldiana, Bot.* 28: 1015. 1957 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia teresa-ruiziana* Villarroel & Faria -- Novon 23(2): 244. 2014 [16 Jul 2014]

Purified (Shodhit) *Eugenia teresae* J.F.Morales -- Phytologia 81(5): 361. 1997 [Nov 1996 publ. 1 Aug 1997] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teresae* J.F.Morales -- Phytologia 81: 361. 1997 [1996 publ. 1997] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teretiflora* Koord. & Valetton -- Bull. Inst. Bot. Buitenzorg ii. 9. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ternatifolia* Cambess. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ternatifolia* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 336. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.

and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ternifolia* Roxb. -- Fl. Ind. (Roxburgh) 2: 489. 1832

Purified (Shodhit) *Eugenia ternifolia* Roxb. -- Hort. Bengal. 37. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ternifolia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia ternifolia* O.Berg -- Linnaea 27: 246. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia terpinophylla* Thwaites -- Enum. Pl. Zeyl. [Thwaites] 114. 1859 [Sep-Oct 1859] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia terpnophylla* Thwaites var. *keralensis* Shareef, E.S.S.Kumar & P.E.Roy -- Nordic J. Bot. 29(4): 455 (-456; fig. 1). 2011 [20 Aug 2011]

Purified (Shodhit) *Eugenia tetraedra* Duthie -- Fl. Brit. India [J. D. Hooker] 2(5): 476. 1878 [Jul 1878] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetragona* Wight -- Ill. Ind. Bot. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetramera* (McVaugh) M.L.Kawas. & B.Holst -- Brittonia 46(2): 142 (1994):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetramera* (McVaugh) M.L.Kawas. & B.Holst -- Brittonia 46: 142. 1994 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetraptera* (Miq.) M.R.Hend. -- Gard. Bull. Singapore 12: 218. 1949 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma

when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetrasperma* Bello -- in Anal. Soc. Esp. Hist. Nat. x. (1881) 271. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tetrasticha* Poepp. ex O.Berg -- Fl. Bras. (Martius) 14(1): 324. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teysmannii* Koord. & Valetton -- Meded. Lands Plantentuin 40, Bijdr. 6: 164. 1900 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia teyu-iba* D.Parodi -- Anales Soc. Ci. Argent. vii. (1879) 116; Contrib. 126. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thalassaia* O.Berg (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal

Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thalassaia* O.Berg -- *Linnaea* 27: 179. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thalassaia* var. *colchaguensis* Reiche -- *Anales Univ. Chile* 98: 720. 1897 Reiche, *Flora de Chile*, 2: 304. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia theodora* Kiaersk. -- *Enum. Myrt. Bras.* (1893) 160. [Oct-Nov 1893] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia theodora* Kiaersk. -- *Enum. Myrt. Bras.* 160, pl. 22, fig. b. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia theodora* var. *brevipedunculata* Kiaersk. -- *Enum. Myrt. Bras.* 161. 1893 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia theodori-wolfii* Domin -- Biblioth. Bot. lxxxix. 477 (1928). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia theodori-wolfii* Domin -- Bibliotheca Botanica 89(4) 1928 = Bibliotheca Botanica Heft 89 (Apr. 1928) 477 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thikaensis* Verdc. -- Kew Bull. 54(1): 56. 1999 [2 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thollonii* Amshoff -- Acta Bot. Neerl. vii. 53 (1958). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thomasiana* O.Berg -- Linnaea 27: 183. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thompsonii* Merr. -- Philipp. J. Sci., C 9: 121. 1914 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thorelii* Gagnep. -- Notul. Syst. (Paris) 3: 333. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thouvenotiana* H.Perrier -- Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 4: 182. 1953 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thumra* Roxb. -- Hort. Bengal. [92]. 1814 ; nom. inval. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thumra* Roxb. -- Fl. Ind. (Roxburgh) 2: 495. 1832

Purified (Shodhit) *Eugenia thumra* Roxb. var. *penangiana* King -- J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(2): 92. 1901

Purified (Shodhit) *Eugenia thwaitesii* Duthie -- Fl. Brit. India [J. D. Hooker] 2(6): 506. 1879 [May 1879] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thymifolia* Phil. -- Anales Univ. Chile 98: 719. 1897 Reiche, Flora de Chile, 2: 303. 1898 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia thymifolia* Phil. ex Reiche -- Fl. Chile [Reiche] ii. 303. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tiampoka* N.Snow & Callm. -- PhytoKeys 49: 109. 2015 [28 Apr 2015] [epublished]

Purified (Shodhit) *Eugenia tiburona* Urb. & Ekman (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)



Purified (Shodhit) *Eugenia tiburona* Urb. & Ekman -- Ark. Bot. 24A(4): 26. 1932 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tiburona* Urb. & Ekman -- Ark. Bot. 24A(4): 26. 1931 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tiburona* Urb. & Ekman -- Ark. Bot. 24A(4): 26. 1932 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tierneyana* F.Muell. -- Fragmenta Phytographiae Australiae 5 1865 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tierneyana* F.Muell. -- Fragm. (Mueller) 4(24): 14. 1863 [Sep 1863] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tikalana* Lundell -- *Wrightia* ii. 210 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tikalana* Lundell -- *Wrightia* 2: 210. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tilarana* Barrie -- *Novon* 15(1): 45 (fig. 33). 2005 [29 Apr 2005]

Purified (Shodhit) *Eugenia tinctoria* Gagnep. -- *Notul. Syst. (Paris)* 3: 334. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tinge-lingua* S.Moore -- *Trans. Linn. Soc. London, Bot. ser.* 2, 4: 357. 1895 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tinguana* Mattos -- *Loefgrenia* 123: 1. 2006 [Aug 2006]

Purified (Shodhit) *Eugenia tingui* Sobral -- Phytotaxa 347(1): 65. 2018 [10 Apr 2018]  
[epublished]

Purified (Shodhit) *Eugenia tinguyensis* Cambess. -- Fl. Bras. Merid. (A. St.-Hil.). ii. 358. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tinifolia* Lam. -- Encycl. [J. Lamarck & al.] 3(1): 202. 1789 [19 Oct 1789] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tisserantii* Aubrév. & Pellegr. -- Notul. Syst. (Paris) 14: 61. 1950 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tiumanensis* Ridl. -- Trans. Linn. Soc. London, Bot. ser. 2, 3(9): 299. 1893 [Nov 1893]

Purified (Shodhit) *Eugenia tiwakaensis* J.W.Dawson & N.Snow -- Candollea 71(1): 76, figs. 1, 6. 2016 [31 Mar 2016] [epublished]

Purified (Shodhit) *Eugenia toaensis* Borhidi & O.Muñiz -- Bot. Közlem. 64: 216 (-217). 1978 1977 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne*

*fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toaensis* Borhidi & O.Muñiz -- Bot. Közlem. 64(3): 216. 1978 [1977 publ. 1978] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toddalioides* Wight -- Icon. Pl. Ind. Orient. [Wight] t. 542; Illustr. ii. 16. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia togoensis* Engl. -- Notizbl. Königl. Bot. Gart. Berlin 2: 288. 1899 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toledinensis* Lundell -- Phytologia 1: 307. 1939 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toledinensis* Lundell -- Phytologia i. 307 (1939). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it

Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toledo* (Mattos) Mattos -- *Loefgrenia* 105: 3 (1995):. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomasina* Urb. -- *Symb. Antill. (Urban)*. 9(4): 492. 1928 [1 Mar 1928] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomasina* Urb. -- *Symb. Antill. (Urban)*. 9(4): 492. 1928 [1 Mar 1928] (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentosa* Cambess. -- *Fl. Bras. Merid. (A. St.-Hil.)*. ii. 353. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentosa* Aubl. (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentosa* Aubl. -- Hist. Pl. Guiane 1: 504. 1775 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentulosa* Standl. -- Contr. U.S. Natl. Herb. 23: 1043. 1924 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentulosa* Standl. -- Contr. U.S. Natl. Herb. xxiii. 1043 (1924). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomlinsii* Maiden & Betcher -- Proceedings of the Linnean Society of New South Wales 38(2) 1913 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomlinsii* Maiden & Betche -- Proc. Linn. Soc. New South Wales 1913, xxxviii. 247. (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tonii* Lundell -- *Wrightia* iv. 95 (1968). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tonii* Lundell -- *Wrightia* 4: 95. 1968 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toninensis* Baker f. -- J. Linn. Soc., Bot. xlv. 317 (1921). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tonkinensis* Gagnep. -- Notul. Syst. (Paris) 3: 334. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia toppingii* Elmer -- Leaflet. Philipp. Bot. iv. 1407 (1912). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tortata* Vieill. ex Guillaumin -- Bull. Soc. Bot. France 85: 637, pro syn. 1939 [1938 publ. 1939] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tomentosa* Sobral & M.A.D.Souza -- Phytotaxa 349(1): 28. 2018 [9 May 2018] [epublished]

Purified (Shodhit) *Eugenia tomentosa* Verdc. -- Kew Bull. 54(1): 49. 1999 [2 Jun 1999] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trachyphloia* C.T.White -- Contributions from the Arnold Arboretum of Harvard University 4 1933 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trachyphloia* C.T.White -- Contr. Arnold Arbor. 4: 80. 1933 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl.



and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trahyra* Barb.Rodr. -- Contr. Jard. Bot. Rio de Janeiro 4: 90, tab. 13. 1907 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trahyra* Barb.Rodr. -- Contr. Jard. Bot. Rio de Janeiro iv. 90 (1907). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia tramnion* Gagnep. -- Notul. Syst. (Paris) 3: 332. 1918 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triantha* Merr. -- Philipp. J. Sci., C 10: 224. 1915 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trichocarpa* Phil. -- Linnaea 28: 688. 1858 [1856 publ. Feb 1858] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations

after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trichogyna* Sobral, I.G.Costa & M.C.Souza -- *Phytotaxa* 307(4): 236. 2017 [30 May 2017] [epublished]

Purified (Shodhit) *Eugenia trichotoma* Greves -- *J. Bot.* 61(Suppl.): 19. 1923 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triflora* Ham. -- *Prodr. Pl. Ind. Occid.* [Hamilton] 44. 1825 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triflora* Willd. ex O.Berg -- *Fl. Bras. (Martius)* 14(1): 462. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triflora* Sessé & Moc. -- *Naturaleza (Mexico City)* ser. 2, 1, app. 83. 1888 *Plantae Novae Hispaniae* (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for

Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triflora* Sessé & Moc. -- Pl. Nov. Hisp. 83 (Naturaleza (Mexico City), Ser. 2, 1: App.); ed. 2, 77. 1888 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trikii* Lundell -- *Wrightia* 2: 211. 1961 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trikii* Lundell -- *Wrightia* ii. 211 (1961). (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trinervia* Vahl -- *Eclog. Amer.* 2: 36. 1798 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trinervia* DC. -- *Prodr.* [A. P. de Candolle] 3: 279. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic

Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trinervia* DC. -- Prodr. 3 1828 (Medium duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trinervia* Vahl -- Eclog. Amer. 2: 36. 1798 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia trinitatis* DC. -- Prodr. [A. P. de Candolle] 3: 280. 1828 [mid Mar 1828] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triphylla* O.Berg -- Fl. Bras. (Martius) 14(1): 243. 1857 [15 May 1857] (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triphylla* C.B.Rob. -- Philipp. J. Sci., C 4: 371. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern

medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triplinervia* C.B.Rob. -- Philipp. J. Sci., C 4: 357. 1909 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triplinervia* O.Berg -- Linnaea 27: 190. 1856 (Short duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

Purified (Shodhit) *Eugenia triplinervia* var. *angustifolia* O.Berg -- Linnaea 27: 192. 1856 (Long duration purification) as key ingredient in indigenous anti-cancer Herbal Formulations after enriching it Allelopathically: Quick Note on its compatibility with *Coelogyne fuscescens* Lindl. and *Achyranthes aspera* L. based Herbal Formulations for Metastatic Adenocarcinoma when modern medicines fail-From Medicinal Plant Database by Pankaj Oudhia, Audio Bank Project at [pankajoudhia.com](http://pankajoudhia.com)

#### **Related Links**

Over 2000 hours Movies on Cancer Prevention and Cure are available at <https://www.youtube.com/user/pankajoudhia>

<https://www.youtube.com/pankajoudhia23>

Academic Contributions at Internet Archive including over 600 hours movies on Chronic Kidney Disease and Over 10000 E-books and movies on Diabetes. <https://archive.org/browse.php?field=subject&mediatype=movies&collection=pankajoudhia>

[https://archive.org/browse.php?field=subject&mediatype=texts&collection=pankajoudhia\\_texts](https://archive.org/browse.php?field=subject&mediatype=texts&collection=pankajoudhia_texts)

Sam Houston State University's cloud

[http://shsu.discoverlife.org/mp/20p?see=I\\_PAO](http://shsu.discoverlife.org/mp/20p?see=I_PAO)

Academic Contributions at Ecoport

<http://ecoport.org/ep?SearchType=entityContributor&contributorId=1655>

Pankaj Oudhia at Google Scholar

<https://scholar.google.com/scholar?hl=en&q=%22oudhia%2C+p.%22&btnG=&oq=>

[https://scholar.google.com/scholar?q=%22pankaj+oudhia%22&btnG=&hl=en&as\\_sdt=0%2C5](https://scholar.google.com/scholar?q=%22pankaj+oudhia%22&btnG=&hl=en&as_sdt=0%2C5)

Research References at Ecoport.org

<http://ecoport.org/ep?SearchType=reference&Author=oudhia&MaxList=0&AuthorWild=CO>

Research on Cancer Management

<https://www.flickr.com/photos/pankajoudhia/>

Over 5000 Research Notes on Cancer Drug Interactions

[https://www.instagram.com/pankaj\\_oudhia/](https://www.instagram.com/pankaj_oudhia/)

And over 50,000 Research Notes (Over 12,000 online so far) in the series titled Pankaj Oudhia on cancer drug interactions through 10 blogs.

<http://www.searchblogspot.com/search?q=Pankaj+Oudhia&m=1>

Over 1.5 million Audio Research Notes on Oncology, Diabetology, ALS, DMD, SCD etc. available through Audio Bank Project at Medicinal Plant Database and Medicinal Insect Database by Pankaj Oudhia.

<https://www.google.co.in/search?q=%22audio+bank+project%22&num=100&filter=0&biw=1093&bih=530>

Thanks to International Plant Names Index as I used it for reference.

© Pankaj Oudhia